


SART von Rohr presentation

Design, manufacture and sales:


- Control valves
- Pressure reducing valves
- Overflow valves
- Steam traps
- Thermostatic valve
- Auxiliary fluid pumps
- Boiler environment equipment
- Level measurement instruments for fluids



Table of content



About Us	p.3
Presentation	p.5
History	p.8
Our products	p.15
Main Applications for Our Products	p.27
Quality System	p.38
Reference List	p.49
Financials	p.113
Our certification	p.115
Sustainability Policy	p.126





About Us



SART von Rohr It's...



A French manufacturer of industrial fluid control equipment for **95 years**. Control valves, regulators, steam traps, etc..

A company that satisfies its customers all over the world. In 2020, its development continued in the Middle East with an industrial establishment in southwest Turkey.

The products manufactured by SART von Rohr (SVR) are the result of a historical know-how, developed in France for 95 years, but are also the result of its research and development teams based in France.

A guarantee of quality and reliability thanks to the ISO 9001, DESP certifications, and some of the products certified "Origine France Garantie" by Bureau Veritas for its French factory. The products manufactured in the Turkish factory are certified TM (Turkish Guaranteed Origin).

To be committed to the production of ethical and sustainable products that respect the environment and people.

SART von Rohr (SVR) will soon introduce a repairability and durability index for each of its products.



Quality and expertise at customer's service
for 95 years

Headquarters & Plant

France

25, rue de la Chapelle,
68620 Bitschwiller-lès-Thann
+33 (0)3 89 37 79 50
sartventes@sart-von-rohr.fr



BV Cert. 6011104

Plant

Turkey

Halilbeyli osb mahallesi
Bağyurdu osb
Nif caddesi n° : 3
35743 kemalpaşa izmir


Sales Office

Dubaï

Presentation



Presentation



PEOPLE: THE DRIVING FORCE BEHIND PERFORMANCE

Because machines are nothing without people, SART von Rohr places the know-how and expertise of its employees at the center of its investments and production system



A KEY PLAYER

SART von Rohr is a major player, recognised in France and internationally for its know-how, the reliability of its products and its high level of expertise and services.



WORLD-RENNED KNOW-HOW

SART von Rohr capitalises on its know-how to support the performance and success of our customers worldwide.



CONTINUOUS IMPROVEMENT: THE ENGINE FOR GROWTH

As a provider of reliable and innovative solutions, continuous improvement is a culture at SART von Rohr. From the monitoring of products in operation to maintenance, continuous improvement is everywhere.



Presentation

Activity

SART von Rohr has structured its organisation around two divisions :

The Controleo® division, which includes all controls products, and the BYVAP® division, which includes all products used for steam.

SART von Rohr (SVR) designs and produces products who fits to the most varied industrial fluids such as steam, water, sea water, chemicals, thermal oils, cooling fluids, natural gas, industrial gases and many other process fluids.

SART von Rohr (SVR) satisfies thousands of customers throughout the world, in numerous types of activity such as energy, chemicals, pharmaceuticals, food processing, cosmetics, defence, nuclear and many others.

Location

The head offices of the SART von Rohr Group (SVR) is based in France. SART von Rohr (SVR) has several locations around the world, including two production sites. One site in the east of France, well centred in Europe, close to the German and Swiss borders, and a second in the south-west Turkey, ideally located at the gateway to the Middle East.

Plants

The French production plant, located in the east of France at Bitschwiller les Thann, covers 15,000 m². This factory, erected in 1935, evolved after the Second World War, in 1947.

It was extended in 1994 and 2015 and modernised in 2008, 2016 and 2019.

The Turkish production plant is an ultra-modern 5000 m² factory located in the east suburb of IZMIR, in the south-west of Turkey.

Quality


In the French factory, a quality system certified ISO 9001 version 2015, DESP, and its production is certified "Origine France Garantie" by the Bureau Veritas.



History



95 years of know-how in the service of industry



Know-how history

The history of almost a century of know-how at SART von Rohr

SART von Rohr will celebrate its 100th anniversary on 23 June 2030.

In more than 90 years of history, SART von Rohr has acquired unique know-how in all areas of industrial fluid control.

SART von Rohr's know-how has been gradually built up through the research, projects and experiences of the thousands of employees who have participated in the SART von Rohr adventure since 1930.

Whether they are polytechnicians, engineers, senior technicians or skilled workers, everyone has been able to contribute their experience and knowledge to develop the SART von Rohr know-how with the aim of satisfying tens of thousands of customers.

Of all the technical fluids mastered by SART von Rohr, a fluid that is very common in industry is particularly well known in SART von Rohr : It's Steam.

In France, and until 1985, two companies were leaders in steam control, providing solutions and products that made French industry great for much of the 20th century.

It is of course the SART (Société Alsacienne de Réglage Thermique), which began manufacturing condensate traps in 1938, but it is also the SIC (Société Industrielle des Charmille) which invented the BYVAP B1 thermobimetal thermostatic steam trap in 1947.

TYPE À FLOTTEUR OUVERT



fig. 5201


TYPE À FLOTTEUR FERMÉ et TIROIR



fig. 5203



Our know-how



The Société Alsacienne de Réglage Thermique – SART was founded on 23 June 1930 in Strasbourg. Its activity is the design and production of thermostatic temperature controllers. After a few years of activity, SART decided to move closer to its customers in the Mulhouse area and set up in Bitschwiller les Thann, in 1935. In December 1935, SART presented a brand-new concept of water/steam mixing valve that could be supplied with either cold water/hot water or cold water/steam. A revolution at that time.

SART created its first steam traps in 1938, but while SART continued to develop its know-how on control valves for all industrial fluids, SIC developed the world's widest range of thermobimetal steam traps, marketed under the BYVAP brand, and in 1985 produced more than 100,000 quality thermobimetal steam traps per year.


All the great French industrial adventures have been built with SART steam traps and control valves, but also with SIC's BYVAP steam traps.

SART began by developing know-how in thermostatic control valves as early as 1930, but it wasn't really until 1938, when it became a 95% subsidiary of Manurhin, that SART began its adventure in the production of steam equipments : steam traps would be the first, followed by pressure regulators.

From the 1950s onwards, SART became an increasingly important player in the energy and defence markets. The projects multiplied, each one more interesting and enriching than the last.

In the 1970s, it was energy savings that gave SART the opportunity to strengthen its expertise in steam.

New products are created to satisfy a very demanding clientele. Thermostatic steam traps, flow metering, magnetic level indication, appear.



Our know-how

But it was in the 1980s that SART made the most progress, thanks to its investments in research and development and the work of its engineers on superheated steam, who developed a range of expansion and desuperheating valves as well as plunge desuperheaters with high turndown.

In 1994, SART acquired the Swiss company "VON ROHR", which specialised in the design and manufacture of high-quality industrial control valves.

The acquisition of VON ROHR has made a significant contribution to strengthening SART's expertise, particularly in pneumatic servomotors, whose technology is unique. Later SART von Rohr invest a lot to improve these pneumatic actuators.

Wishing to best integrate this new know-how and the talents present in the VON ROHR company, SART has decided to change its corporate name to :

SART von Rohr

SART von Rohr, as soon as it was born, remained focused on consolidating its technical know-how, forgetting that recent globalisation and the change in the purchasing behaviour of French customers also required it to develop its main weak point: "Communication and advertising".

Thus, faced with international competitors who are very aggressive commercially and very trained in "Communication and advertising", but very weak in know-how, many customers were tempted.

SART von Rohr was forced to strongly increase its communication at the same time as its competitiveness.

To remain competitive, SART von Rohr has made very heavy investments for reindustrialisation in its historic French factory at Bitschwiller Les Thann.

In 2007, acquisition of the BYVAP® brand who rediscovered the know-how on thermobimetal traps of its former boss, Erick BRAQUET, who had joined SART von Rohr a few years earlier.

The combined expertise of BYVAP® and SART von Rohr gives birth, in 2008, to a new range of thermobimetal steam traps: the BTX, GMA, BTHP steam traps and a new thermostatic steam trap, the CTX.



Our know-how

Between 2008 and 2015, the entire historic factory was renovated :

- All machines were replaced by modern machines in 2008,
- All historic buildings were demolished and replaced by more functional buildings that meet the latest environmental standards in 2008 and 2015.

To complete its industrial transformation, SART von Rohr also reinvested heavily in research and development in 2007.

Based strongly on its historical know-how, the entire SART von Rohr product range has thus been renewed, standardised and reindustrialised between 2008 and 2012.

Capitalising and still developing its historical know-how, SART von Rohr has modernised or created many new products: Modernisation of desuperheaters, high pressure valves, pumps and pumping traps, etc...

On the strength of its successes, SART von Rohr decided, in 2017, to continue optimising its industrial tools by moving into the "4.0" production, both in terms of organisation and the replacement of its machines and means of production (assembly, testing, etc.).

In 2018, the SART von Rohr decided to start a new international adventure which began with a commercial establishment in Turkey and continued with an industrial establishment in the suburbs of IZMIR in 2019.

After the first works, the production of the first products for the Turkish market started in January 2020.



In summary :

The history of SART von Rohr is the history of a company, recognised worldwide, with multiple know-how acquired over more than 90 years of history, whose objective has always been to satisfy its customers by offering them sustainable and quality products and solutions.

Industries

Energy: From research to industrialisation, SART von Rohr provides solutions for all types of energy, whether renewable, nuclear or fossil fuels.

Heavy chemicals: SART von Rohr provides solutions in many chemical industries for a wide variety of media at very high pressures and temperatures

Fine chemicals: SART von Rohr provides process optimisation solutions to many specialty companies such as agrochemicals, cosmetics, paints, glues, surface treatments, etc...

Environment: SART provides solutions that go beyond simple energy transformation, by investing in fundamental research for ever lower CO₂ emissions.

Oil & Gas: SART provides technical solutions for the optimisation of superheated steam temperature control processes and turbine bypass processes.

Food and beverage industries: SART provides technical solutions for numerous processes such as steaming, sterilisation, pasteurisation, defrosting, cooking, CIP, etc...

Pharmacy: SART von Rohr provides technical and hygienic solutions for pressure and flow regulation, in fermentation, storage or manufacturing applications. Experience in inerting techniques.

Steel industry: SART von Rohr offers its customers technical solutions that ensure economic success in the production of special steels through combined cycle gas recovery.

Automobile: SART von Rohr provides solutions for the optimisation of processes for humidification, paints or energy production Rankine cycle.

Aeronautics: SART von Rohr provides technical solutions to the vast majority of key actors in the aeronautics industry through its research work or its test benches installed all over the world

Defence: SART von Rohr provides cutting-edge technical solutions for equipping the defence industry of the French and European navies.

Tourism: SART von Rohr provides cutting-edge solutions to the tourism industry in its most technical and diverse activities.





Our Products



Control valves

SART von Rohr control valves are specially designed for a wide range of industrial fluids such as steam, thermal oil, water, natural gas, nitrogen and many others.

This range benefits from all the experience of SART von Rohr and offers a simple, reliable and optimised solution for many processes.

The hereunder valves, are designed and manufactured in France.

They guarantee you total peace of mind and offer you exceptional quality and performance.

PRODUCT	TYPE
2-way pneumatic control valve	7162P / VRX P / 2020
2-way electric control valve	7162E / VRX E
2-way pneumatic control valve	7100
2-way pneumatic high pressure control valve	6000HP
2-way electric control valve for SIEMENS actuator	9362 / 9300
3-way pneumatic control valve	7562P
3-way electric control valve	7562E



Pressure Regulators

SART von Rohr pressure regulators (SVR) are self-acting regulators with internal or external impulse.

These pressure regulators are designed to operate on most industrial fluids and over a wide range of pressures, from a few millibars to several tens of bars.

Our pressure regulators, are designed and manufactured in France.

Applications : Excess pressure, pressure reducing, differential pressure, for liquids, neutral gaz , steam, process fluids, clean steam, CIP, SIP, inerting, etc...

PRODUCT	TYPE
Steam pressure reducing valve	PR516
Balanced steam pressure reducing valve	PR516E
Gaz/liquids regulator	PR515
Balanced gaz/liquids regulator	PR515E
Universal pressure Regulator	PRDX
Gaz/liquids excess pressure valve	EP615
Balanced gaz/liquids excess pressure valve	EP615E
Steam excess pressure valve	EP616
Balanced Steam excess pressure valve	EP616E



Blanketing and inerting

SART von Rohr low pressure regulators are mainly used for blanketing solutions, inerting solutions or for pressure control, above the process fluid, in tanks or reactors filling or emptying phases, by using neutral gas, such as nitrogen.


SART von Rohr low-pressure regulators valves work in millibar and can precisely control the process pressure.

Simple, compact and robust, SART von Rohr low pressure regulators are suitable for a wide range of applications: Blanketing, inerting, blowing, scavenging, cooling with fluids such as nitrogen, CO₂ or air.

SART von Rohr's know-how on this process is based on its historic experience. The quality of its manufacture and the loyalty of customers, who appreciate the reliability and safety of SART von Rohr solutions, for the accurate process pressure control in their tanks, reactors and other centrifuges.

The very wide range of products satisfies the needs of various customers standards in the pharmaceutical, cosmetic and specialty chemicals industries.

PRODUCT	TYPE
Low pressure reducing regulator	PRL
Low excess pressure regulator	EPL



Pneumatic actuators

SART von Rohr has unrivalled expertise in pneumatic actuators for control valves and On/Off valves.

For more than 50 years, SART von Rohr has the widest and most reliable range of pneumatic actuator on the market.

Thousands of customers use SART von Rohr actuators in a wide variety of applications.

SART von Rohr is constantly improving and optimising its pneumatic actuator product range.

The new PA pneumatic actuator series, together with the modernised MA and TMA pneumatic actuators, are even more reliable and powerful.

This new generation of pneumatic actuators is lighter, more compact, much more sensitive and reliable than other pneumatic actuators on the market.

Even the most demanding users will find in the SART von Rohr pneumatic actuators range to meet their needs.

The quality and reliability of SART von Rohr pneumatic actuators is known worldwide.

PRODUCT	TYPE
Small size pneumatic actuator	PA
Large size pneumatic actuator	MA
Powerfull pneumatic actuator	TMA



Temperature regulators

SART von Rohr 2-way and 3-way temperature regulators (SVR) are suitable for liquids or gases with more than 90 years of experience and have been installed in a wide range of industrial applications.

Thanks to their accuracy and reliability, thermostatic valves are true temperature controllers that require no power supply.

SART von Rohr temperature control valves are used in energy, marine, heating and nuclear applications.

Functions : heating, cooling, mixing or distribution (3-way valve).

PRODUCT	TYPE
Heating function temperature regulator	TR203C
Cooling function temperature regulator	TR203R
3-way mixing or diverting temperature regulators	NTR207
Thermostat	NTP200



Steam conditioning and desuperheating

SART von Rohr offers a complete range of superheated steam desuperheaters based on 3 technologies, which can desuperheat with high accuracy, both very small flow rates and large quantities of steam.

The fineness of the spray combined with total mastery of steam conditioning and desuperheating technologies enables SART von Rohr to offer the best solutions.

PRODUCT	TYPE
Control Multispray desuperheater	DMBC
Multispray desuperheater	MNB
Venturi desuperheater	DVX



Steam traps

A steam network, like all steam processes, cannot operate properly, without noise and risk, without efficient and permanent condensate and gases (air, CO₂, etc...) drainage.

SART von Rohr, specialist in industrial thermal fluid control, has built, within its BYVAP® division, a complete range of steam trapping solutions to suit all your needs.

SART von Rohr historical experience combined with BYVAP® know how, enables SART von Rohr to guide the customer's choice on the right technology according to the application and the expected performance.

The steam trap choice varies with each application and its installation depends on several factors, such as the used steam trap technology or the condensate recovery method.

SART von Rohr gives the keys to the best selection of condensate traps.

Whether your application is a main lines drain, heat exchangers drain, coil drain, air heater drain, tracer drain, and many others, SART von Rohr allows you to select the right condensate steam trap technology and installation yourself, without any commercial considerations.

PRODUCT	TYPE
BYVAP High pressure steam trap	BTHP
BYVAP Thermobimetal steam trap	BTX12
BYVAP Thermobimetal steam trap	BTX32
BYVAP Capsule steam trap	CTX21
BYVAP High flowrate steam trap	GMA



Magnetic level gauges

SART von Rohr magnetic level gauges are widely used in industry as a level measuring instrument.

It is ideal for many applications as it is completely self-contained and requires no power source.

It provides a clear, clear and safe view of what is happening in a tank by means of a magnetic float that gives the position of the liquid level in a tank to an indicator system fixed outside the tank.


The SART von Rohr magnetic level gages is a simple, robust and reliable construction with exceptional visibility at 180 degrees.

With 50 years of experience in the construction of magnetic level gauges, SART von Rohr brings its know-how to highly technical applications on both heavy and light fluids.

SART von Rohr has registered several patents on this type of instrument, in particular on the association of a magnetic level indicator with a radar control system, allowing redundancy of the level measurement feedback.

Deep knows how allows SART von Rohr to build magnetic level gauges with special materials, such as PVC or PVDF, which allow to manage technical and aggressive fluids.

PRODUCT	TYPE
Magnetic level gauges	MBSK



Condensate pumps and pumping trap

On all steam networks, efficient condensate drainage is solved, in a conventional way with a condensate steam trap.

However, for condensate drainage to be possible and effective, the differential pressure between the inlet and outlet of the trap must be positive.

Thus, the upstream pressure must be greater than the sum of the downstream pressure and the condensate return system pressure drop .

In some cases, the pressure in the condensate return line is higher than the steam pressure and the steam trap does not discharge condensate (or not enough).


In these cases, and for efficient and reliable condensate drainage, a pumping trap or a condensate pump can be installed for trapping at a lower upstream pressure than the one in the condensate return line.

This equipment can be easily installed, they are automatic.

Whether your application is a main line, heat exchanger, battery, air heater, lifting condensate, and many others.

SART von Rohr historical experience combined with BYVAP® know how brings you simple and economical solutions with the right trapping technology.

PRODUCT	TYPE
BYVAP Pumping trap	PPx14
BYVAP Condensate pump	STARLIFT 11



The boiler house products

SART von Rohr's know how in steam production energy optimisation has led to the development of a wide range of equipments specially adapted to modern boilers.

SART von Rohr has always believed that the accurate fluid controls on a steam boiler is fundamental to achieving significant energy savings.

SART von Rohr has designed a whole range of products that allow the efficient interaction between the feed tank, feed pumps, economiser, level control, continuous blow down, bottom blow down, and energy recovery from the condensate network, to reduce the steam boiler energy consumption .

SART von Rohr has developed complex energy models to simulate the achievable energy savings using each of the optimisation solutions.

The design of SART von Rohr's level control valves takes into account, not only feed water accuracy to prevent boiling stops, but also pumps protection against cavitation and protection against economiser overheating.

The SART von Rohr continuous blowdown control is designed to maintain accurate salt concentration according the boiler manufacturer's recommendations.

PRODUCT	TYPE
Feedwater control valve	FW7370
Manual Continuous blowdown control valve	HDV
Electric Continuous blowdown control valve	HDVE
Manual bottom blowdown valve	VEB340 M
Pneumatic bottom blowdown valve	VEB340 P



Rotary Pneumatic Control Valve


SART von Rohr double offset plug rotary control valve especially designed for the flow control of a wide range of fluids like water, thermal oil, steam, nitrogen, natural gas, etc...

These control valves offer an optimized and modular solution for industrial process with high turndown.

Particular advantages

- Double offset plug
- No dead band & very low operating hysteresis
- Non-crossover shaft & unobstructed flow
- Strong, precise, splines stem-plug connection
- According to ASME B16.34 §6.5 standard for anti blowout shaft
- Stroke indicator

PRODUCT	TYPE
Rotary Pneumatic Control Valve	RCX




Main Applications for Our Products



Main Applications for Our Products


Our products are engineered to operate efficiently on a variety of industrial mediums, including all fluids, gases, and steam, even the most challenging ones. With reliable and effective solutions, we aim to provide excellent Flow control, Pressure Control, Temperature control, Condensate and steam management, and Energy Optimisation.



Energy Generation


Waste-to-Energy (WTE) Power Plants

- Combustion Air & Flue Gas Control – Managing airflow and exhaust gases for optimal combustion.
- Steam Flow & Pressure Control – Regulating high-pressure steam and temperature from waste combustion to turbines.



Combined Cycle Gas Turbine (CCGT) Power Plants

- Gas Turbine Fuel Control – Precise regulation of natural gas or liquid fuel to turbines.
- HRSG (Heat Recovery Steam Generator) Control – Managing steam flow and pressure in the heat exchanger.
- Bypass & Diverter Dampers – Controlling exhaust gas flow to optimize efficiency.
- Bypass & Relief Valves – Protecting the system from overpressure conditions.



Fossil Fuel Power Plants (Coal, Oil, Gas-Fired)

- Boiler Feedwater Control – Regulating water supply to steam boilers for efficient operation.
- Main Steam Control – Controlling the steam flow from the boiler to the turbine.
- Superheater & Reheater Attemperator
- Managing steam temperature using spray water valves.
- Turbine Bypass Systems – Diverting high-pressure steam during load fluctuations.
- Fuel Gas & Oil Flow Control – Regulating combustion fuel supply for optimal efficiency.
- Flue Gas Recirculation – Controlling NOx reduction by recycling exhaust gases.

Nuclear Power Plants

- Reactor Coolant System (RCS) Flow Control – Ensuring optimal flow of coolant to maintain reactor safety.
- Secondary Loop Control – Regulating fluid flow between the reactor, steam generator, and turbine.
- Containment Ventilation & Safety Systems

Oil & Gas Production and Processing

- Gas Lift Operations – Controlling the injection of lift gas to optimize oil production.
- Water and Gas Injection Systems – Ensuring accurate injection rates for enhanced oil recovery (EOR).
- Separation Units (Three-Phase Separators) – Controlling oil, gas, and water separation processes.
- Heater Treaters – Managing temperature and flow in crude oil dehydration.

Refineries and Petrochemical Plants

- Hydrocracking and Catalytic Cracking Units – Managing flow and pressure in reactors.
- Desalters and Heat Exchangers – Regulating flow in desalination and heat transfer applications.
- Gas Sweetening and Sulfur Recovery Units (SRU) – Controlling amine absorption and Claus process reactions.
- Fluidized Catalytic Cracking (FCC) Units – Controlling catalyst and fuel injection.

Natural Gas Processing & LNG Plants

- Gas Dehydration Units – Controlling glycol flow to remove water from natural gas.
- Cryogenic Processes (LNG production) – Managing pressure and temperature during liquefaction.
- Gas Compression Stations – Regulating pressure in pipelines.

Safety and Emergency Shutdown Systems

- Tank Farm Operations – Managing filling and draining of storage tanks.
- Inerting and blanketing



Heavy Chemicals & Petrochemicals Industries

Acids & Alkalies Production (e.g., Sulfuric acid, Hydrochloric acid, Caustic Soda)

- Managing cooling water and process heating for acid concentration.

Ammonia/Urea & Fertilizer Production

- Controlling synthesis gas (syngas) pressure in ammonia plants.
- Regulating urea and ammonium nitrate flow in fertilizer manufacturing.
- Managing cooling water and steam pressure for heat exchangers.

Ethylene, Propylene, Butadiene Production (Cracking & Polymerization)

- Controlling raw material (naphtha, ethane) flow in steam cracking.
- Regulating fractionation columns for product separation.



Aromatics (Benzene, Toluene, Xylene – BTX Production)

- Regulating flow rates in extractive distillation and separation units.

Synthetic Resins & Rubber Production

- Controlling temperature and pressure for curing and extrusion.

Cement & Lime Processing

- Handling high-temperature gases in kilns and calcination processes.
- Furnace Pressure & Flow Control for combustible liquids and gases

Glass & Ceramics Industry

- Controlling oxygen/gas flow for high-temperature furnaces.
- Managing cooling water and airflows in tempering processes.



Pharma & Fine Chemicals Industries

Pharmaceuticals & Biotech


- Controlling temperature and pressure in crystallization and filtration.
- Managing aeration and pH control in fermentation tanks.
- Controlling steam sterilization in bioreactors.

Paints, Coatings & Adhesives

- Controlling viscosity by regulating solvent and additive flow.

Perfume & Fragrance Production

- Regulating distillation and extraction processes for fine chemicals.



Food, Beverage and Sugar Industries

Dairy Industry

- Pasteurization Process – Controlling flow of milk through heat exchangers.
- Homogenization & Standardization – Regulating fat content and ingredient mixing.
- CIP (Clean-in-Place) & SIP (Sterilization-in-Place) Systems – Managing cleaning agents and steam sterilization.
- Filling & Packaging Lines – Ensuring accurate milk, yogurt, or cream dosing.

Beverage Industry (Juice, Soft Drinks, Beer, Wine, Spirits)

- Fermentation & Maturation Tanks (Breweries & Wineries) – Managing temperature, CO₂ levels, and pressure.
- Filling & Bottling Lines – Ensuring precise liquid flow for cans and bottles.
- Steam & Hot Water Control – Managing sterilization of brewing and fermentation equipment.

Bakery & Confectionery Industry

- Chocolate Processing – Controlling cocoa butter and liquid chocolate temperature.
- Steam & Heat Transfer Fluid Control – Managing ovens and bakery machinery.
- Cooling & Refrigeration Systems – Ensuring precise temperature regulation for confectionery production.

Meat, Poultry & Seafood Processing

- CIP Systems for Hygiene Compliance – Controlling high-pressure water and cleaning agents.

Edible Oils & Fats Processing

- Hydrogenation & Fractionation – Controlling hydrogen gas and temperature.



Sugar & Sweetener Production

- Evaporation & Crystallization – Controlling steam and vacuum levels for sugar concentration.
- CIP Cleaning Systems – Ensuring hygiene in sugar refineries.


Frozen & Processed Food Industry

- Blanching & Cooking Systems – Controlling steam for vegetable processing.
- Freezing & Refrigeration – Managing ammonia and CO₂ refrigeration cycles.



Pulp, Paper and Tissues industries



Papermaking
(Wet End)



Drying & Finishing
(Dry End)



Energy & Utility Systems,
including the Boiler & Steam
Distribution, as well as the
Compressed Air Systems

Iron, Steel and Aluminium industries

Ironmaking & Steelmaking (Blast Furnace, EAF, BOF)

- Oxygen & Air Injection in Basic Oxygen Furnace (BOF) & Electric Arc Furnace (EAF)
- Cooling Water Systems



Rolling Mills & Continuous Casting

- Lubrication & Hydraulic Systems
- Steam & Cooling Water in Hot & Cold Rolling




Heat Treatment & Annealing

- Furnace Temperature & Gas Flow Control

Water & Desalination Plants

Reverse Osmosis (RO) Desalination

- High-Pressure control
- Energy Recovery
- Membrane Protection
- Cleaning




Precise pressure regulation in high-pressure pumps to optimise the reverse osmosis process, enhance energy efficiency, and extend membrane lifespan. Integration of specialised control valves for energy recovery, reducing operational costs.

Safeguarding membranes with valves ensuring optimal flow and pressure control to prevent surges and potential damage. Implementation of effective flushing and chemical cleaning solutions to maximise membrane performance and longevity.




Other Industries



Quality System



Process mapping



Management Process

Pilots: Erick BRAQUET – Fabienne MENY – Béatrice THOMANN



Indicator(s):

- Tracking performance indicators
- Management review

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board


Interactions:

All processes

SWOT Analysis	
STRENGTHS	WEAKNESSES
OPPORTUNITIES	THREATS

Quality management system

Pilot: Béatrice THOMANN



Indicator(s):

- Follow-up of customer complaint processing
- Follow-up of non-conformity form processing
- Targets follow-up

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board


Interactions:

With all other processes and management

SWOT Analysis	
STRENGTHS Well-articulated system	WEAKNESSES
OPPORTUNITIES Help from internal and external skills	THREATS

IT Service

Pilot: Maurice WIOLAND



Indicator(s):

- Follow-up of general IT objectives
- Optimize ERP use
- Cybercrime monitoring
- GDPR (General Data Protection Regulation)

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board

Interactions:

With all processes and services

SWOT Analysis	
STRENGTHS	WEAKNESSES
Backups Cybercrime management	
OPPORTUNITIES	THREATS

HR Service

Pilot: Fabienne MENY



Indicator(s):

- Sick leave tracking
- Legal compliance with training hours
- Training schedule

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board


Interactions:

All other processes

SWOT Analysis	
STRENGTHS	WEAKNESSES
Listening Flexibility, combining efficiency and well-being Monitoring a good social climate	
OPPORTUNITIES	THREATS

Design Office Process

Pilot: Franck BALLARANO



Indicator(s):

- Action plan follow-up
- Follow-up on R&D non-objectives

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the BE Action Plan table with "Continuous Improvement".

Interactions:

Reception / Purchasing / Technical Support / Production / Quality

SWOT Analysis	
STRENGTHS	WEAKNESSES
Strong technical experience	

Sales Process (internal + external)

Pilot: Erick BRAQUET

Internal process managers: Nabil RABBANI (Daily Business) + Claude AUBERTIN (Projects)

Sector managers: Erick BRAQUET / Kévin BOYER / Ludovic GALAS / Aurélien SANTO



Indicator(s):

- Rate of transformation of offers into orders
- Monitoring of invoiced sales and incoming orders
- Sales forecasts

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board

Interactions:


Design Office / Technical Support / Purchasing / Production / Quality

SWOT Analysis	
STRENGTHS Staff skills Management	WEAKNESSES
OPPORTUNITIES ERP Car park Computer equipment	THREATS

Technical Support Process

+ After-Sales Service

Pilot: Catherine COUDEGNAT



Indicator(s):

- Tracking technical file processing time
- Particular follow-up of customer claims not settled within 2 weeks; no more than two unsettled claims in a month

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board

Interactions:

Purchasing / Design Office / Internal and External Sales / Quality

SWOT Analysis	
STRENGTHS	WEAKNESSES
Extensive technical experience	

Purchasing / OPL Process

Pilot: Martine KORNACKER



Indicator(s):

- Monitoring supplier delays
- Monitoring non-conformities at reception

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board

Interactions:

Design Office / Technical Support / Purchasing / Quality

SWOT Analysis	
STRENGTHS	WEAKNESSES
Manufacturing order management Triggering production/purchasing based on minimum stock alerts	

Production Process

Pilot: Laurent PIRRO



Indicator(s):

- NC sheet (10% less than N-1)
- Compliance with customer deadlines

Efficiency:

- Risk and opportunity management with consideration of the strategic SWOT
- Use of the "Continuous Improvement" board

Interactions:

Purchasing / Design Office / Technical Support / Internal Sales / Quality

SWOT Analysis	
STRENGTHS	WEAKNESSES
Competent staff Infrastructure quality Machines	
	OPPORTUNITIES THREATS

Reference List



Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2015	France	2-way pneumatic control valve	6000 HP	DN 200 (8")	Superheated steam	380°C / 40 bar g	OEM	INEO NORMANDIE	BOREALIS / LAT NITROGEN
2015	France	8x Excess Pressure valve	EP 615 ET	DN 80 (3")	LPG (GPL)	45°C / 20 bar g	Distributor	ARTFLEX	
2015	France	14x 3-ways pneumatic control valve	7562 PY	DN 80 + DN 65 + DN 40	Demineralised water	140°C / 11 bar g	Distributor	BOM DISTRIBUTION	VAI CLECIM
2015	France	5x Steam traps	BTX 32	DN 20 (3/4")	Condensates	318°C / 10,9 barg	Engineering	AXENS / PROSERNAT	CAMPANA Refinery (Argentina)
2015	France	25x Steam traps	GMA	DN 50 (2")	Condensates	390°C / 55 bar g	Engineering	AXENS / PROSERNAT	CAMPANA Refinery (Argentina)
2015	France	9x Pressure reducing valve	PR 515 + PR 515 E	DN 20 + DN 25 + DN 50	Air	60°C / 10 bar g	Petrochemical	ARKEMA	
2015	France	2-way pneumatic control valve (Angle body)	6600 HP	DN 30	Ammonia liquid (NH3)	50°C / 360 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2-way pneumatic control valve (Angle body)	6600 HP	DN 90	Ammonia Gas (NH3)	50°C / 360 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	5x 2-way pneumatic control valve	7162 P	DN 20 + DN 25	Diesel oil	50°C / 35 bar g	Furnace & burner manufacturer	FIVES PILLARD	Mexico
2015	France	3x 2-way pneumatic control valve	7162 P	DN 25 + DN 32	Air	40°C / 12 bar g	Furnace & burner manufacturer	FIVES PILLARD	Mexico
2015	France	2-way pneumatic control valve	7162 P	DN 25 (1")	Condensates	150°C / 35 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2x 2-way pneumatic control valve	6000 HP	DN 25 (1")	Condensates	90°C / 35 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2-way pneumatic control valve	6000 HP	DN 150 (6")	HP Water	300°C / 137 bar	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2x 2-way pneumatic control valve	7162 P	DN 40 (1 1/2")	Domestic fuel	50°C / 45 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2015	France	3x 2-way pneumatic control valve	7162 P	DN 125 (5")	Natural gas	50°C / 6 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2015	France	2-way pneumatic control valve	7162 P	DN 150 (6")	Process air	225°C / 36 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2-way pneumatic control valve	6000 HP	DN 25 (1")	Ammonia liquid (NH3)	50°C / 33 bar g	Chemicals	BOREALIS / LAT NITROGEN	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2015	France	2-way pneumatic control valve	7162 P	DN 50 (2")	Demineralised water	50°C / 14 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2-way pneumatic control valve	7162 P	DN 50 (2")	Water	50°C / 16 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2x 2-way pneumatic control valve	7162 P FT	DN 25 (1")	Ammonia liquide (NH3)	50°C / 20 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2x 2-way pneumatic control valve	7162 P FT	DN 25 (1")	Ammonia gas (NH3)	50°C / 16 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2-way pneumatic control valve	7162 P	DN 200 (8")	Superheated steam	305°C / 4 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	2x 2-way pneumatic control valve	6000 HP	DN 150 (6")	Process gas	375°C / 35 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2015	France	10x 2-way pneumatic control valve (DUPLEX ASTM 995 Gr. 5A body)	6000 HP	DN 200 (8")	Sea water	50°C / 65 bar g	Seawater desalination plant	SIDEM / VEOLIA	BASRAH (Irak)
2015	France	10x 2-way pneumatic control valve (DUPLEX ASTM 995 Gr. 5A body)	6000 HP	DN 300 (12")	Sea water	50°C / 65 bar g	Seawater desalination plant	SIDEM / VEOLIA	BASRAH (Irak)
2015	France	5x 3-ways pneumatic control valve	7562 PY	DN 50 (2")	Fuel oil	140°C / 10 bar g	OEM	ADF ALSACE	For Gas Turbine / Fuel filtering EL DAHIR (Irak)
2015	France	5x Pressure reducing valve	PR 515 E/CA	DN 80 (3")	Fuel oil	135°C / 15 bar g	OEM	ADF ALSACE	For Gas Turbine / Heavy fuel pumping EL DAHIR (Irak)
2015	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2015	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2015	France	1x pressure reducing valve + 2x way pneumatic control valve + control loop	PR515E + 7162 P + RP0100 + PXR5 + BAR 14	DN 80 (3") + DN 150 (6")	air	90°C / 8 bar g	sugar factory	SUCDEN	unknown
2015	France	6x 2-way electric control valve	7162 E + SDL100	DN 150 (6") + DN 200 (8") + DN 250 (10")	water	65°C / 5 bar g	OEM	WANNITUBE	SYSTHERM - CZECH REPUBLIC
2015	Algeria	6x 2-way continous blowdown valves + HDVE + FLB1 + EL18 + RE100 conductivity regulation		DN 15 (1/2")	water	250°C / 28 bar g	agri-food	CEVITAL	Algerie
2015	France	50x Flow controller	50x 6324-20	1"	Water	-	Water distribution	ERANOVE	SODECI-GENERAL ABIDJAN COTE D'IVOIRE
2015	France	Steam trap	FF2402 / GMA / WO1011	DN25/40/65/80	STEAM / CONDENSATE	535 °C / 104 barg	energy installation operator	DALKIA	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2015	France	Pressure reducing valve	BR25i / BS80e	DN25 / DN80	AZOTE	60 °C / 6 barg	Chemical manufacturing	SOLVAY	
2015	France	Pressure reducing valve	EP615E	DN40 / DN80	BUPRO35	50 °C / 20 barg	engineering experts	PARLYM INTERNATIONAL	
2015	France	steam desuperheat valve	DMBC	DN80/25	SUPERHEATED STEAM	510 °C / 102 barg	Designer of industrial fluid installations	CNIM - BS	NAPHTACHIMIE
2015	France	Spare parts kit + Thermostatic actuator	NTP200.1		SUPERHEATED WATER	200 °C / 15 barg	electricity management	EDF UTO	
2015	France	complete steam regulation assembly mounted on Skid	SKID		SATURATED STEAM	185 °C / 10 barg	Industrial piping and boilermaking	OLEXA	SOY DRYER Cameroun
2015	France	complete steam regulation assembly mounted on Skid	SKID		SATURATED STEAM	185 °C / 10 barg	Industrial piping and boilermaking	OLEXA	SOY DRYER Espagne
2015	France	3-way pneumatic control valve	7562	DN80	Fuel	140 °C / 10 barg	transformation of the energy sector	ADF ALSACE	EL DAHIR (IRAK)
2015	France	Pressure regulators with air cushion actuator	PR515E/CA	DN80	Fuel	135 °C / 15 barg	transformation of the energy sector	ADF ALSACE	EL DAHIR (IRAK)
2015	France	Overflow Valves	6155CME	32	CONDENSATS	130/5	CENTRAL HEATING	OREXAD	CPCU
2015	France	Overflow Valves	EP 615	20	CONDENSATS	130/2,5	CENTRAL HEATING	CPCU	CPCU
2016	France	6x Pressure reducing valve	PR 515 + PR 515 E	DN 20 + DN 40	Plant Air	50°C / 13 bar g	OEM	COMESSA	ZAPSIB (Russia)
2016	France	3x 3-ways pneumatic control valves	7562 PY	DN 125 + DN 100	Glycol water (MPG)	95°C / 6 bar g	OEM	EIMI	Food / ALPRO / SOJINAL (68)
2016	France	4x 2-way pneumatic control valves	7162 P	DN 65 + DN 80 + DN 50 + DN 100 + DN 200 + DN 25 + DN 40	Water	95°C / 6 bar g	OEM	EIMI	Food / ALPRO / SOJINAL (68)
2016	France	16x Pneumatic actuators + Handwheel	PA 60 A6 + MA H23 41 C6		Air	90°C / 6 bar g	Valve manufacturer	BOM ROBINETTERIE	
2016	Italy	2x 2-way pneumatic control valve	6000 HP	DN 50 (2")	Demineralised water	60°C / 55 bar g	OEM	FLENCO	For Turbine gas
2016	France	4x 2-way pneumatic control valve (A351CK3MCuN body)	6000 HP	DN 50 (2")	RO test unit feed flow control valve	50°C / 65 bar g	Seawater desalination plant	SIDEM / VEOLIA	BASRAH (Irak)
2016	Italy	3x 3-ways pneumatic control valve	7562 PZ + 7562 PY	DN 150 (6")	Water	70°C / 10 bar g	OEM	FLENCO	Gas Turbine (Panama)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2016	France	Steam traps	BTX 32	DN 20 (3/4")	Condensates	318°C / 10,9 barg	Engineering	AXENS / PROSERNAT	CAMPANA Refinery (Argentina)
2016	France	Steam traps	BTX 40	DN 20 (3/4")	Condensates	290°C / 55 barg	Engineering	AXENS / PROSERNAT	CAMPANA Refinery (Argentina)
2016	Italy	2x 2-way pneumatic control valve	6000 HP	DN 50 (2")	Demineralised water	60°C / 55 bar g	OEM	FLENCO	For Turbine gas (Russia)
2016	France	Pressure reducing valve	PR 515 E	DN 80 (3")	Demineralised water	55°C / 10 bar g	OEM	ADF ALSACE	For gas Turbine
2016	France	6x 2-way pneumatic control valve	7162 P	DN 150 (6")	Natural gas + Fuel gas	95°C / 10 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2016	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2016	France	2x 3-way pneumatic control valves + 8x 2-way pneumatic control valves + 2x excess pressure valve + 2x magnetic float level indicator	7562 PZ + 7162 P + EP615E/P + MBSK + TORRIX	DN15 (1/2") + DN 20 (3/4") + DN20 (1") + DN 50 (2") + DN 40 (1"1/2") + DN 65 (2"1/2)	mobil jet oil /	180°C / 25 bar g + 220°C / 6 bar g + 100°C / 30 bar g	OEM	CERTIA	SHYMAT
2016	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2016	France	20x 2-way continuous blowdown valves + 15x sampler cooler	HDV + HDVE + RE100	DN 25 (1")	water	250°C / 28 bar g	Boiler manufacturer	BABCOCK WANSON	unknown
2016	France	2x 3-way electric control valve	7562 EZ + SDL100	DN 300 (12") + DN 200 (8")	Glycol water	105°C / 10 bar g	OEM	ERELA	Veolia Bouqueval
2016	France	1x 2-way pneumatic control valve	6000 HP	DN 80 (3")	Water	140°C / 100 bar g	Incinerator - waste treatment center	IVRY PARIS XIII	SYCTOM territory - Paris
2016	France	14x Pneumatic actuators + 14x Limit switchs	PA HA DE 35 A6 POS + XCK-T2110	DN50	Air	90 °C / 6 bar	Valves supplier	KLINGER KF FLUID	Unknown
2016	Chine	4x 3 Ways Pneumatic Valves	7562 PZ	DN150	Water	70 °C / 10 bar	Foreign trade company	BILLION TEAM TECHNOLOGY L	Unknown
2016	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2016	France	6x Float traps + 3x Valve TOR + 9x Pneumatic valves	FTE14-10 + TOR NP + 7162 P	DN80	Saturated steam	175 °C / 8 bar	Pet food manufacturer	ASO NUTRITION	Unknown
2016	Singapore	828x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2016	France	6x Bimetallic steam trap 16x Bellows sealed valve 12x float steam trap	BTX 32 / 185 C / FTE 44 / FTE 14 / FTE 32	DN15 / DN20 / DN25 DN 40	Condensate	-	Food industry	ADM	ADM Archer Daniels Midland

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2016	France	8x Bellows sealed valve	185 C	DN 25 / DN 80 / DN 150	-	-	Chemicals	ROHM HAAS	ROHM AND HAAS FRANCE SAS
2016	France	2x Excess High pressure valve	2x EP615P/2CA HP	DN 25	Kerosene	40°C / 200 barg	Aeronautics	FARE TRADE GROUPE SALAMDE	SAFRAN AIRCRAFT ENGINES
2016	France	steam trap + 2-way pneumatic control valve	BTX32 + 7162	DN20 / DN100	SATURATED STEAM	210 °C / 15 barg	food industry	ADM	
2016	France	2-way pneumatic control valve + steam desuperheat valve + pneumatic TOR valve	7162 + DMBC + TORNP	DN200 / DN80_25 / DN65	SUPERHEATED STEAM	340 °C / 27 barg	Industrial piping and boilermaking	SDEL LORRAINE SAS ETABLIS	
2016	France	Spare parts kit + Pneumatic actuators	MA60 + MA41		AIR	90 °C / 6 barg	Central purchasing center / Sugar industry	PARTS EQUIPMENT	GRD LABELLE (Algérie)
2016	France	2-way pneumatic control valve + Thermotatic valve + 3 way pneumatic control valve type 7562	7162 + NTR207YE + 7562	DN50 / DN65 / DN125	Heavy oil / Thermal Fluid / Natural Gaz	140 °C / 44 barg	technology for industrial combustion	FIVES PILLARD	
2016	France	2-way Electric control valve	7162E	DN50	WATER	300 °C / 87 barg	Solar steam generators	SUNCNIM	Llo thermodynamic solar power plant
2016	France	2-way Electric control valve + 3-way Electric control valve	7162 + 7562	DN200 / DN200_250_300	WATER	110 °C / 10 barg	Designer of industrial fluid installations	SAUTER REGULATION SAS	KONRAD ADENAUER - 2920 KIRCHBERG Luxembourg
2016	France	3 way pneumatic control valve type 7562 PZ	7562	DN150	WATER	70 °C / 10 barg	Central purchasing center	SILKROAD24 GMBH	
2016	France	SKID with steam trap + pneumatic TOR valve + Pressure reducing valve	BTX32 + TORNP + PR516 + 7100	DN15 / DN40 / DN20	SATURATED STEAM	230 °C / 10 barg	energy installation operator	ENGIE COFELY	HUNTSMAN
2016	France	3 way pneumatic control valve type 7562 + pneumatic TOR valve + 2-way pneumatic control valve	7562 + TORNP + 7162	DN50 / DN100 / DN25 /	SUPERHEATED WATER	130 °C / 10 barg	energy installation operator	DALKIA	
2016	France	2-way pneumatic control valve	7162	DN200	Natural Gaz	95 °C / 15 barg	technology for industrial combustion	FIVES PILLARD	
2016	France	2-way pneumatic control valve	7162	DN150 / DN200	Natural Gaz	30 °C / 12 barg	technology for industrial combustion	FIVES PILLARD	
2016	France	2-way pneumatic control valve + Water boiler feed valve with recirculation + steam desuperheat valve + Spare parts kit	7162 + FW7370 + DMBC	DN80-25 / DN50 / DN80_25	SUPERHEATED WATER	200 °C / 15 barg	electricity management	EDF	
2016	France	steam desuperheat valve	DMBC	DN80_25	SUPERHEATED STEAM	400 °C / 75 bars	energy installation operator	DALKIA - CVE DUNKERQUE	
2016	France	2-way pneumatic control valve	7162	DN300	SUPERHEATED STEAM	250 °C / 6 barg	electricity management	EVERGREEN	
2016	France	SKID with pneumatic TOR valve + Pressure reducing valve	TORNP + 7162	DN25	WATER	30 °C / 6 barg	textile factory	MANUFACTURE HARTMANN-EURO	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2016	France	steam desuperheat valve	DMBC	DN80_25	SUPERHEATED STEAM	510 °C / 102 barg	energy installation operator	CNIM - BS	
2016	France	3-way Electric control valve / 2-way Electric control valve	7562 / 7162	DN80	WATER / Thermal Fluid	300 °C / 25 barg	paints for automobile manufacturers and suppliers	BASF FRANCE Division COAT	
2016	France	2-way Electric control valve	6000HP	DN100	SUPERHEATED STEAM	430 °C / 49 bars	Central purchasing center / Sugar industry	PARTS EQUIPMENT	GRD LABELLE (Algérie)
2016	France	3-way Electric control valve	6000HP Z	DN150	WATER	306 °C / 99 barg	energy installation operator	CNIM	SITTINGBOURNE (UK)
2016	France	2-way Electric control valve	6000HP	DN25	SUPERHEATED STEAM	270 °C / 54 barg	energy installation operator	MES ENVIRONMENTAL LIMITED	WOLVERHAMPTON (UK)
2016	Benin	Thermostatic Valves	NTR 207 ZE	100	OIL	210/6	INDUSTRY	EI	EI
2016	Sri Lanka	Overflow Valves	EP615E	150	LUB OIL	100/6	POWER PLANT	CEYLON ELECTRICITY BOARD	CEYLON ELECTRICITY BOARD
2016	France	Spare Parts Actuators	MA41A6/B6				ARIANE SPACE	CEGELE SPACE	ARIANE KOUROU
2016	Pologne	Valves	7562EZ	200	WATER	90/4	ENERGY	SECO WARWICK EUROPE Sp	SECO WARWICK EUROPE Sp
2016	France	Valves	7162P	32	WATER	90/6	ENERGY	ATLAS COPCO	UNKWON
2016	Uk	Overflow Valves	EP615E	150	PURE WATER	25/1,8	ENERGY	STL POWER PROCESS CONTROL	UNKWON
2016	Singapore	Valves	7562EY	50	WATER	100/6		SUBSEA 7 SINGAPORE	VLM AS
2016	Uk	Valves	7562P	150	WATER	50/19,5		VALVEFORCE LTD	UNKWON
2016	France	Valves	7100P	50	STEAM	160/5		GPI	UNKWON
2017	France	64x Pneumatic actuator	PA 15 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2017	France	8x 2-way pneumatic control valve	7162 P	DN 80	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2017	France	4x 2-way pneumatic control valve + Pneumatic controller	7162 P + RP0100	DN 100 (4") + DN 50 (2")	Crude Oil	177°C / 15 bar g	OEM / Petrochemical	FLUID CONTROL EUROPE (FCE)	Filtration skid (Norway)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2017	France	2x 3-way pneumatic control valve	7562 PY	DN 80	Glycooled Water	60°C / 10 bar g	OEM	LAB	Smoke and exhaust gas treatment / HELSINGOR (Denmark)
2017	France	3-ways electric control valve + AUMA actuator type SBA	7562 EZ	DN 80	Glycooled Water	60°C / 10 bar g	OEM	LAB	Smoke and exhaust gas treatment / HELSINGOR (Denmark)
2017	France	1x 2-way pneumatic control valve	7162 P	DN 65	Condenser Water	79°C / 9 bar g	OEM	LAB	Smoke and exhaust gas treatment / HELSINGOR (Denmark)
2017	France	2x 2-way pneumatic control valve	7162 P	DN 40 + DN 100	Saturated steam	180°C / 6 bar g	OEM	LAB	Smoke and exhaust gas treatment / HELSINGOR (Denmark)
2017	France	2x Pneumatic actuator	MA4 60 C6		Air	90°C / 6 bar g	Valve manufacturer	STRAHMAN UNITED PROCESS VALVES	
2017	France	5x 3-way pneumatic control valve	7562 PZ	DN 100 + DN 80	Water	110°C / 6 bar g	OEM	AZUR INDUSTRIE	ARCELORMITTAL (48)
2017	France	8x 2-way pneumatic control valve	7162 P	DN 80 + DN 150 + DN 100 + DN 50	Saturated steam & Water	185°C / 8 bar g	OEM	AZUR INDUSTRIE	ARCELORMITTAL (48)
2017	France	3x Excess pressure valve	EP 615 E	DN 25	Gas oil	50°C / 5 bar g	Energy	EDF	Nuclear power plant (France)
2017	France	4x Magnetic level gauge + heat jacket	MBSK	DN 25	Heavy fuel oil + Steam	160°C / 12 bar g	Energy	EDF Corse	
2017	France	5x Excess pressure valve	EP 615 ET	DN 50 (2") + DN 25 (1")	LPG (GPL)	50°C / 28 bar abs	Distributor	TECFLU	(Bangladesh)
2017	France	2x 2-way pneumatic control valve	7162 P	DN 40 (1" 1/2)	Heavy fuel oil	90°C / 44 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2017	France	2x 3-ways pneumatic control valve	7562 PY FT	DN 50 + DN 32	Thermal oil	250°C / 8 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2017	France	1x 2-way pneumatic control valve	7162 P	DN 150	Natural gas	50°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2017	France	6x 3-ways pneumatic ON / OFF valve	7562 PZ	DN 50 + DN 125	Distilled water	60°C / 10 bar abs	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2017	France	5x 3-ways electric control valve + AUMA actuator type SBA	7562 EY FT	DN 100 + DN 40 + DN 50 + DN 80	Thermal oil	300°C / 20 bar g	OEM	FIVES SOLIOS	Aluminium Plant / ALBA 6 (Bahrain)
2017	France	2-way electric control valve + AUMA actuator type SBA	7162 E FT	DN 150	Thermal oil	300°C / 20 bar g	OEM	FIVES SOLIOS	Aluminium Plant / ALBA 6 (Bahrain)
2017	France	Desuperheater	DMBC	DN 80 / DN 25	Superheated steam	470°C / 70 bar g	Sugar	CRISTAL UNION	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2017	France	Strainer	2900 HP	DN 25	Desuperheated water	100°C / 56 bar g	Sugar	CRISTAL UNION	
2017	France	3x 2-way electric control valve + AUMA actuator type SAR 14,6	7162 E	DN 300 (12")	Superheated steam	240°C / 8 bar g	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2017	France	3x 2-way electric control valve + AUMA actuator type SDL 100	7162 E	DN 40	Condensates	115°C / 7 bar abs	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2017	France	3x Thermostatic valve	TR 203 C	DN 15	Saturated steam	220 °C / 21 bar g	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2017	France	2x 2-way pneumatic control valve	7162 P	DN 80	Saturated steam	222 °C / 23 bar abs	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2017	France	2x 2-way pneumatic control valve	6000 HP	DN 25 (1")	Superheated steam	280°C / 29 bar g	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Waste energy / COLMAR (68)
2017	France	2x 2-way pneumatic control valve	7162 P	DN 50 (2")	Saturated steam	185°C / 10 bar g	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Waste energy / COLMAR (68)
2017	France	2x 2-way pneumatic ON / OFF valve	RKM	DN 50 (2")	Saturated steam	185°C / 10 bar g	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Waste energy / COLMAR (68)
2017	France	2x 3-ways pneumatic control valve	6000 HPZ	DN 50 (2")	Feed Water	122°C / 30 bar g	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Waste energy / COLMAR (68)
2017	France	10x Steam traps	BTX 32	DN 25 + DN 20	Condensates	320°C / 30 bar abs	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Waste energy / COLMAR (68)
2017	France	4x 2-way pneumatic ON / OFF valve	TOR NP	DN 65	Water	55°C / 33 bar g	Energy	EDF CNPE	Nuclear Power Plant
2017	France	4x 2-way pneumatic ON / OFF valve	7162 P	DN 125	Condensed water	34°C / 45 bar g	Energy	EDF CNPE	Nuclear Power Plant
2017	France	2-way pneumatic control valve	6000 HP	DN 25 (1")	Water	290°C / 85 bar g	Boiler manufacturer	STEIN ENERGY	TIFERT (Tunisia)
2017	France	3x 2-way pneumatic control valve	6000 HP	DN 25 (1")	Saturated steam	290°C / 74 bar g	Boiler manufacturer	STEIN ENERGY	TIFERT (Tunisia)
2017	France	2-way pneumatic control valve	7162 P	DN 15	Water	50°C / 10 bar g	Boiler manufacturer	STEIN ENERGY	TIFERT (Tunisia)
2017	France	2x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 25	Solvants	50°C / 5 bar g	Chemicals	INTEROR	
2017	France	10x Steam traps	FTE 14-10 + FTE 43-10	DN 20 + DN 25	Condensates	185°C / 10 bar g	Chemicals	INTEROR	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2017	France	9x 2-way pneumatic ON / OFF valve	TOR NP	DN 25 + DN 40 + DN 50	Saturated steam	190°C / 10 bar g	Chemicals	INTEROR	
2017	France	4x 2-way pneumatic control valves	7162 P	DN 50	Saturated steam	190°C / 6 bar g	Chemicals	INTEROR	
2017	France	8x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 25 (1") + DN 50 (2")	Sodium Hypochlorite & Sodium Hydroxide	50°C / 10 bar g	Seawater desalination plant	SIDEM / VEOLIA	BASRAH (Irak)
2017	France	3x 2-way valve	7162 EQ	DN 250 (10") + DN 200 (8")	Iced water	25°C / 17 bar g	Urban air conditioning company	SUC - DALKIA	AGE Conflans sainte honorine - France
2017	France	55x pneumatic actuators + 35x manual handwheels	PA HB.60A63SPs S3 + PA HB.60C64SPs S3 + H1	x	Air	90°C / 6 bar g	Manufacturer	DE DIETRICH	unknown
2017	France	81x pneumatic actuators + 50x manual handwheels	PA HB.60A63SPs S3 + PA HB.60C64SPs S3 + H1	x	Air	90°C / 6 bar g	Manufacturer	DE DIETRICH	unknown
2017	France	19x 2-way continuous blowdown valves + 15x sampler cooler + 15x steam injector	HDV + HDVE + RE100 + BI15	DN 25 (1")	water	250°C / 28 bar g	Boiler manufacturer	BABCOCK WANSON	unknown
2017	France	1x 3-way electric control valves + 9x 2-way electric control valves + 1x excess pressure valve	7562 EY +SDL100 + 7162E + EP615E	DN 250 (10") + DN150 (6") + DN 200 (8") +	hot water	105°C / 16 bar g	construction and operation of urban heating networks	CORIANCE	CORIANCE BIOMASS BOILER
2017	France	3x 3-way electric control valve	7562 EZ + SBA200.3	DN 200 (8")	treated water	130°C / 7.5 bar g	industrial supplier	TECHNOFRANCE	unknown
2017	France	2x 3-way pneumatic control valve	6000 HP	DN 100 (4")	steam	450°C / 74 bar g	Chemical Factory	SOLVAY	RHODIA Chalampé
2017	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2017	France	1x Differential excess pressure valve	5262-L4	DN125	Water	45 °C / 9,5 bar	National navy	NAVAL GROUP	Unknown
2017	France	3x Pneumatic valves	7162 P	DN200	Saturated steam	202 °C / 15 bar	Industrial equipment supplier	DELTA P	Unknown
2017	France	3x Pneumatic valves + 3x Spare parts	7162 P	DN50 + DN80 + DN125	Industrial water + Mud	60 °C / 10 bar	Public establishment	RENNES METROPOLE	Unknown
2017	France	3x Level meters	MBSK 220 - T1/T2	DN25	Dry chloromethane acid	200 °C / 20 bar	Plastics manufacturer	SOLVIN France	Unknown
2017	France	42X Injection Nozzles	BI25	DN25	Boiler water	185 °C / 10 bar	Chemical manufacturer	SOLVAY CARBONATE FRANCE	ACR (St Clair Du Rhone)
2017	France	4x 3 Ways Pneumatic Valves	7562 EZ	DN150 + DN200	Water	25 °C / 3,5 bar	Industrial equipment supplier	AS FLUID	Unknown

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2017	France	23x Spare parts	-	-	Unknown	Unknown	Industrial equipment supplier	EUROTECH INTERNATIONAL	Unknown
2017	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 barg	Industrial supplies for professionals	OREXAD SCMR	Unknown
2017	France	7x Water boiler feed valve with recirculation	7x FW 7370	DN 50	Water	105°C/ 20 barg	Industrial boilers manufacturer	LCI GROUP	steam boilers industry
2017	France	ON/OFF valve 2-way pneumatic control valve staem trap	TOR NP 7162P FF2405	DN65 DN 50 DN 40	saturated steam	200°C / 12 barg	Chemicals	DISLAUB	DISLAUB
2017	France	22x Bimetallic steam trap 26x Bellows sealed valve 4x float steam trap	BTX 32 / 185 C / FTE 44	DN15 / DN20 / DN25 DN 40	Condensate	-	Food industry	ADM	ADM Archer Daniels Midland
2017	France (La Réunion)	Self acting valve - Thermostatic valve (Spare)	NTR207E	65	Water	20°C / 7 barg	NAVAL INDUSTRY	AMERIS FRANCE SARL	NAVANTIA
2017	France	3-way pneumatic control valve	7562	DN150	WATER	50 °C / 5 barg	Manufacture of equipment for electrothermal energy.	FIVES CELES	
2017	France	2-way Electric control valve + Thermostatic valve + Pressure reducing valve + Steam trap	7162 / 6000 / NTR207E / EP615 / PR515 / BTX32	DN50 / DN25 / DN20	SUPERHEATED WATER	540 °C / 84 barg	Industrial equipment supplier	INTERPEC	
2017	France	Pressure reducing valve	EP615E	DN80	FUEL	50 °C / 6 barg	Industrial equipment supplier	ACI - SOMAGEP	
2017	France	2-way pneumatic control valve	6000HP	DN50 / DN25	SUPERHEATED WATER	350 °C / 49 barg	electricity management	EDF	
2017	France	2-way pneumatic control valve	6000HP	DN100	SUPERHEATED WATER	450 °C / 60 barg	Industrial piping and boilermaking	AIT	
2017	France	2-way Electric control valve	7162E	DN50	WATER	300 °C / 87 barg	Solar steam generators	SUNCNIM	
2017	France	Pneumatic actuators	PA15/35/60 + MA41		AIR	90 °C / 6 barg	industrial valve manufacturer	VELAN SAS	
2017	France	2-way pneumatic control valve	6000HP	DN150	SUPERHEATED STEAM	400 °C / 40 barg	Sugar industry	CRISTAL UNION	
2017	France	2-way pneumatic control valve	7162P	DN150	SATURATED STEAM	210 °C / 18 barg	industrial boiler manufacturer	VIESSMANN	
2017	France	2-way pneumatic control valve	6000	DN100	SUPERHEATED STEAM	350 °C / 50 barg	energy recovery from waste	IVRY PARIS XIII	
2017	France	steam desuperheat valve	DMBC	DN80_40	SUPERHEATED STEAM	500 °C / 110 barg	Coal-fired power plant	TOTAL DIRECT ENERGIE	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2017	France	3 way pneumatic control valve type 7562 PZ	7562	DN150	WATER	70 °C / 10 barg	Central purchasing center	SILKROAD24 GMBH	
2017	France	2-way Electric control valve + 3-way Electric control valve	7162 + 7562	DN250 / DN300	WATER	110 °C / 10 barg	Designer of industrial fluid installations	SAUTER REGULATION SAS	KONRAD ADENAUER - 2920 KIRCHBERG Luxembourg
2017	France	2-way pneumatic control valve	7162	DN100/200/250/300	SUPERHEATED STEAM	250 °C / 15 barg	Industrial piping and boilermaking	SDEL LORRAINE SAS ETABLIS	
2017	Pays Bas	Actuators	MA41D6				CONTROLS AND VALVES	PENTAIR VALVES AND CONTROLS	PENTAIR CONTROLS AND VALVES
2017	Uk	Overflow Valves	EP615E	150	PURE WATER	25/1,1	ENERGY	STL POWER PROCESS	EXPORT
2017	France	Thermostatic Valves	NTR2027 Y	20	OIL	100/8		SKF France LUBRIFICATION	SKF France LUBRICATION
2017	Uk	Valves	7162P	250	STEAM	185/10		VALVEFORCE	EXPORT
2017	Italy	Overflow Valves	EP615	25	OIL	40/10	TRANSMISSION SMARTER	ING BRIZIO BASI	ING BRIZO BASI
2017	France	Valves	TOR VALVE 390C	50	ACETHYLENE		CHEMESTRY	ATHESIS EURL	EXPORT
2018	France	16x Pneumatic actuators	PA4 60 A6 + MA4 41 A6 + MA4 41 B6 + MA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	PAW (PHÖNIX)	
2018	France	8x Pneumatic actuators	MA4 60 G6		Air	90°C / 6 bar g	Valve manufacturer	GUICHON VALVES	
2018	France	66x Pneumatic actuators + Handwheel (For KLINGER VALVE)	PA H23 35 B6 + MA H23 41 B6		Air	90°C / 6 bar g	Distributor	BILLION TEAM	For Nuclear Plant / AREVA ORANO
2018	France	2x Excess pressure valve	EP 615 P / HP	DN 25	Kérosène JET-A1 or JP4	160°C / 150 bar g	Distributor	LMO	SAFRAN AIRCRAFT (77)
2018	France	2x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 50 (2")	Sodium Hypochlorite (CHP)	50°C / 8 bar g	Seawater desalination plant	SIDEM / VEOLIA	Petrochemicals / SADARA (Saudi Arabia)
2018	France	3x 2-way pneumatic control valve	7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2018	France	2-way electric control valve + AUMA actuator type SBA	7162 E	DN 25 to DN 250	Water	90°C / 6 bar g	Ship building	CHANTIER DE L'ATLANTIQUE	Ship C34 (Symphony of the Seas)
2018	France	7x 3-ways electric control valve + AUMA actuator type SBA	7562 EY	DN 200 + DN 125 + DN 250	Water	90°C / 6 bar g	Ship building	CHANTIER DE L'ATLANTIQUE	Ship C34 (Symphony of the Seas)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	France	61x 2-way electric control valve + ROTORK actuator type CVL 1000	7162 E	DN 65 + DN 100 + DN 125	Saturated steam	175°C / 9 bar abs	Ship building	CHANTIERS DE L'ATLANTIQUE	Ship C34 (Symphony of the Seas)
2018	France	2x HP Steam Traps	BT HP80	DN 15 (1/2")	Condensates	520°C / 35 bar g	Chemicals	SOLVAY OPERATION France	
2018	France	15x 3-ways Thermostatic valves	NTR 207 Y	DN 32	Oil	65°C / 10 bar g	OEM	CLYDE UNION PUMPS CELEROS	For Nuclear Power Plant
2018	France	1x 2-way pneumatic control valve	7162 P	DN 40 (1"1/2") +	Heavy fuel oil	90°C / 44 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2018	France	1x 3-ways pneumatic control valve	7562 PY FR	DN 50	Thermal oil	250°C / 10 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2018	France	2x 2-way pneumatic control valve	7162 P	DN 125 + DN 150	Natural gas	60°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2018	France	2x 3-ways Thermostatic valves	NTR 207 YE	DN 50	Thermal oil	260°C / 15 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2018	France	2x 2-way pneumatic control valve	7162 P	DN 125 + DN 150	Natural gas	50°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	Beni Suef) Cement (Egypt)
2018	France	21x Pressure reducing valve	PR 516	DN 40 + DN 20 + DN 15	Saturated steam	190°C / 12 bar abs	Ship building	CHANTIERS DE L'ATLANTIQUE	
2018	France	3x Pressure reducing valve	PR 515	DN 15	Air	60°C / 31 bar abs	Ship building	CHANTIERS DE L'ATLANTIQUE	
2018	France	HP Steam traps	BT HP 100	DN 25 (1")	Condensates	300°C / 85 bar g	OEM	TECHNICATOME	For Nuclear Plant / CEA CADARACHE
2018	France	4x 2-way pneumatic control valve	7162 P	DN 50	Saturated steam	180°C / 9 bar g	OEM	CLAUGER	Chemicals / BASF (Switzerland)
2018	France	4x Steam traps	FTE 43-10	DN 40	Condensates	180°C / 9 bar g	OEM	CLAUGER	Chemicals / BASF (Switzerland)
2018	France	4x 2-way pneumatic control valve	7162 P	DN 65	Water	60°C / 10 bar g	OEM	CLAUGER	Chemicals / BASF (Switzerland)
2018	France	4x 3-ways pneumatic control valve	7562 PZ	DN 100	Thermal oil (Marlotherm LH)	180°C / 10 bar g	OEM	CLAUGER	Chemicals / BASF (Switzerland)
2018	France	2x 2-way pneumatic control valve	7162 P	DN 25	Fuel oil	130°C / 14 bar g	OEM	AXCI SOMAGEP	
2018	France	2x 2-way pneumatic control valve	7162 P FT	DN 150	Thermal oil	260°C / 12,5 bar g	OEM	AXCI SOMAGEP	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	France	2-way pneumatic control valve	6000 HP	DN 150	Superheated steam	503°C / 62 bar g	Energy	RCSI	District heating / Strasbourg
2018	France	2x Desuperheater	MNB	DN 80 / DN 25	Superheated steam	500°C / 59 bar g	Energy	RCSI	District heating / Strasbourg
2018	France	Strainer	2900 HP	DN 50	Desuperheated water	125°C / 90 bar g	Energy	RCSI	District heating / Strasbourg
2018	France	2x 2-way pneumatic ON / OFF valve	6000 HP	DN 150 + DN 50	Superheated steam	503°C / 62 bar g	Energy	RCSI	District heating / Strasbourg
2018	France	2-way pneumatic control valve	6000 HP	DN 25	Desuperheated water	125°C / 90 bar g	Energy	RCSI	District heating / Strasbourg
2018	France	Desuperheater	DMBC	DN 80 / DN 25	Superheated steam	240°C / 35 bar g	Paper	FIBRE EXCELLENCE	
2018	France	Strainer	2900 HP	DN 40	Desuperheated water	115°C / 35 bar g	Paper	FIBRE EXCELLENCE	
2018	France	2x 2-way pneumatic control valve	7162 P	DN 50 (2")	Superheated steam	380°C / 18 bar g	Furnace & burner manufacturer	FIVES PILLARD	Petrochemicals / VERSALIS
2018	France	12x 2-way pneumatic control valve	7162 P	DN 25 (1")	FOPY (Light Fuel oil)	180° C / 30 bar g	Furnace & burner manufacturer	FIVES PILLARD	Petrochemicals / VERSALIS
2018	France	12x 2-way pneumatic control valve	7162 P	DN 100 (4")	Natural gas or Fuel gas	65°C / 6 bar g	Furnace & burner manufacturer	FIVES PILLARD	Petrochemicals / VERSALIS
2018	Turkey	2x 2-way pneumatic ON / OFF valve	7162 P	DN 100 (4") + DN 40 (1" 1/2) + DN 25 (1")	Water	140°C / 80 bar g	OEM	SITERM	Biomass
2018	Turkey	2-way electric control valve + AUMA actuator type SAR 07,2	7162 E	DN 25 (1")	Boiler water	275°C / 60 bar g	OEM	SITERM	Biomass
2018	Turkey	Bottom valve	7180 P	DN 40 (1" 1/2)	Boiler water	255°C / 60 bar g	OEM	SITERM	Biomass
2018	Turkey	2x 2-way pneumatic control valve	7162 P	DN 150 (6") + DN 250 (10")	Saturated steam	470°C / 55 bar g	OEM	SITERM	Biomass
2018	Turkey	2-way pneumatic control valve	6000 HP	DN 150 (6")	Superheated steam	470°C / 55 bar g	OEM	SITERM	Biomass
2018	France	2-way pneumatic control valve	6000 HP	DN 100 (4") + DN 40 (1" 1/2)	Superheated steam	370°C / 35 bar g	OEM	SOVOTEC	ENGIE / CONTINENTAL FOODS
2018	France	2x Desuperheater	DVX	DN 100 (4") + DN 40 (1" 1/2)	Superheated steam	370°C / 35 bar g	OEM	SOVOTEC	ENGIE / CONTINENTAL FOODS

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	France	2-way pneumatic control valve	7162 P	DN 25 (1")	Desuperheated water	160°C / 96 bar g	OEM	SOVOTEC	ENGIE / CONTINENTAL FOODS
2018	France	2-way pneumatic control valve	7162 P	DN 50	Condensates	140°C / 18 bar g	OEM	SOVOTEC	ENGIE / CONTINENTAL FOODS
2018	Poland	2x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	ROCKFIN	For Gas Turbine / BENGAL (Bangladesh)
2018	Italy	2x 3-ways pneumatic control valve	7562 PY	DN 50 (2")	water	70°C / 6 bar g	OEM	FLENCO	For Gas Turbine / BENGAL (Bangladesh)
2018	Italy	2x 2-way pneumatic control valve	6000 HP	DN 80 (3")	Demineralised water	60°C / 55 bar g	OEM	FLENCO	For Gas Turbine / BENGAL (Bangladesh)
2018	France	84x Pneumatic actuators	PA 15 A6 + PA 35 B6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2018	France	3x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 25	Brome + Solvants	50C / 5 bar g	Chemicals	INTEROR	
2018	France	2x 2-way pneumatic ON / OFF valve	TOR NP	DN 15	Soda lye	190°C / 10 bar g	Chemicals	INTEROR	
2018	France	10x 2-way pneumatic control valve	7162 P FT	DN 25 + DN 40 + DN 50 + DN 80 +	Thermal oil	150°C / 10 bar g	Chemicals	SANOFI CHIMIE	
2018	Netherland	2x Pressure reducing valve	PR 515 E/CA	DN 80 (3")	Fuel oil	135°C / 15 bar g	Distributor	C.K. AGENCIES B.V	For Gas Turbine (Ghana)
2018	Netherland	2-way pneumatic control valve	7162 P	DN 50 (2")	Demineralised water	60°C / 45 bar g	Distributor	C.K. AGENCIES B.V	For Gas Turbine (Ghana)
2018	Netherland	3-ways pneumatic control valve	7562 PY	DN 80 (3")	Fuel oil	140°C / 10 bar g	Distributor	C.K. AGENCIES B.V	For Gas Turbine (Ghana)
2018	France	12x 2-way pneumatic ON / OFF valve	TOR NP	DN 50 (2") + DN 100 (4")	vaccum	25°C / 16 bar g	Distributer	BFL LOUVRES	unknown
2018	France	1x 2-way pneumatic control valve	6000 HP	DN 150 (6")	Water	60°C / 21 barg	Incinerator - waste treatment center	IVRY PARIS XIII	SYCTOM territory - Paris
2018	France	1x 2-way pneumatic piston control valve	RKM	DN 150 (6")	Water	60°C / 21 barg	Incinerator - waste treatment center	IVRY PARIS XIII	SYCTOM territory - Paris
2018	France	81x Float stem trap + thermobimetal thermostatic steam trap	FTE14 + FTE32 + FTE 40 + BTX32	DN 15 (1") + DN 20 (3/4")	water - condensats - steam	400°C / 32 bar g	Chemical Factory	VYNOVA PPC SAS	VYNOVA PPC SAS
2018	France	1x 2-way pneumatic control valve	6000 HP	DN 100 (4")	superheated steam	350°C / 50 bar g	Incinerator - waste treatment center	IVRY PARIS XIII	SYCTOM territory - Paris

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	France	50x Flow controller	6324-20	1"	x	x	drinking water production	ERANOVE	Cote D'Ivoire
2018	France	1x Pneumatic Valve	7162 EQ	DN250	Superheated steam	250 °C / 20 bar	Chemical materials manufacturer	ARKEMA France	Unknown
2018	France	3x Pressure reducing valves	PR515	DN20	Sea water	32 °C / 10 bar	National navy	NAVAL GROUP	Unknown
2018	France	8x Excess pressure valves	EP615	DN40 + DN50	Liquid propane + butane	40 °C / 20 bar	Engineering and technical studies	RVS	Unknown
2018	France	5x Excess pressure valves	EP615 + EP615T	DN20 + DN32	Isobutane	40 °C / 22 bar	Chemical industry supplier	CREALIS	Unknown
2018	France	4x Filters	FY	DN25	Water	Unknown	National navy	NAVAL GROUP	Unknown
2018	France	22x Spare parts for excess precure valve	6155 CLE	DN32	Unknown	Unknown	National navy	NAVAL GROUP	Unknown
2018	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2018	France	41x Spare parts	-	-	Unknown	Unknown	National navy	NAVAL GROUP	Unknown
2018	France	5x Discharge valves	SOUPAPE	DN40	Cooling water	30 °C / 8 bar	National navy	NAVAL GROUP	Unknown
2018	France	5x Thermostatic Bulbs + 4x Discharge valves	2037 HS + SOUPAPE	DN32	Cooling water	30 °C / 8 bar	National navy	NAVAL GROUP	Unknown
2018	France	5x Thermostatic Bulbs + 5x Discharge valves	2037 HS + SOUPAPE	DN20	Cooling water	30 °C / 8 bar	National navy	NAVAL GROUP	Unknown
2018	France	10x Bimetallic steam trap 50x Bellows sealed valve	BTX 32 / 185 C	DN15 / DN20 / DN25	Condensate	-	Food industry	ADM	ADM Archer Daniels Midland
2018	France	Excess low pressure valve	EPL	DN 50	Acetic Acid - Acetic Anhydride	40°C /70 mbarg	Pharmaceutical	ORIL INDUSTRIE GROUPE SER	ORIL INDUSTRIE GROUPE SER
2018	Russia	2-way pneumatic control valves + Desuperheater	7162 + DMBC + 2900HP	150 + 25	Steam	190°C / 10 barg	POWER	BAFCON MÜHENDISLIK VANA V	
2018	Turkey	3-way pneumatic control valves	7562	15 / 32 / 50	Fuel 360 cst	Multiple		FCC	
2018	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	United Kingdom	Self acting valve - Excess pressure valve	EP615	150 / 100	Pure Water	25°C / 10 barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2018	Taiwan	2-way pneumatic control valves	6000HP	200	Steam	230°C / 33 barg		VALCO VALVES SERVICE SAS	
2018	United Kingdom	2-way pneumatic control valves	7162	50	Gas	100°C / 100 barg		VALVEFORCE LTD	
2018	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Multi nozzle desuperheater	6000HP, DMBC	DN150 DN150 DN25/DN80	Superheated steam	450°C / 75 bar	POWER PLANT	MODERN ENERGY	
2018	France	steam desuperheat valve	DMBC	DN80_25	SUPERHEATED STEAM	400 °C / 32 barg	Industrial piping and boilermaking	RS EST	
2018	France	steam desuperheat valve	DMBC	DN80_25	SUPERHEATED STEAM	330 °C / 90 barg	energy installation operator	CNIM WEMS-CS	
2018	France	steam desuperheat valve	DMBC	DN80_25	SUPERHEATED STEAM	500 °C / 100 barg	Chemical industry	CARBONEX	
2018	France	2-way pneumatic control valve	DMBC	DN80_40	SUPERHEATED STEAM	450 °C / 87 barg	energy installation operator	ENGIE ENERGIE SERVICES	
2018	France	steam trap + 2-way pneumatic control valve	GMA / 6000HP	DN40 / DN25	SUPERHEATED STEAM	470 °C / 72 barg	Paper industry	GASCOGNE PAPIER SAS	
2018	France	2-way pneumatic control valve + pneumatic TOR valve + 2-way pneumatic control valve	6000HP / 7162 / TORNP / DMBC	DN100_150/ DN25 / DN40 / DN80	SUPERHEATED STEAM	470 °C / 72 barg	Paper industry	GASCOGNE PAPIER SAS	
2018	France	2-way pneumatic control valve	6000HP	DN100	SUPERHEATED STEAM	150 °C / 214 barg	electricity management	ALBIOMA	GALION II Martinique
2018	France	2-way pneumatic control valve + steam desuperheat valve	7162 + DMBC + MNB	DN150 / DN80 / DN25 / DN100 / DN32	SUPERHEATED WATER	350 °C / 32 barg	energy installation operator	EIFFAGE ENERGIE THERMIE	
2018	France	2-way pneumatic control valve	7162	DN25 / DN150	FUEL	260 °C / 14 barg	Industrial equipment supplier	ACI - SOMAGEP	
2018	France	3-way pneumatic control valve + 2-way pneumatic control valve	7562 + 7162	DN200 / DN150 / DN125	SUPERHEATED WATER	150 °C / 15 barg	energy installation operator	CLIMATELEC	
2018	France	2-way pneumatic control valve	6000HP	DN80	METHANE	250 °C / 67 barg	Chemical industry	NAPHTACHIMIE	
2018	France	steam desuperheat valve	DMBC	DN80_40	SUPERHEATED STEAM	500 °C / 110 barg	Coal-fired power plant	TOTAL DIRECT ENERGIE	
2018	France	2-way Electric control valve + 3-way Electric control valve + Pressure reducing valve	TORNP + 7162 + 6000 + PR516E + 7562 + 7180P	DN50_25 / DN150_100_50_40 / DN125	SUPERHEATED STEAM	430 °C / 44 barg		SITERM ISI SANAYI A.S.	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2018	France	2-way Electric control valve + Thermostatic valve + steam sample cooler	6000HP + 7162 + TR203RE + RE100	DN25 / DN80 / DN20	SUPERHEATED STEAM	405 °C / 70 barg	energy installation operator	MES ENVIRONMENTAL LIMITED	
2018	France	Spare parts kit	NTP200.2				electricity management	ISS LOGISTIQUE ET PRODUCT	
2018	France	Controls Valves	7162P-S	15	STEAM	200/6		ARMOR SAS	ARMOR SAS
2018	Canada	Thermostatic Valves	NTR207	25	SEA WATER	31/4		CTH INSTRUMENTS LTD	EXPORT
2018	France	Overflow Valves	EP615ET	80	LPG	40/25	GAZ	PARLYM INTERNATIONAL	EXPORT
2018	Uk	Overflow Valves	EP615E	100	PURE WATER	25/5,8		STL POWER PROCESS	EXPORT
2019	France	2x Pressure reducing valve	EP 526 / 5262 L4P HT	DN 100 (4")	Air	550 °C / 24 bar g	OEM	EIFFAGE ENERGIE SYSTÈME	Bench test for AIR FRANCE (95)
2019	China	4x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	BILLION TEAM	Gas Turbine
2019	France	2x 2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 80 (3")	Fuel oil	93°C / 10 bar g	OEM	ADF ALSACE	For gas Turbine / OROT RABIN (Israel)
2019	France	6x 2-way pneumatic control valve	7162 P	DN 80+ DN 200	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2019	France	15x Pneumatic actuators (St. Steel execution)	PA 15 A6 + PA 60 A6 + MA 60 G6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	SHAR CENTER (India)
2019	France	2x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 25	Brome	50°C / 5 bar g	Chemicals	INTEROR	
2019	France	2x 2-way pneumatic control valve	7162 P	DN 80	Water	50°C / 5 bar g	Chemicals	INTEROR	
2019	France	2x Excess pressure valve	EP 615 E	DN 25	Gas oil	50°C / 5 bar g	Energy	EDF	Nuclear power plant (France)
2019	France	5x Pneumatic actuators	MA4 60 G6		Air	90°C / 6 bar g	Valve manufacturer	GUICHON VALVES	
2019	France	13x 2-way pneumatic ON / OFF valve	TOR NP	DN 15 + DN 25	Soda lye	190°C / 10 bar g	Chemicals	INTEROR	
2019	France	10x Steam traps	FTE 43-10	DN 25	Condensates	185°C / 10 bar G	Chemicals	INTEROR	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	France	3x 2-way pneumatic control valves	7162 P	DN 50	Saturated steam	190°C / 6 bar g	Chemicals	INTEROR	
2019	France	2x 2-way pneumatic control valves	7162 P	DN 150 + DN 125	Natural gas	30°C / 12 bar g	Furnace & burner manufacturer	FIVES PILLARD	CBMI China for Bechar (Algeria)
2019	France	33x Pneumatic actuators (St. Steel execution)	MA 41 A6 ++ MA 60 G6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	Test bench (India)
2019	France	2-way pneumatic control valve	6000 HP	DN 150 (6")	Superheated steam	350°C / 36 barg	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Energy / SMA (Monaco)
2019	France	Desuperheater	DMBC	DN 80 (3") / DN 25 (1")	Superheated steam	350°C / 36 barg	Boiler manufacturer	CNIM ENVIRONNEMENT & ENERGIES SERVICES	Energy / SMA (Monaco)
2019	France	2-way pneumatic control valve	6000 HP	DN 8 (1/4")	Oxygène (O2)	65°C / 79 bar g	Defense	NAVAL GROUP	
2019	France	20x Pneumatic actuators with handwheel	PA H23 60 A6		Air	90°C / 6 bar g	Valve manufacturer	STRAHMAN UNITED PROCESS VALVES	
2019	China	4x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	BILLION TEAM	Gas Turbine
2019	France	3x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 80 + DN 25 + DN 50	Brome or KCl	70°C / 6 bar g	Chemicals	VYNOVA PPC	
2019	France	2-way pneumatic control valve	7162 P	DN 150	Saturated steam	160°C / 4,5 bar	Chemicals	VYNOVA PPC	
2019	France	2-way pneumatic control valve	7162 P	DN 150 (6")	Bitume	180°C / 12 bar g	Oil depot	RUBIS TERMINAL	
2019	France	2-way pneumatic control valve	6000 HP	DN 20 (3/4")	Gas mixing (H2+CO+CH4+H2O+CO2)	150°C / 69 bar g	Defense	NAVAL GROUP	
2019	France	2-way pneumatic control valve	6000 HP	DN 20 (3/4")	Steam	400°C / 69 bar g	Defense	NAVAL GROUP	
2019	Australia	2x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	JORD ENERGY	For Gas Turbine / NANGANG 6FA.01(China)
2019	France	6x 2-way pneumatic control valve	7162 P	DN 100 (4")	Fuel Gas	170°C / 57 bar g	Furnace & burner manufacturer	FIVES PILLARD	CMI LAYYAH (E,A,U)
2019	France	2x 2-way pneumatic ON / OFF valve	TOR NP	DN 25	Desuperheated water	145°C / 30 bar g	Paper	FIBRE EXCELLENCE (31) Bio2 CRE5	
2019	France	Desuperheater	DMBC	DN 80 (3") / DN 25 (1")	Superheated steam	420°C / 5 bar g	Paper	FIBRE EXCELLENCE (31) Bio2 CRE6	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	France	2-way pneumatic control valve	7162 P	DN 80 (3")	Demineralised water	50°C / 10 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2019	France	2-way pneumatic control valve	7162 P	DN 250 (10")	Saturated steam	305°C / 4 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2019	France	2-way pneumatic control valve	7162 P	DN 80 (3")	Nitrogen (N2)	150°C / 13 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2019	France	2-way pneumatic control valve	7162 P	DN 40 (1" 1/2)	Mixing Gaz (21% CH4 + 19% N2 + 54% H2 + 7% AR)	80°C / 33 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2019	France	2-way pneumatic control valve	7162 P	DN 25 (1")	Superheated steam	300°C / 8 bar g	Chemicals	BOREALIS / LAT NITROGEN	
2019	France	5x Condensate Recovery Pump + Condensate equipment	SARTLIFT 11	DN 40	Condensates	115°C / 6 bar g	Food	GEORGES AMEN	JPS Lait
2019	France	2-way pneumatic control valve + Pneumatic controller	7162 P + RP0100	DN 80	Saturated steam	180°C / 8 bar g	Food	GEORGES AMEN	JPS Lait
2019	France	2-way pneumatic control valve	6000 HP	DN 200 (8")	BRINE Geothermal Fluid + NCG Dissolvent	100°C / 70 bar g	Geothermie	FONROCHE	GEOVEN (Vendenheim)
2019	France	2-way pneumatic control valve	7162 P	DN 100 (4") + DN 125 (5") + DN 50 (2")	Natural gas	50°C / 10 bar g	Furnace & burner manufacturer	FIVES PILLARD	NQatar National Cement
2019	Poland	3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	ROCKFIN	For Turbine Gas / VIZAG project (India)
2019	France	3-ways pneumatic control valve	7562 PY	DN 40 (1" 1/2)	Water	65°C / 10.4 bar g	OEM	ROCKFIN	
2019	France	80x Pneumatic actuators	PA 15 A6 + PA 35 B6 +PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	
2019	France	6x 2-way pneumatic control valve	7162 P	DN 80+ DN 200	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2019	France	3x Excess pressure valve	EP 615 E / CA	DN 125	Emulsion (90% water + 10% Oil)	70°C / 7.5 bar g	OEM	VINCENTZ INDUSTRIE	Aluminium Industry / CONSTELLIUM (68)
2019	France	2x 2-way pneumatic control valve	7162 P	DN 125	Emulsion (90% water + 10% Oil)	70°C / 7.5 bar g	OEM	VINCENTZ INDUSTRIE	Aluminium Industry / CONSTELLIUM (68)
2019	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Oxygène (O2)	80°C / 25 bar g	OEM	ELOGEN	
2019	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Hydrogen (H2)	80°C / 40 bar g	OEM	ELOGEN	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Pure water	80°C / 40 bar g	OEM	ELOGEN	
2019	France	3x Pressure reducing valve	PR 516	DN 15	Saturated steam	170°C / 6 bar g	Chemicals	INTEROR	
2019	France	30x Steam traps	FTE 14-10 + FTE 43-10	DN 15 + DN 20 + DN 25	Condensates	185°C / 10 bar g	Chemicals	INTEROR	
2019	France	13x 2-way pneumatic ON / OFF valve	TOR NP	DN 25 + DN 40 + DN 50	Saturated steam	190°C / 11 bar g	Chemicals	INTEROR	
2019	France	214x Pneumatic actuators	PA 15 A6 + PA 35 B6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	
2019	France	3-ways pneumatic control valve	6000 HPZ	DN 20 (3/4")	Mixing Gaz (H2+CO+CH4+H2O)		Defense	NAVAL GROUP	
2019	France	SPARES	SPARES	x	x	x	stationery cardboard making	BLUE PAPER	BLUE PAPER
2019	France	1x 2-way pneumatic control valve	7162 P	DN 300 (12")	superheated steam	250°C / 27,5 bar g	sugar factory	SUCDEN	unknown
2019	France	5x 2-way electric control valves	9362EQ + SKC62	DN 125 (5") + DN150 (6")	Water	20°C / 25 bar g	Urban air conditioning company	SUC - DALKIA	SEINERGIE
2019	France	2x 3-way pneumatic control valves + 4x 2-way pneumatic control valves	7562 PY + 7162 P	DN 15 (1/2")	Pentosin FFL7/ Glycol Water	140°C / 16 bar g	Aeronomic test bench	CERTIA	unknown
2019	France	1x 3-way pneumatic control valves + 1x 2-way pneumatic control valves	7562 PY-FT + 7162 P-FT	DN 200 (8")	Thermal fluid	280°C / 3 bar g	FOOD factory	INTERSNACK France SAS	unknown
2019	France	5x 3-way pneumatic control valves + 7x 2-way pneumatic control valves + repair kits	7562 PY + 7162 P	DN 32 (1"1/4") + DN50 (2") + DN 65 (2"/2) + DN100 (4") + DN150 (6") + DN 200 (8")	iced water + air	30°C / 10 bar g + 40°C / 10bar g	OEM	SEREME	unknown
2019	France	5x 2-way electric control valves	9300 EQ + SKC62	DN 100 (4") + DN 80 (3") + DN 65 (2"1/2)	superheated water	180°C / 23 bar g	Pipefitter	AB CTIM	unknown
2019	Nouvelle Calédonie	4x Pneumatic Valves	7162 EQ	DN80 + DN100 + DN150	Industrial water	25 °C / 75 bar	Industrial equipment supplier	FCC	Unknown
2019	France	3x Cooling temperature regulators	2037-R 4DSI	DN65	Sea water	45 °C / 11 bar	Military industrial equipment supplier	LOGNAV-CM	Unknown
2019	France	4x Desuperheaters + 4x HP Strainers	DMBC + 2900HP	DN80 + DN100	Hot water	250 °C / 165 bar	Energy producer	TOTAL DIRECT ENERGIE	Emile Huchet Power Plan St Avold
2019	France	2x Pneumatic valves	7162 P	DN150 + DN200	Saturated steam	236 °C / 30 bar	Waste treatment company ARF		Unknown

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2019	France	4x Spare parts + 1x Excess pressure valve	EP615	DN32	Sea water	35 °C / 3 bar	National navy	NAVAL GROUP	Unknown
2019	France	5x Pneumatic Valves + 3x Pneumatic on-off valves	7162 P + TOR NP	DN50 + DN65 + DN80 + DN100	Water + Saturated steam	196 °C / 13 bar	Food manufacturer	GB PROD	Unknown
2019	Royaume-Uni	7x Balanced excess pressure valve	7x EP615E	DN 100	Pure water	25°C/7,1 barg	Semiconductor	STL POWER & PROCESS CONTR	ORGANO / TSMC
2019	France	4x Heating temperature regulators	4x TR 203 C	DN 25	saturated steam	207°C / 17 barg	Industrial boilers manufacturer	LOOS	steam boilers industry
2019	France	8x 2-way pneumatic control valve 15x thermobimetal thermostatic steam strap	4x 7162 P 15 x BTX32	DN25 DN20	saturated steam	160°C / 6 barg	Distributor	BRAMMER	unknown
2019	France	3x Excess low pressure valve	3x EPL	3" class 150	Mixed gaz	100°C / 300 mbarg	Underground natural gaz storage	PROCESS SYSTEMS	Storengy
2019	France	1x Excess low pressure valve 20x Pressure reducer low pressure	1x EPL 20x PRL	1" class 150 DN 15	Nitrogen (N2)	160°C / 7 barg	Distributor	SID STEIBLE -> PROTEGO	unknown
2019	France	Spare parts	Spare parts for 6000HP /7162P	1"/3" DN 80	Water	-	Biomass	DALKIA BIOMASSE ORLEANS	Orléans biomass plant
2019	France	10x Bimetallic steam trap 50x Bellows sealed valve	BTX 32 / 185 C	DN 20 / DN 25	Condensate	-	Food industry	ADM	ADM Archer Daniels Midland
2019	France	6x 2-way pneumatic control valve	6x 7162 P	DN 20	saturated steam	152°C/ 4 barg	Protective packaging	STOROPACK	STOROPACK
2019	France	7x Water boiler feed valve with recirculation	7x FW 7370	DN 40	Water	105°C / 27 barg	Industrial boilers manufacturer	LCI GROUP	steam boilers industry
2019	France (La Réunion)	2-way pneumatic control valves	7162	32	Slurry	25°C / 5 barg		ALBIOMA LE GOL	
2019	Singapore	2-way pneumatic control valves + Desuperheater	7162+6000HP + DMBc + MNB	Multiple	Steam	Multiple	POWER	FBY ENERJİ ÜRETİM A.Ş	
2019	Belgium	FLOW CAPTOR 4120	4120	1/2 BSPP	NA	NA		JOHN COCKERILL	
2019	Finland	2-way pneumatic control valves	7162	100	LPG	50°C / 15 barg		PARESA SpA	
2019	United Kingdom	Self acting valve - Excess pressure valve	EP615	150 / 100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	United Kingdom	2-way pneumatic control valves	7162	80	Steam	190°C / 11 barg		VALVEFORCE LTD	ENKA DHIQAR Project / TURKEY
2019	United Kingdom	2-way pneumatic control valves	7162	40 / 80	Steam	190°C / 11 barg		VALVEFORCE LTD	ENKA SAMAWA Project / TURKEY
2019	Turkey	2-way pneumatic control valve	7162 P	DN250	Natural gas	120°C / 15 bar	MINING	BAFCON	İZOFORM
2019	Turkey	2-way pneumatic control valve Thermobimetic steam trap Multi nozzle desuperheater type	MNB	DN125 DN25 DN25/DN80	Superheated steam	205°C / 16 bar	WOOD	BAFCON	KRONOSPAN
2019	Iraq	2-way pneumatic control valve		DN50	Water	60°C / 45 bar	POWER PLANT	QAIWAN GROUP	
2019	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Venturi desuperheater	6000HP, 7162 P, DVX	DN150 DN150 DN100	Superheated steam Superheated steam Superheated steam	480°C / 62 bar 200°C / 1.6 bar 250°C / 10 bar	POWER PLANT	BAFCON	OĞUL ENERGY
2019	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, MNB	DN150 DN25/DN80	Superheated steam Superheated steam	395°C / 41 bar 370°C / 12 bar	POWER PLANT	BAFCON	EKOLOJİK ENERGY
2019	Turkey	2-way pneumatic control valve Multi nozzle desuperheater type	7162 P, DMBC	DN200 DN25/DN80	Superheated steam Superheated steam	450°C / 40 bar 370°C / 60 bar	FERTILIZER	ERALP KAZAN	İGSAŞ
2019	Turkey	Pnumeatic actuator	MA41 H23 B6 10S				POWER PLANT	BAFCON	FBY ENERGY
2019	Turkey	2-way pneumatic control valve	6000HP	DN80	Superheated steam	465°C / 68 bar	POWER PLANT	BAFCON	OMB ENERGY
2019	France	Spare parts kit	NTP201.1				electricity management	EDF-UTO-ALTEN	
2019	France	3-way pneumatic control valve / 2-way pneumatic control valve	7562 / 7162	DN40	SATURATED STEAM	200 °C / 10 barg	energy installation operator	BOCCARD ENERGY SOLUTIONS	
2019	France	2-way pneumatic control valve	7162	DN50 / DN40 / DN80	SATURATED STEAM / WATER / AIR	200 °C / 10 barg	energy installation operator	CNIM WEMS-CS	GUADELOUPE - LE MOULE
2019	France	Dump tube	SAI	DN600 / DN1200	SATURATED STEAM	350 °C / 1,3 barg	energy installation operator	DALKIA	
2019	France	Steam trap	BTX32 / BTHP150 / GMA	DN25 / DN50	STEAM / CONDENSATE	575 °C / 150 barg	energy installation operator	DALKIA	
2019	France	2-way pneumatic control valve / 3-way pneumatic control valve	7162 / 7562	DN80 / DN25 / DN125	SUPERHEATED WATER	200 °C / 16 barg	energy installation operator	DALKIA	
2019	France	Pneumatic actuators	PA60+H23		AIR	90 °C / 6 barg	Solutions for the transfer of fluid and flow control.	STRAHMAN UNITED PROCESS V	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2019	France	2-way pneumatic control valve / pneumatic TOR valve	7162 / 6000 / TORNP	DN25_40_80_50_100_125_	SUPERHEATED STEAM	410 °C / 58 bars	energy installation operator	CNIM WEMS-CS	
2019	France	2-way pneumatic control valve	6000 / 7162	DN25/50/150 DN40/80/100/200/300	SUPERHEATED STEAM	535 °C / 103 bars	energy installation operator	DALKIA	
2019	France	2-way pneumatic control valve	6000 / 7162	DN50/40/25	SUPERHEATED STEAM	535 °C / 103 bars	energy installation operator	DALKIA	
2019	France	2-way pneumatic control valve	6000	DN20	SUPERHEATED STEAM	520 °C / 120 bars	electricity management	ALBIOMA	
2019	France	2-way pneumatic control valve	6000 / DMBC / 7162 / 2900	DN25/100/150/200/250	SUPERHEATED STEAM	535 °C / 103 bars	energy installation operator	DALKIA	
2019	France	2-way pneumatic control valve	6000 / 7162	DN100/DN50	SUPERHEATED STEAM	545 °C / 103 bars	energy installation operator	DALKIA	
2019	France	2-way pneumatic control valve	7162 / 6000 / DMBC	DN25/50/100	SUPERHEATED WATER	400 °C / 135 bars	energy installation operator	DALKIA	
2019	France	steam desuperheat valve	DMBC	DN80/DN40	SUPERHEATED WATER	500 °C / 110 bars	Coal-fired power plant	TOTAL DIRECT ENERGIE	
2019	France	Pressure reducing valve + 2-way pneumatic control valve	PR516 / PR515E / 6000	DN50 / DN40	SATURATED STEAM	320 °C / 25 bars	electricity management	EDF	
2019	France	Flow Traffic Controls	6324-20	25				ERANOYE	EXPORT
2019	France	Controls Valves	7162P-S	15	STEAM	200/7		ARMOR SAS	ARMOR SAS
2019	France	Thermostatic	NTR207 ZE	65	WATER	47/6		GE GRID SOLUTIONS	EXPORT
2020	Italy	11x 3-ways pneumatic control valve	7562 PY	DN 80 (3")	Fuel oil	140°C / 10 bar g	OEM	FLENCO	For Turbine gas
2020	France	19x Pneumatic actuators (St. steel execution)	PA 15 A6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves / ITER Cadarache
2020	France	13x Pneumatic actuators	PA4 60 C6		Air	90°C / 6 bar g	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2020	France	13x Pneumatic actuators	PA4 60 C6		Air	90°C / 6 bar g	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2020	France	2x Excess pressure valve	EP 615 E	DN 65	Oil SAE 40	65°C / 8,5 bar g	Energy	EDF	Nuclear power plant (France)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2020	France	2-way electric control valve + AUMA actuator type SAR 10,2	6000 HP	DN 80 (3")	Superheated steam	450°C / 70 bar abs	Paper	Gascogne paper	
2020	France	2x 2-way pneumatic control valve (PFA Lined)	5904 (RSS)	DN 25 (1")	Sodium Hypochlorite (CHP)	40°C / 10 bar g	Seawater desalination plant	SIDEM / VEOLIA	
2020	France	2-way pneumatic control valve	7162 P	DN 150 (6")	Cold water)	176°C / 50 bar g	OEM	ADF ALSACE	For Turbine gas / AGIOS NIKOLAOS (Greece)
2020	France	5x 2-way pneumatic control valve	7162 P	DN 80 + DN 100+ DN 150	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2020	France	5x 3-ways thermostatic valve	NTR 207 Y	DN 25	Oil	61°C / 4 bar g	Energy	EDF	Nuclear power plant (France)
2020	France	1x 2-way pneumatic control valve	7162 P	DN 150 (6")	Production oil & Water	85°C / 7 bar g	OEM	TFE	Petrochemicals / TOTAL (Gabon)
2020	France	2x 2-way pneumatic control valve	7162 P	DN 150 (6") + DN 200 (8")	Oil / Gas Oil & Water	85°C / 15 bar g	OEM	TFE	Petrochemicals / TOTAL (Gabon)
2020	France	4x 2-way pneumatic control valve	7162 P	DN 100+ DN 150	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2020	France	21x Pneumatic actuators	PA 60 A6 + MA 41 A6 + MA 60 G6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves / ITER Cadarache
2020	France	4x 2-way pneumatic control valve	7162 P	DN 25 (1")	Heavy oil (FO 2)	140°C / 44 bar g	Furnace & burner manufacturer	FIVES PILLARD	Guinea
2020	France	4x 2-way pneumatic control valve	7162 P	DN 25 (1")	Saturated steam	180°C / 9 bar g	Furnace & burner manufacturer	FIVES PILLARD	Guinea
2020	France	2x 2-way pneumatic control valve	7162 P	DN 25 (1")	Heavy oil (FO 2)	140°C / 38 bar g	Furnace & burner manufacturer	FIVES PILLARD	Guinea
2020	France	6x Pressure reducing valve	PR 515 & PR 515 E	DN 20 (3/4") + DN 40 (1 1/2")	Nitrogen (N2)	80°C / 13 bar g	OEM	COMESSA	ZAPSIB -NIPIGAS (Russia)
2020	France	2x Excess pressure valve	EP 615	DN 20	Gas oil	50°C / 5 bar g	Energy	EDF	Nuclear power plant (France)
2020	France	16x Pneumatic actuators	MA 60 C6 + Handwheel		Air	90°C / 6 bar g	Valve manufacturer	VELAN	Nuclear Power Plant / CAP1000 SANMEN (CHINE)
2020	France	6x 2-way pneumatic control valve	7162 P	DN 32 + DN 40 + DN 50	192°C / 12 bar g	192°C / 12 bar g	Distributor	PICON	Paper industry (24)
2020	France	4x 2-way pneumatic ON / OFF valve	TOR NP	DN 20	Saturated steam	192°C / 12 bar g	Distributor	PICON	Paper industry (24)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2020	France	8x Pressure reducing valve	PR 515 E	DN 50 + DN 100	Nitrogen (N2)	60°C / 8 bar g	OEM	CORETEC	ALBIOMA THEL ETB (Guadeloupe)
2020	France	28x Pneumatic actuators (St. Steel execution)	PA 60 A6 + MA4 41 A6 + MA 60 G6 + MA 60 A6 + MA 60 D6	Air		90°C / 6 bar g	Valve manufacturer	IRELAND	For cryogenic valves / India
2020	France	3x 2-way pneumatic control valve	7162 P	DN 20 (3/4") + DN 25 (1")	LPFO ou Diesel	110°C / 28 bar g	Furnace & burner manufacturer	FIVES PILLARD	(Nigeria)
2020	France	3x 2-way pneumatic control valve	7162 P	DN 80 (3") + DN 50 (2")	Natural gas	60°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	(Nigeria)
2020	France	REPAIR KIT	REPAIR KIT	x	x	x	OEM	ENGIE COFELY	Papeteries du Rhin - France
2020	France	20x pneumatic actuators	PA2 HB 60 A6 3N 3S Ps-S3	x	Air	90°C / 6 bar g	Manufacturer	DE DIETRICH	unknown
2020	France	10x 2-way pneumatique control valves	9300 + SKB32.51	DN 20 (3/4") + DN 25 (1") + DN 32 (1 1/4")	Water	105°C / 20 bar g	District heating	EAU ET VAPEUR	City of Paris - France
2020	France	2x 2-way pneumatic control valves + SPARES	7162 P + SPARES	DN 25 (1")	Water / Nitric acid HNO3	100°C / 6 bar g + 50°C / 40 bar g	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2020	France	1x Pneumatic Valve	7162 P	DN300	Superheated steam	330 °C / 5 bar	Paper mill	GASCOGNE PAPIER	Unknown
2020	Turkey	15x Pneumatic Actuators + 40x Positioners + 20x Limit Switchs	MA41A + PA60C + 49.2 + 49.1.6 + XCK-T	Air		90 °C / 6 bar	Valves manufacturer	SART VON ROHR TEKNIK KONTROL VANA AS	Unknown
2020	France	1x Electric Valve + 18x Electrical Continius Blowdown Valves	7162E + HDVE	DN25 + DN40	Boiler water	250 °C / 30 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2020	France	6x Pneumatic valves (2 and 3 ways) + 2x Excess Pressure Valve	7162 P-FT + 7562 PZ-FT + EP616	DN20 + DN65 + DN80	Heating fluid	300 °C / 5 bar	Ovens and burners manufacturer	TATEC SOLUTIONS	Unknown
2020	France	20x Samplet Coolers + 18x Electrical Continius Blowdown Valves	RE100 + HDVE	DN1/4" + DN25	Boiler water	250 °C / 28 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2020	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2020	France	4x Desuperheaters + 4x HP Strainers	DMBC + 2900HP	DN80 + DN100	Hot water	250 °C / 165 bar	Energy producer	TOTAL DIRECT ENERGIE	Emile Huchet Power Plan St Avold
2020	France	4x 2-way pneumatic control valve	4x 7162 P	DN 25 / DN 80	Nitrogen (N2)	60°C/7 barg	Distributor	DELTA P SARL	industry
2020	France	50x Temperature limiter	50x LT3	3/4" ANSI class 150 lbs	Water	300°C/21 barg	Manufacturer	ARMSTRONG SERVICE FRANCE	TOTAL Normandy refining & petrochemicals platform

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2020	France	18x Water boiler feed valve with recirculation	18x FW 7370	DN 40/50	Water	200°C/30 barg	Industrial boilers manufacturer	LCI GROUP	steam boilers industry
2020	USA	Self acting valve - Pressure reducing valve	PR515 + Spare	20	Air	50°C / 13 barg		ASTUTEK LLC	ZAPSIB RUSSIE
2020	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50/80/100	Water	105°C / 10barg		BVALVE	
2020	Spain	2-way pneumatic control valves	7162	300+150	Water	15°C / 6 barg		BVALVE	
2020	Slovenia	2-way pneumatic control valves	7162	Multiple	Hydrogen	Multiple	POWER	CMC GROUP d.o.o.	
2020	The Netherland	2-way pneumatic control valves	7162	200	Water	15°C / 8 barg		CONOVALVE	
2020	The Netherland	2-way pneumatic control valves	7162	200	Steam	265°C / 50barg		CONOVALVE	
2020	The Netherland	2-way pneumatic control valves	7162	150	Steam	450°C / 37barg		CRISTANOL	
2020	Austria	2-way pneumatic control valves	6000HP	150	Steam	535°C / 47barg		FRIEDRICH GmbH	
2020	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2020	United Kingdom	Self acting valve - Excess pressure valve	EP615	150 / 80	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2020	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2020	Germany	Pneumatic actuator	TMA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	MA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	MA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	TMA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	TMA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2020	Germany	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	MA60	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator Accessories	FR02+ FR05 + VBS310	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	Pneumatic actuator	MA41	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	Satish Dhawan Space Centre
2020	Germany	FLOW CAPTOR	4114-03	NA	NA	NA		UNI-ONE OCEAN TECHNOLOGY	
2020	United Kingdom	Self acting valve - Excess pressure valve	EP615	25	Water	115°C / 10barg		VALVEFORCE LTD	
2020	Turkey	2-way pneumatic control valve	7162 P	DN200	Water	201°C / 15 bar	MINING	FOCUS	KAZAN SODA
2020	Turkey	2-way pneumatic control valve Venturi desuperheater type	7162 P, DVX	DN50 DN80	Water Superheated steam	102°C / 38 bar 250°C / 29 bar	OEM	FOCUS	AKKAYA
2020	Turkey	2-way pneumatic control valve Multi nozzle desuperheater type	7162 P, DMBC	DN125 DN25/DN80	Superheated steam	300°C / 28 bar	OEM	FOCUS	AKKAYA
2020	Turkey	2-way pneumatic control valve	7162 P	DN80	Saturated steam	127°C / 2.5 bar	CHEMICAL	BAFCON	TTM (ETHANOL FAB.)
2020	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Multi nozzle desuperheater	6000HP, 7162 P, DMBC	DN25 DN100 DN25/DN80	Superheated steam Water Superheated steam	450°C / 45 bar 110°C / 60 bar 400°C / 48 bar	POWER PLANT	ERALP KAZAN	GÜNGÖR ELEKT.
2020	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	6000HP, DMBC	DN100 DN25/DN80	Water Superheated steam	110°C / 87 bar 465°C / 68 bar	POWER PLANT	BAFCON	FBY ENERGY (OPM)
2020	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Multi nozzle desuperheater	6000HP, 7162 P, DMBC	DN80 DN200 DN25/DN80	Superheated steam Superheated steam Superheated steam	455°C / 41 bar 455°C / 41 bar 455°C / 5 bar	POWER PLANT	BAFCON	MERSİN BIOMASS
2020	Turkey	2-way pneumatic control valve 2-way pneumatic control valve 3-way pneumatic control valve	6000HP, 7162 P, 7562 P	DN25 DN250 DN125	Superheated steam Superheated steam Water	255°C / 37 bar 450°C / 34 bar 120°C / 2 bar	SUGAR	BAFCON	ŞEKER FABR.
2020	Turkey	2-way pneumatic control valve	7162 P	DN250	Saturated steam	164°C / 7 bar	SUGAR	BAFCON	BOR ŞEKER
2020	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, DMBC	DN200 DN25/DN80	Superheated steam Superheated steam	450°C / 51 bar 418°C / 52 bar	FERTILIZER	ERALP KAZAN	BAĞFAŞ
2020	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, DMBC	DN80 DN25/DN80	Saturated steam Superheated steam	262°C / 49 bar 418°C / 52 bar	POWER PLANT	FOCUS	BİBERCI

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2020	Turkey	2-way pneumatic control valve	7162 P	DN25	Superheated steam	450°C / 25 bar	POWER PLANT	BAFCON	DEBA ENERGY
2020	Turkey	Multi nozzle desuperheater	DMBC	DN25/DN80	Superheated steam	418°C / 52 bar	FERTILIZER	ERALP KAZAN	BAĞFAŞ
2020	France	2-way pneumatic control valve + 3-way pneumatic control valve	9362 + 9562	DN80 / DN100	WATER	40 °C / 15 barg	distributor of industrial supplies	SOFINTHER	
2020	France	Spare parts kit - Spray Head	DMBC/MNB		SUPERHEATED WATER	150°C / 135 barg	energy installation operator	DALKIA	
2020	France	2-way pneumatic control valve + steam desuperheat valve	6000HP + DMBC	DN100	SUPERHEATED STEAM	430 °C / 49 barg	Central purchasing center / Sugar industry	CENTRALEX	GRD LABELLE (Algérie)
2020	France	Spare parts kit - Spray Head	DMBC/MNB		SUPERHEATED WATER	150°C / 135 barg	energy installation operator	DALKIA	
2020	France	2-way pneumatic control valve	6000HP	DN100	SUPERHEATED STEAM	545 °C / 106 barg	energy installation operator	DALKIA	
2020	France	Steam trap + spare parts kit	FTE44 + GMA	DN40	STEAM / CONDENSATE	400 °C / 21 barg	Food industry	ADM	
2020	France	3-way pneumatic control valve + 2-way pneumatic control valve + steam desuperheat valve	7562 + 7162 + MNB	DN50 / DN150/300	SUPERHEATED STEAM	250 °C / 26 barg	Designer of industrial fluid installations	CNIM	UIOM LA ROCHELLE
2020	France	3-way pneumatic control valve	7562	DN125	WATER	110 °C / 10 barg	Manufacture of equipment for electrothermal energy.	FIVES CELES	
2020	France	2-way pneumatic control valve	6000HP + 7162	DN150 / DN250	SUPERHEATED STEAM	420 °C / 55 barg	Designer of industrial fluid installations	CNIM ENVIRONNEMENT & ENER	BAKU WASTE ENERGY
2020	France	Spre Parts	MA4141A6 +7162P					ZEPHIRE	ZEPHIRE
2020	France	Pressure Reducing	PR515E	100	GAZ	25/18		ARCELOR MITTAL	ARCELOR MITTAL
2020	France	Controls Valves	7162P	200	EAU		ARMY	MINISTERES DES ARMEES	MINISTERES DES ARMEES
2021	China	2x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	BILLION TEAM	Gas Turbine
2021	France	2-way pneumatic control valve	6000 HP	DN 100 (4")	Superheated steam	310°C / 80 bar g	Defense	NAVAL GROUP	Test bench
2021	France	6 x 2-way pneumatic control valve	7162 P	DN 50	Saturated steam	111°C / 0,5 bar	OPEM	SIMOX	BOUYGUES (Cuba)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	France	12x 2-way pneumatic control valve	7162 P	DN 40 (1" 1/2) + DN 50 (2")	Heavy fuel 380 (Crude oil)	80°C / 44 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2021	France	3x 2-way pneumatic control valve	7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2021	France	4x 2-way electric control valve + AUMA actuator type SDL	7162 E	DN 250	Hot water	110°C / 16 bar g	OEM	EIFFAGE	District heating / CENERGY CORIANCE - LINANDES (95)
2021	France	2-way ON / OFF pneumatic valve	6000 HP	DN 25 (1")	Superheated steam	476°C / 75,6 bar abs	OEM	INTERPEC	Turbo generators for production of electricity and heat." / Vetroz (Switzerland)
2021	France	2-way pneumatic control valve	6000 HP	DN 25 (1")	Superheated steam	476°C / 75,6 bar abs	OEM	INTERPEC	Turbo generators for production of electricity and heat." / Vetroz (Switzerland)
2021	France	Desuperheater	DVX	DN 40 / DN 15	Superheated steam	476°C / 75,6 bar abs	OEM	INTERPEC	Turbo generators for production of electricity and heat." / Vetroz (Switzerland)
2021	France	2-way pneumatic control valve	6000 HP	DN 15	Desuperheated water	110°C / 10 bar abs	OEM	INTERPEC	Turbo generators for production of electricity and heat." / Vetroz (Switzerland)
2021	France	27x Pneumatic actuators	PA 15 A6 + PA 60 A6 + MA 60 G6 + MA 60 D6	Air	90°C / 6 bar g	Valve manufacturer	VELAN		
2021	France	13x pneumatic actuators + Handwheel	PA4 60 A6 + MA4 41 B6	Air	90°C / 6 bar g	Valve manufacturer	GUICHON VALVES		
2021	France	1x 2-way pneumatic control valve (All externals parts made in st. Steel for -40 °C)	7162 P	DN 150 (6")	Natural gas	60°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	Russia
2021	Italy	2x Pressure reducing valve	PR 515 E/CA	DN 80 (3")	Fuel oil	135°C / 15 bar g	OEM	FLENCO	Gas Turbine / Cap Des Biches (Senegal)
2021	Italy	2x 3-ways pneumatic control valve	7562 PY	DN 80 (3")	Fuel oil	135°C / 15 bar g	OEM	FLENCO	Gas Turbine / Cap Des Biches (Senegal)
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Oxygène (O2)	80°C / 25 bar g	OEM	ELOGEN	
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Hydrogen (H2)	80°C / 40 bar g	OEM	ELOGEN	
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Pure water	80°C / 40 bar g	OEM	ELOGEN	
2021	France	11x Pneumatic actuators (St. Steel execution)	PA 60 A6 + MA4 41 A6 + MA 60 G6	Air	90°C / 6 bar g	Valve manufacturer	IRELAND		For cryogenic valves / India
2021	France	9x Low pressure reducing valve	PRL	DN 15 + DN 25 + DN 40	Nitrogen (N2)	30°C / 5 bar g	Chemicals	SOLVAY	Rhodia St Fons (69)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	France	Excess low pressure valve	EPL	DN 15 + DN 50	Nitrogen (N2)	30°C / 0,05 bar g	Chemicals	SOLVAY	Rhodia St Fons (69)
2021	France	2x Pressure reducing valve	PR 516	DN 25 + DN 50	Saturated steam	200°C / 7 bar g	Chemicals	SOLVAY	Rhodia St Fons (69)
2021	France	2x Pressure reducing valve	PR 515	DN 25	Nitrogen (N2)	50°C / 5 bar g	Chemicals	SOLVAY	Rhodia St Fons (69)
2021	France	69x Pneumatic actuators (St. steel execution)	PA 15 A6 + PA 60 A6 + MA 60 G6 + MA 60 D6	Air		90°C / 6 bar g	Valve manufacturer	VELAN	
2021	France	6x Pneumatic actuators	MA 41 C6	Air		90°C / 6 bar g	Valve manufacturer	VELAN	
2021	France	2x 3-ways thetmostatic valve	NTR 207 Y	DN 15	Sea water	50°C / 2 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	Defense / Ship FLOREAL
2021	France	2x 2-way pneumatic control valve	7162 P	DN 150 + DN 200	Natural gas	30°C / 12 bar g	Furnace & burner manufacturer	FIVES PILLARD	S.P.A Biskria Ciment (Algeria)
2021	Italy	3x 3-ways pneumatic control valve	7562 PY	DN 65 (2" 1/2)	Glycol water	130°C / 6 bar g	OEM	TEMA ENERGY	For gas Turbine
2021	France	8x Pneumatic actuators	MA4 60 G6	Air		90°C / 6 bar g	Valve manufacturer	GUICHON VALVES	
2021	France	2-way pneumatic control valve	6000 HP	DN 200 (8")	Superheated steam	300°C / 81 bar abs	Energy	SUNCNIM	Solar power plant
2021	France	2x 2-way pneumatic control valve	7162 P	DN 50 (2") + DN 80 (2")	Superheated water	150°C / 40 bar g	District heating	SETMI	
2021	France	Desuperheater	DMBC	DN 80 (3") / DN 25 (1")	Superheated steam	250°C / 16 bar abs	District heating	SETMI	
2021	France	2x 2-way electric control valve + AUMA actuator type SDL	6000 HP	DN 25	Superheated steam	312°C / 71 bar abs	OEM	LVI	Defense / Test bench for NAVAL GROUP
2021	France	2-way electric control valve + AUMA actuator type SDL	7162 P	DN 150	Superheated steam	312°C / 71 bar abs	OEM	LVI	Defense / Test bench for NAVAL GROUP
2021	France	2-way pneumatic ON / OFF valve	6000 HP	DN 25	Desuperheated water	312°C / 71 bar abs	OEM	LVI	Defense / Test bench for NAVAL GROUP
2021	France	Low pressure reducing valve	PRL	DN 15 + DN 50	Nitrogen (N2)	65°C / 7,75 bar abs	OEM	AIR LIQUIDE GLOBAL E&C SOLUTIONS FRANCE	POSCO P17 (Korea)
2021	France	Pressure reducing valve	PR 515	DN 15	Argon	65°C / 13,5 bar abs	OEM	AIR LIQUIDE GLOBAL E&C SOLUTIONS FRANCE	POSCO P17 (Korea)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	France	273x Pneumatic actuators	PA 15 A6 + PA 35 B6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Oxygène (O2)	80°C / 25 bar g	OEM	ELOGEN	
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Hydrogen (H2)	80°C / 40 bar g	OEM	ELOGEN	
2021	France	2-way electric control valve + ROTORK actuator type CVL 500	7162 E	DN 15 (1/2")	Pure water	80°C / 40 bar g	OEM	ELOGEN	
2021	France	78x Pneumatic actuators	PA 15 A6 + PA 35 B6 + MA 41 C6 + MA 60 G6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2021	France	398x Pneumatic actuators (St, steel execution)	PA 15 A6 + PA 35 B6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves / ITER Cadarache
2021	France	13x Pneumatic actuators	MA 41 C6 + MA 41 C6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2021	China	2x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	BILLION TEAM	Gas Turbine
2021	France	4x 3-ways pneumatic control valve	7562 PZ FT	DN 100 + DN 65	Therminol 54 + Therminoil D12	160°C / 6 bar g	OEM	CLAUGER	
2021	France	52x Pneumatic actuators + Handwheel	PA4 35 B6 + PA4 60 A6		Air	90°C / 6 bar g	Valve manufacturer	GUICHON VALVES	
2021	France	12x 3-way pneumatic control valves	7562 PY	DN 15 (1/2")	hot water	100°C / 16 bar g	FOOD AND CONFECTIONERY	MARS WRIGLEY	MARS WRIGLEY
2021	France	20x 2-way pneumatic control valves	7162 P	DN 15 (1/2") + DN 20 (3/4") + DN40 (1"1/2")	saturated steam + iced water	205°C / 16 bar g + 12°C / 16 bar g	pharmaceutical and dietetic industry	CAPSUGEL France SAS	LONZA - Colmar France
2021	France	12x 2-way pneumatic control valves	7162 P	DN 25 (1") + DN 32 (1"1/4") + DN40 (1"1/2")	Iced water	12°C / 16 bar g	pharmaceutical and dietetic industry	CAPSUGEL France SAS	LONZA - Colmar France
2021	Italy	2x 2-way pneumatic control valves	6000 HP	DN 50 (2")	Demineralized water	60°C / 55 bar g	OEM	FLENCO FLUID SYSTEM SRL	VIZAG - India
2021	France	7x pressure reducing valves + 5x Excess pressure valves	PRL + EPL	DN 25 (1") + DN 50 (2")	Nitrogen	160°C / 16 bar g	OEM	PROTEGO	unknown
2021	France	24x 2-way Thermostatic valves	TR203C + NTP200.6	DN 15 (1/2")	Conditionned demineralised water with trisodium phosphate (Noria circuit water)	60°C / 20 bar g	OEM	SNEF	Hinkley Point C nuclear power station - UK
2021	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	France	Desuperheater	6000 HP + PR515 + MNBX + DMBC	DN 100 (4") + DN50 (2") + DN 25 (1")	Superheated steam	365°C / 38,5 bar g + 135°C / 63 bar g	Urban heat networks	RCUA	VALORIM / UIRU Sausheim - France
2021	France	1x 2-way pneumatique control valve	7162P-EQ	DN 250 (10")	Steam	205°C / 15 bar g	Waste recovery	VALO MARNE	UVE Créteil - France
2021	France	2x 2-way pneumatique control valves	6000 HP	DN 25 (1") + DN 150 (6")	desuperheat water/superheated steam	130°C / 72 bar g + 458°C / 47 bar g	OEM	ITHERM	unknown
2021	France	2x 3 Ways Pneumatic Valves	7562 PZ	DN200	Water	25 °C / 3,5 bar	Industrial equipment supplier	AS FLUID	Unknown
2021	Singapore	280x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2021	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplies for professionals	OREXAD SCMR	Unknown
2021	France	14x Electric Valves	7162E	DN125	Air	80 °C / 1,8 bar	Water Company	SABOM	Unknown
2021	France	20x Samplet Coolers + 18x Electrical Continius Blowdown Valves	RE100 + HDVE	DN1/4" + DN25	Boiler water	250 °C / 28 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2021	France	100x Circulation Controller	RDM 150	DN1/4"	Water	120 °C / 20 bar	Industrial supplier for professionals	OREXAD SCMR	Unknown
2021	France	4x 3 Ways Pneumatic Valves	7562 PY	DN100 + DN150	Demined water	162 °C / 14 bar	Engineering consultant	HDC	Unknown
2021	France	2x Repairs of pneumatic valve and desuperheater	6000HP + DMBC	DN25 + DN150	Superheated steam	300 °C / 40 bar	Renewable energy producer	DALKIA	Unknown
2021	Singapore	142x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2021	France	2-way pneumatic control valve	7162 P	DN150	Steam	215 °C / 20 barg	DISTRIBUTER	ARTFLEX	/
2021	Saudi Arabia	Self acting valve - Pressure reducing valve	PR515E	150 +100	Air	25°C / 12 barg		AL MASANE AL KOBRA MINING	
2021	Saudi Arabia	2-way pneumatic control valves - Spare	6000HP / 7162	NA	NA	NA		ALBIOMA BOIS ROUGE	
2021	Spain	2-way pneumatic control valves	7162 + 6000HP + VRX	Multiple	Water	Multiple	POWER	BVALVE	ABIJAN - ATINKOU project
2021	Spain	2-way pneumatic control valves + Desuperheater	7162+6000HP + DVX + MNB	Multiple	Steam	Multiple	POWER	BVALVE	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50/80/100	Water	105°C / 10barg		BVALVE	
2021	Spain	Pneumatic actuator	PA35 + PA60 + MA41 + MA60	NA	Air	90°C / 6 barg		BVALVE	
2021	Spain	3-way pneumatic control valves	7562	200	Water	60°C / 2 barg		BVALVE	
2021	Spain	2-way pneumatic control valves	7162	Multiple	Hydrogen	Multiple	POWER	CMC GROUP d.o.o.	
2021	The Netherland	2-way pneumatic control valves	7162 / TORNP / PR516E	Multiple	Steam	Multiple		CONOVALVE	
2021	The Netherland	2-way pneumatic control valves	7162	Multiple	Water	Multiple		CONOVALVE	
2021	Austria	2-way pneumatic control valves	6000HP	150	Steam	535°C / 47barg		FRIEDRICH GmbH	
2021	Austria	2-way pneumatic control valves	6000HP	150	Steam	535°C / 47barg		FRIEDRICH GmbH	
2021	Belgium	2-way pneumatic control valves + Desuperheater	7162 + MNB + 2900HP	Multiple	Steam	Multiple		GMSI SPRL	
2021	Morocco	3-way pneumatic control valves	7562	32	Water	170°C / 15 barg		METALCO Sarl	
2021	Finland	2-way pneumatic control valves + Desuperheater	6000HP + DMBC	80 + 80/25 / 50	Water + Steam	Multiple		OY KONWELL AB	
2021	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2021	United Kingdom	Pneumatic actuator	PA35 + PA60 + MA41	NA	Air	90°C / 6 barg		STOHR ARMATUREN GMBH	
2021	United Kingdom	2-way pneumatic control valves + Steam trap	7162 + FTE	50 / 65 / 80	Gas	250°C / 20barg		VALVEFORCE LTD	
2021	Swiss	Pneumatic actuator	MA41	NA	Air	90°C / 6 barg		WEKA	
2021	Swiss	Pneumatic actuator	MA60	NA	Air	90°C / 6 barg		WEKA	
2021	Swiss	Pneumatic actuator	PA15 + PA60	NA	Air	90°C / 6 barg		WEKA	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	Turkey	2-way pneumatic control valve	6000HP	DN50	Water	245°C / 45 bar	POWER PLANT	AK ENERGY	
2021	Turkey	2-way pneumatic control valve	7162 P	DN250	Superheated steam	280°C / 12 bar	CHEMICAL	DESTEKNİK	ŞİŞECAM
2021	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Multi nozzle desuperheater Venturi desuperheater type	6000HP, 7162 P, DMBC, DVX	DN100 DN200 DN25/DN80 DN80	Superheated steam Superheated steam Superheated steam Superheated steam	260°C / 46 bar 415°C / 42 bar 415°C / 6 bar 415°C / 4 bar	POWER PLANT	BAFCON	HATAY ERZİN BİOMAS
2021	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, DMBC	DN200 DN25/DN80	Superheated steam Superheated steam	450°C / 38 bar 430°C / 2.5 bar	SUGAR	BAFCON	KAYSERİ ŞEKER
2021	Turkey	2-way pneumatic control valve 2-way pneumatic control valve Multi nozzle desuperheater Venturi desuperheater type	6000HP, 7162 P, DMBC, DVX	DN25 DN150 DN25/DN80 DN40	Superheated steam Superheated steam Superheated steam Superheated steam	450°C / 48 bar 415°C / 42 bar 423°C / 6 bar 426°C / 12 bar	POWER PLANT	BAFCON	EKOMAS
2021	Turkey	2-way pneumatic control valve	7162 P	DN150	Superheated steam	368°C / 4 bar	POWER PLANT	BAFCON	RANTEKO
2021	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	6000HP, 7162 P	DN25 DN80	Superheated steam Superheated steam	240°C / 33 bar 305°C / 25 bar	POWER PLANT	BAFCON	BESAS
2021	Turkey	2-way pneumatic control valve	7162 P	DN100	Superheated steam	400°C / 45 bar	POWER PLANT	BAFCON	RANTEKO
2021	Turkey	2-way pneumatic control valve	7162 P	DN250	Superheated steam	300°C / 2 bar	POWER PLANT	BAFCON	ERZİN
2021	Turkey	2-way pneumatic control valve	7162 P	DN200	Superheated steam	465°C / 43 bar	PAPER	DESTEKNİK	KMK PAPER
2021	Turkey	2-way pneumatic control valve	7162 P	DN100	Superheated steam	450°C / 30 bar	POWER PLANT	FOKUS	NİGDE BİOMAS
2021	Turkey	2-way pneumatic control valve	7162 P	DN250	Superheated steam	455°C / 41 bar	POWER PLANT	BAFCON	HATAY BİOMAS
2021	Turkey	Thermobimetal Termostatic steam trap	BTHP80	DN25	Superheated steam	420°C / 80 bar	POWER PLANT	BAFCON	ARTEN BİOMAS
2021	Turkey	2-way pneumatic control valve	7162 P	DN250	Saturated steam	184°C / 10 bar	TEXTILE	BAFCON	ATLAS DENIM
2021	Turkey	Multi nozzle desuperheater	DMBC	DN25/DN80	Superheated steam	378°C / 9 bar	SUGAR	BAFCON	AFYON ŞEKER
2021	Turkey	2-way pneumatic control valve	7162 P	DN250	Air	40°C / 1 bar	CHEMICAL	DOW AKSA	
2021	Turkey	2-way pneumatic control valve Bottom blowdown valve 2-way pneumatic control valve	7162 P, 7180HP, 6000HP	DN300 DN4 DN100	Saturated steam Saturated steam Water	250°C / 35 bar 250°C / 30 bar 223°C / 24 bar	FERTILIZER	BAFCON	GEMLIK GUBRE

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	Turkey	2-way pneumatic control valve	7162 P	DN150	Saturated steam	250°C / 39 barg	PAPER	BAFCON	ANKUTSAN
2021	France	Pressure reducing valve + 2-way pneumatic control valve + Steam trap	PRDX + 7162 + FTE14	DN50 / DN32/80 / DN65	SATURATED STEAM	185 °C / 10 barg	distributor of industrial supplies	COGEFLU	PURATOS
2021	France	2-way pneumatic control valve + steam desuperheat valve	7162 + DDLX + MNB	DN150 / DN80	SUPERHEATED STEAM	450 °C / 50 barg	waste treatment	SERTRID	
2021	France	steam desuperheat valve + HP strainer 2-way	DMBC + 2900HP	DN80_40 / DN40	SUPERHEATED WATER	200 °C / 84 barg	Industrial piping and boilermaking	ETC INTERNATIONALE	SAICA
2021	France	2-way pneumatic control valve	9362	DN80	SUPERHEATED WATER	200 °C / 22 barg	Industrial piping and boilermaking	MTS	
2021	France	Spare parts kit + Pneumatic actuators	MA60		SUPERHEATED WATER	535 °C / 103 barg	energy installation operator	DALKIA	COGECAB
2021	France	Spare parts kit	6000HP				energy installation operator	SUEZ ENVIRONNEMENT	IVRY PARIS XIII
2021	France	steam desuperheat valve	DMBC	DN80/25 DN80/40	SUPERHEATED WATER	535 °C / 135 barg	energy installation operator	DALKIA	COGECAB
2021	France	2-way pneumatic control valve + 3-way pneumatic control valve + Water boiler feed valve with recirculation	7162 + 7562 + FW7370	DN80/100 / DN25 / DN50	SATURATED STEAM	250 °C / 32 barg	manufacturer of industrial boiler rooms	LCI GROUP	
2021	France	Excess Pressure Valve	EP615	DN32	WATER	110 °C / 10 barg	distributor of industrial supplies	BFL LOUVRES	
2021	France	Water boiler feed valve with recirculation + Continous blowdown valve	FW7370 + HDVE	DN32 / DN25	SUPERHEATED WATER	200 °C / 30 barg	industrial boiler manufacturer	BABCOCK WANSON SA	
2021	France	2-way pneumatic control valve	6000HP	DN100	SUPERHEATED STEAM	440 °C / 45 barg	distillery	CRISTANOL	
2021	France	Steam trap	FTE44 + BTX32	DN40/25 / DN20/25	STEAM / CONDENSATE	400 °C / 40 barg	Food industry	ADM	
2021	France	2-way pneumatic control valve + Steam trap	7162 + FF2401	DN40/50 / DN15/25	SUPERHEATED STEAM	180 °C / 10 barg	energy installation operator	DALKIA	
2021	Germany	Controls Valves	7562EZ	125	SEA WATER		NAVY	SMART	CHANTIERS DES L' ATLANTIQUE
2021	France	Controls Valves	7562EY	200	WATER	45/3	AUTO MAKERS	PSA	PSA
2021	France	Repair Valves	DMBC	80/40	WATER	45/4	ENERGY	ENGIE	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2021	France	Controls Valves	7162P S	20	STEAM	45/5	ENERGY	ARMOR SAS	ARMOR SAS
2021	France	Controls Valves				45/6	UIOM	VEOLIA	UIOM
2021	France	Controls Valves	7162 P	200	WATER	45/7	ENERGY	GMI ROBINRTTERIE	EXPORT
2021	France	Controls Valves	7162P-S	25	STEAM	45/8	ENERGY	ARMOR SAS	ARMOR
2022	France	8x Pneumatic actuators	MA4 41 A6 + MA4 41 B6 + MA4 41 C6		Air	6 bar / 90 °C	Valve manufacturer	STRAHMAN UNITED PROCESS VALVES	
2022	France	22x Low pressure reducing valve	PRL		Azote	50°C / 6 bar g	Engeeniring	DE DIETRICH PROCESS STSYSTEMS	Chemicals / INTEROR (62)
2022	France	2x Pressure reducing valve	PR 515	DN 15	Azote	60°C / 7 bar g	Engeeniring	DE DIETRICH PROCESS STSYSTEMS	Chemicals / INTEROR (62)
2022	France	2x ways pneumatic control valve	VRX	DN 150 (6")	Superheated steam	250°C / 34 bar abs	Waste to energy	TIRU PAPREC	
2022	France	Desuperheater	MNB	DN 80 (3") / DN 25 (1")	Superheated steam	250°C / 34 bar abs	Waste to energy	TIRU PAPREC	
2022	France	2-way pneumatic control valve	VRX	DN 25 (1")	Desuperheated water	160°C / 86 bar abs	Waste to energy	TIRU PAPREC	
2022	France	Strainer	2900 HP	DN 25 (1")	Desuperheated water	160°C / 86 bar abs	Waste to energy	TIRU PAPREC	
2022	France	92x Pneumatic actuators	PA 15 A6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2022	France	165x Pneumatic actuators + Handwheel	MA H23 41 C6 + MA H22 60 D6 + MA H23 41 A6 + PA H23 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VALCO / SNRI	For cryogenic valves / «SeaSpan» (China)
2022	France	2x 3-ways thermostatic valves	NTR 207 YE	DN 100	Water	85°C / 4 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2022	France	2-way pneumatic control valve	7162 P	DN 150	Superheated steam	400°C / 55 bar abs	OEM	ALLIA	Waste energy / UVE CRÉTEIL (94)
2022	France	2-way pneumatic control valve	7162 P	DN 80 (3")	Superheated steam	370°C / 25 bar abs	OEM	ALLIA	Waste energy / UVE CRÉTEIL (94)
2022	France	2x Desuperheater	DVX	DN 80 (3") / DN 15 (1/2")	Superheated steam	370°C / 25 bar abs	OEM	ALLIA	Waste energy / UVE CRÉTEIL (94)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	France	2x 2x ways pneumatic control valve	7162 P	DN 25 (1")	Desuperheated water	160°C / 86 bar abs	OEM	ALLIA	Waste energy / UVE CRÉTEIL (94)
2022	France	2x Desuperheater	DMBC	DN 80 (3") / DN 25 (1")	Superheated steam	330°C / 15 bar abs & 400°C / 55 bar abs	OEM	ALLIA	Waste energy / UVE CRÉTEIL (94)
2022	France	2x 3-ways ON / OFF valve	7562 PZ	DN 80	Oil	70°C / 14 bar g	Nuclear energy	EDF	Nuclear plant / CNPE (08)
2022	France	11x Excess pressure valve	EP 615 + EP 615 E	DN20 + DN 25 + DN 65	Gas Oil & Oil SAE 40	65°C / 8,5 bar g	OEM	EES CLEMESSY	Nuclear Plant / France
2022	France	13x Pneumatic actuators	PA 60 A6 + PA 60 C6 + MA 60 A6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2022	France	28x Low pressure reducing valve	PRL	DN 15 + DN 25 + DN 50	Nitrogen (N2)	50°C / 3 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2022	France	19x Excess low pressure valve	EPL	DN 25 + DN 50 + DN 80	Nitrogen (N2)	50°C / 0,1 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2022	France	16x Pressure reducing valve	PR 515 or PR 515 E	DN 25 + DN 40 + DN 50	Nitrogen (N2)	50°C / 14 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2022	France	Excess pressure valve	EP 615 E	DN 200	Chilled Water	100°C / 8 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2022	France	4x 2-way pneumatic control valve	7162 P	DN 25	Nitrogen (N2)	60°C / 15 bar g	Chemicals	ARMOR	
2022	France	2x 3-ways pneumatic control valve	7163 P	DN 32	Cold water	60°C / 5 bar g	Chemicals	ARMOR	
2022	France	3x Low pressure reducing valve	PRL	DN 25	Nitrogen (N2)	30°C / 10 bar g	Chemicals	ARMOR	
2022	France	8x Excess low pressure valve	EPL	DN 15 + DN 25	Nitrogen (N2)	30°C / 0,1 bar g	Chemicals	ARMOR	
2022	France	6x Pressure reducing valve	PR 515	DN 15 + DN 25	Nitrogen (N2)	60°C / 15 bar g	Chemicals	ARMOR	
2022	France	18x 2x ways pneumatic ON / OFF valve	TOR NP	DN 25 + DN 32 + DN 40 + DN 50	Saturated steam or Glycol water	192°C / 12 bar g	Chemicals	INTEROR	
2022	France	2x 2-way pneumatic control valve	7162 P	DN 150 (6")	Natural gas	50°C / 13,5 bar g	Furnace & burner manufacturer	FIVES PILLARD	Kingdom of BAHRAIN
2022	France	3x 2-way pneumatic control valve	7162 P	DN 80 + DN 200	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	France	4x Excess pressure valve	EP 615 E	DN20 + DN 25 + DN 65	Oil SAE 40	65°C / 8,5 bar g	OEM	EES CLEMESSY	Nuclear Plant / France
2022	France	24x Excess pressure valve	EP 615 + EP 615 E	DN20 + DN 25 + DN 65	Gas Oil & Oil SAE 40	65°C / 8,5 bar g	OEM	EES CLEMESSY	Nuclear Plant / France
2022	France	2-way pneumatic control valve	6000 HP	DN 200 (8")	Superheated steam	300°C / 81 bar abs	Energy	SUNCNIM	Solar power plant
2022	France	4x Pressure reducing valve	PR 515 E/CA	DN 65 + DN 100	Nitrogen (N2)	50°C / 9 bar g	OEM	AIR LIQUIDE	Energy / ALBIOMA (La Réunion)
2022	France	116x Pneumatic actuators	PA 15 A6 + PA 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2022	France	15x Pneumatic actuators	PA4 60 C6		Air	90°C / 6 bar g	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2022	France	15x Pneumatic actuators	PA4 60 C6		Air	90°C / 6 bar g	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2022	China	4x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	BILLION TEAM	Gas Turbine
2022	France	3x 2-way pneumatic control valve	7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2022	France	6x 2-way pneumatic control valve	7162 P	DN 32 + DN 40 + DN 50 + DN 65	Saturated steam or Liquid	192°C / 12 bar g	Distributor	PICON	Paper industry (24)
2022	France	2x 2-way pneumatic control valve	7162 P	DN 125 + DN 150	Natural gas	60°C / 8 bar	Furnace & burner manufacturer	FIVES PILLARD	BEIJING TRIUMPH (Ouzbekistan)
2022	France	1x 2-way pneumatic control valve	7162 P	DN 80	Natural gas	60°C / 3 bar g	Furnace & burner manufacturer	FIVES PILLARD	CMCP KENITRA / Morocco
2022	France	4x 2-way pneumatic control valve	7162 P	DN 25	Heavy fuel or steam	150°C / 35 bar g	Furnace & burner manufacturer	FIVES PILLARD	CMCP KENITRA / Morocco
2022	France	16x 2-way pneumatic control valves	7162 P	DN 15 (1/2") + DN 20 (3/4") + DN40 (1"1/2")	saturated steam + iced water	205°C / 16 bar g + 12°C / 16 bar g	Pharmaceutical and dietetic industry	CAPSUGEL France SAS	CAPSUGEL
2022	France	25x Excess pressure valves	6155 CME	DN 20 (3/4")	Condensats	130°C / 4,2 bar g	District heating	CPCU	City of Paris - France
2022	France	8x 2-ways pneumatic control valves	7162 P	DN 25 (1") + DN 32 (1"1/4) + DN 40 (1"1/2) + DN 80 (3")	saturated steam + iced water	205°C / 3 bar g + 60°C / 7 bar g	OEM	EIFFAGE ENERGIE SYSTEMES	LONZA - Colmar France
2022	France	1x Pneumatic Valve + 6x Spare Parts	7162 P	DN300	Superheated steam	250 °C / 6 bar	Engineering and energy supplier	LA BOISOURCE	Unknown

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	France	20x Sampler Coolers + 27x Electrical Continius Blowdown Valves	RE100 + HDV + HDVE	DN25	Boiler water	235 °C / 30 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2022	France	1x Desuperheater + 1x Pneumatic Valve	MULTI BUSE + 6000HP	DN80 + DN25	Hot water	140 °C / 76 bar	Industrial equipment supplier	AUVERGNE ROBINETTERIE SOLUTIONS	Unknown
2022	Singapore	76x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2022	France	250x Filter Gaskets	FY	for DN50	Unknown	Unknown	Military industrial equipment supplier	LOGNAV-CM	Unknown
2022	France	54x Electrical Continius Blowdown Valve	HDVE	DN25	Boiler water	250 °C / 28 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2022	France	3x Pneumatic Valves + 4x Spare parts	7162 P + 6000HP	DN25 + DN40 + DN80	Water + Saturated steam	201°C / 15 bar	Renewable energy producer	DALKIA CENTRE EST	Unknown
2022	France	1x Electric Valve	7162E	DN125	Air	80 °C / 1,8 bar	Water Company	SABOM	Unknown
2022	France	2 way pneumatic ON / OFF valve + 2-way pneumatic control valve + 3-way pneumatic control valve + Pressure reducing valve + Excess pressure valve	7162 P + TOR NP + 7562 P + PR515 + EP615	DN25 + DN65	Steam + Oil	365 °C / 40 barg	OEM	INTERPEC	/
2022	France	Spare parts	7162 P + 7562 P	/	/	/	FOOD	SOJINAL SAS	SOJINAL SAS
2022	France	5x Excess Pressure valve	5x EP615E	DN 50	Biogas (Methane + CO + H2S)	25°C/20barg	Air compressor manufacturer	ATLAS COPCO CREPELLE	industry
2022	France	20x Pneumatic Actuator PA 60 Firesafe	20x PA2 HB 60 C6 / AR DD760789.	-	AIR	90°C/6barg	Manufacturer	DE DIETRICH	chemicals/pharmaceutical
2022	France (La Réunion)	2-way pneumatic control valves	2020	32/50/80	Slurry	25°C / 5 barg		ALBIOMA LE GOL	
2022	France	Self acting valve - Excess pressure valve	EP615	65	Schemierol NATA	150°C / 2,2 barg		ARTEC MACHINE SYSTEMS	
2022	Spain	3-way pneumatic control valves	7562	65 / 50	Water	80°C / 4 barg		BVALVE	
2022	Spain	2-way pneumatic control valves	7162	300	Water	15°C / 4 barg		BVALVE	
2022	Spain	Self acting valve - Thermostatic valve	NTR207E	80 / 100	Water	40°C / 8 barg	NAVAL INDUSTRY	BVALVE	NAVANTIA
2022	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50/80/100	Water	105°C / 10barg		BVALVE	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	Spain	Pneumatic actuator	PA35 + PA60	NA	Air	90°C / 6 barg		BVALVE	
2022	Spain	2-way pneumatic control valves	7162	150 / 250	Nitrogen + Air	76°C / 8 barg		BVALVE	
2022	The Netherland	2-way pneumatic control valves	7162	125 / 65	Water	142°C / 9 barg		CONOVALVE	
2022	The Netherland	2-way pneumatic control valves	6000HP	50	Water	290°C / 120barg		CONOVALVE	
2022	Czech Republic	2-way pneumatic control valves	6000HP	150	Steam	535°C / 47barg		FRIEDRICH GmbH	
2022	Belgium	Desuperheater	DMBC	80/25	Steam	330°C / 43barg	POWER	GMSI SPRL	Bruxelles Energy
2022	Belgium	2-way pneumatic control valves	6000HP	80	Steam	500°C / 77barg		GMSI SPRL	
2022	Belgium	2-way pneumatic control valves + Desuperheater	7162 + MNB + 2900HP	Multiple	Steam	Multiple		GMSI SPRL	
2022	Belgium	2-way pneumatic control valves + Self acting + Spare	7162 + 6000HP + PR515 +	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2022	Belgium	2-way pneumatic control valves + Self acting + Spare	7162 + 6000HP + PR515 +	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2022	Belgium	Spare parts	7162 + 6000HP + PR515 +	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2022	Belgium	2-way pneumatic control valves + Self acting + Spare	7162 + 6000HP + PR515 +	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2022	Belgium	Spare parts	7162 + 6000HP + PR515 +	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2022	Italia	Self acting valve - Excess pressure valve	EP615	15	Water	25°C / 12barg		ING. BRIZIO BASI & C.	
2022	Italia	2-way pneumatic control valves	900	150	Water	95°C / 2 barg		IPP	
2022	Belgium	2-way pneumatic control valves	7162 + 900	Multiple	Water	Multiple		IPP	
2022	Belgium	2-way + 3-way pneumatic control valves	7162 + 7562	80	Pressurized dry Air	320°C / 6 barg		IPP	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	Belgium	Desuperheater	DMBC	80/25	Steam	120°C / 25bara		MAROC SEALING FLUID CONTR	
2022	Danemark	2-way pneumatic control valves	7162S	15 / 20	Steam	200°C / 15 barg		OLBRICH GmbH	
2022	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2022	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2022	Finland	2-way pneumatic control valves	VRX	50 / 80 / 100	Water + Steam	Multiple		OY KONWELL AB	
2022	Finland	2-way pneumatic control valves + Desuperheater	7162 + MNB	300 + 200 + 25	Water + Steam	Multiple		OY KONWELL AB	
2022	Morocco	3-way pneumatic control valves	7562	150 + 40	Water	70°C / 10barg		SHREE BHAWANI TRADING CO	
2022	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2022	United Kingdom	2-way pneumatic control valves	7162	80 / 100 / 250	Water	Multiple		STL POWER & PROCESS CONTROL	
2022	France	2-way pneumatic control valves	6000HP	40	Water	515°C / 70 barg	POWER - WASTE ENERGY	VALVEFORCE LTD	Biomass 21 Tansterne
2022	United Kingdom	Self acting valve - Thermostatic valve	TR203C + NTP202	25	Steam	147°C / 3,5 barg		VALVEFORCE LTD	TECHNIMONT NIGERIA
2022	Finland	Pneumatic actuator	PA15 + PA35 + PA60	NA	Air	90°C / 6 barg		WEKA	
2022	Swiss	Pneumatic actuator	PA15 + PA35 + PA60 + MA41	NA	Air	90°C / 6 barg		WEKA	
2022	Swiss	Pneumatic actuator	PA15 + PA35 + PA60	NA	Air	90°C / 6 barg		WEKA	
2022	Turkey	2-way pneumatic control valve	2020P	DN50	Liquid ammoniac	-33°C / 22.5 bar	FERTILIZER	GEMLİK GÜBRE	
2022	Turkey	2-way pneumatic control valve	6000HP	DN150	Superheated steam	500°C / 47 bar	POWER PLANT	BAFCON	DEBA ENERGY
2022	Turkey	2-way pneumatic control valve	6000HP	DN100	Superheated steam	455°C / 68 bar	POWER PLANT	BAFCON	FBY ENERGY (OPM)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	Turkey	Multi nozzle desuperheater	DMBC	DN25/DN80	Superheated steam	500°C / 50 bar	PAPER	DESTEKNİK	KMK PAPER
2022	Turkey	2-way pneumatic control valve	7162 P	DN200	Saturated steam	250°C / 40 bar	PAPER	BAFCON	ANKUTSAN
2022	Turkey	2-way pneumatic control valve	7162 P	DN150	Saturated steam	266°C / 53 bar	FOOD	BAFCON	TAT NİASTA
2022	Turkey	2-way pneumatic control valve	7162 P	DN200	Saturated steam	147°C / 3.5 bar	POWER PLANT	BAFCON	EKOMAS
2022	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, DMBC	DN150 DN25/DN80	Superheated steam Superheated steam	430°C / 45 bar 400°C / 48 bar	PAPER	BAFCON	KIVANÇ KAĞIT
2022	Turkey	Pressure Reducing valve	PR515	DN25	Air	40°C / 10 bar	CHEMICAL	DOW AKSA	
2022	Romania	2-way pneumatic control valve	7162 P	DN250	Natural gas	50°C / 39 bar	POWER PLANT	FORAIN	
2022	Turkey	2-way pneumatic control valve	7162 P	DN300	Saturated steam	184°C / 10 bar	PAPER	BAFCON	ANKUTSAN
2022	Turkey	Multi nozzle desuperheater	DMBC	DN25/DN80	Superheated steam	390°C / 48 bar	POWER PLANT	BAFCON	EKOMAS
2022	Turkey	2-way pneumatic control valve	7162 P	DN100	Superheated steam	450°C / 55 bar	POWER PLANT	H29 SOLAR ENERGY	
2022	Turkey	2-way pneumatic control valve	7162 P	DN100	Saturated steam	266°C / 51 bar	FOOD	BAFCON	TAT NİŞASTA
2022	Turkey	2-way pneumatic control valve Venturi desuperheater type	7162 P, DVX	DN150 DN100	Saturated steam Superheated steam	165°C / 6 bar 422°C / 7 bar	POWER PLANT	BAFCON	EKOMAS
2022	Romania	2-way pneumatic control valve Multi nozzle desuperheater	6000HP, DMBC	DN250 DN25/DN80	Superheated steam Superheated steam	381°C / 38 bar 363°C / 17 bar	POWER PLANT	ÇALIK ENERGY	
2022	Turkey	Pneumatic actuator	MA41 H22 D6 2S Ps		Air	6 bar	NUCLEAR POWER PLANT	BAFCON	AKKUYU NUKLEER
2022	Turkey	2-way pneumatic control valve	6000HP	DN50	Superheated steam	278°C / 61 bar	POWER PLANT	BAFCON	BEMKA ENERGY
2022	Turkey	2-way pneumatic control valve	2020P	DN80	Saturated steam	200°C / 16 bar	IRON STEEL	DESTEKNİK	KROMSAN
2022	Turkey	Multi nozzle desuperheater	DMBC	DN25/DN80	Superheated steam	208°C / 9 bar	TEXTILE	DESTEKNİK	KIVANÇ TEKSTİL

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	6000HP, 7162 P	DN200 DN250	Superheated steam Saturated steam	485°C / 66 barg 204°C / 17 barg	PAPER	DESTEKNIK	KIPAŞ KAGIT
2022	France	2-way pneumatic control valve	6000HP	DN100 / DN25	SUPERHEATED STEAM	420 °C / 68 barg	energy recovery from waste	VALEST	
2022	France	2-way pneumatic control valve + steam desuperheat valve	7162 + DVX	DN100 / DN25	SUPERHEATED STEAM	300 °C / 32 barg	energy recovery from waste	REMIVAL	
2022	France	steam sample cooler + steam trap + Continous blowdown valve	RE100 + BTX32 + HDV	DN15/20/25	STEAM / CONDENSATE	426 °C / 32 barg	distributor of industrial supplies	CGR	
2022	France	Bottom blowdown valve + pneumatic on-off valve + pressure reducing valve + 2-way pneumatic control valve	VEB340 + TORNP + PRDX + 7162	DN15/20/25/32/40/50	STEAM / CONDENSATE	235 °C / 30 barg	distributor of industrial supplies	CGR	
2022	France	2-way pneumatic control valve	7162	DN300 / DN200 / DN80	STEAM / CONDENSATE	300 °C / 20 barg	Chemical manufacturing	SOLVAY CARBONATE FRANCE	
2022	France	2-way pneumatic control valve	7162	DN100 / 125 / 50	SUPERHEATED STEAM	420 °C / 68 barg	energy recovery from waste	VALEST	
2022	France	2-way pneumatic control valve + Steam trap	6000HP + 7162 + DMBC	DN150 / DN80_40 / DN100	SUPERHEATED STEAM	500 °C / 75 barg	Sugar industry	CRISTAL UNION	
2022	France	Pneumatic actuators	PA35/MA41	DN20/25/40/50	AIR	90°C / 6 barg	Industrial equipment supplier	BOULEY SEDIN	
2022	France	3-way pneumatic control valve + Steam trap	6000HPZ + DMBC	DN100 / DN80_25	WATER	150°C / 70 barg	Pipe welding installer	EST INDUSTRIES SENTIS	
2022	France	2-way pneumatic control valve	7162	DN200	SUPERHEATED STEAM	420 °C / 52 barg	Sugar industry	TEREOS FRANCE	
2022	France	3-way pneumatic control valve	7562 + 9562	DN150	SUPERHEATED WATER	180 °C / 25 barg	Pipe welding installer	SDEL LORRAINE SAS ETABLIS	
2022	France	2-way pneumatic control valve + 3-way pneumatic control valve	7162 + 7562	DN250 / DN200	WATER	110 °C / 3 barg	distributor of industrial supplies	LRI	
2022	France	steam desuperheat valve	DMBC	DN80 / DN100	SUPERHEATED STEAM	565 °C / 165 barg	Coal-fired power plant	TOTAL DIRECT ENERGIE	
2022	France	2-way pneumatic control valve	6000HP	DN80 / DN25	SUPERHEATED WATER	90 °C / 400 barg	pump manufacturer	MOUVEX PSG GROUP	
2022	France	steam trap	BTHP	DN25	STEAM / CONDENSATE	575 °C / 150 barg	Fertilizer manufacturing	YARA FRANCE	
2022	France	2-way pneumatic control valve + steam desuperheat valve + Steam trap	6000 + DMBC + BTHP	DN25 / DN80 / DN25	SUPERHEATED WATER	150 °C / 135 barg	energy installation operator	DALKIA	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2022	France	Steam trap + 2-way pneumatic control valve	BTX32 + 9362	DN15/20/25/32/40	STEAM / CONDENSATE	215 °C / 20 barg	distributor of industrial supplies	SOFINTHER ILE DE FRANCE	
2022	France	2-way pneumatic control valve + steam desuperheat valve	9562FT + 7162FT	DN150 / DN100 / DN65	THERMAL FLUID	350 °C / 10 barg	distributor of industrial supplies	LRI	
2022	France	Controls Valves	7162	125	WATER	20/4		NEYRTEC MINERAL	UNKWON
2022	France	Controls Valves	6000HP	150	STEAM	300/36	ENREGY	DALKIA	UIOM
2022	France	Overflow Valves	6155CME	32	CONDENSATS	130/4	CENTRAL HEATING	BFL LOUVRES	CPCU
2022	France	Reducing Pressure	PR515E	50	CO2	25/15	FOODS	COGEFLU	PERRIER
2022	France	Overflow Valves	EP615/T	32	GAZ	20/16		ANTARGAZ	ANTARGAZ
2022	France	Overflow Valves	EP615/P	40	OIL	45/14	ENERGY	NANFOURMA	UNKWON
2022	France	Spare Parts	DMBC					SMRI	UNKWON
2022	France	Controls Valves	7162P-S	15	STEAM	165/15		ARMOR SAS	ARMOR
2022	France	Controls Valves	7162P	150	STEAM	165/6,5	ENERGY	ALLIA	UIOM
2023	Italy	2x 3-ways pneumatic control valve	7562 PZ + 7562 PY	DN 150 (6") + DN 40 (1" 1/2)	Water	70°C / 10 bar g	OEM	FLENCO	Gas Turbine / Kyzylorda - Kazakhstan
2023	Italy	2x 3-ways pneumatic control valve	7562 PY	DN 50 (2")	Water	70°C / 6 bar g	OEM	FLENCO	Gas Turbine / Kyzylorda - Kazakhstan
2023	Italy	2x 2-way pneumatic control valve	6000 HP	DN 80 (3")	Demineralised water	60°C / 55 bar g	OEM	FLENCO	Gas Turbine / Kyzylorda - Kazakhstan
2023	France	2-way pneumatic control valve	7162 P	DN 125	Superheated steam	300°C / 25 bar g	OEM	CORETEC	UIOM MONTBÉLIARD (25) / Waste to energy
2023	France	Desuperheater	DVX	DN 80 (3") / DN 25 (1")	Superheated steam	300°C / 25 bar g	OEM	CORETEC	UIOM MONTBÉLIARD (25) / Waste to energy
2023	France	2-way pneumatic control valve	7162 P	DN 25 (1")	Desuperheated water	275°C / 36 bar g	OEM	CORETEC	UIOM MONTBÉLIARD (25) / Waste to energy

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	France	3-ways pneumatic control valve	7562 PZ	DN 65	Superheated water	220°C / 25 bar g	OEM	CORETEC	UIOM MONTBÉLIARD (25) / Waste to energy
2023	France	2x Strainer	2900 HP	DN 25 (1")	Desuperheated water	275°C / 36 bar g	OEM	CORETEC	UIOM MONTBÉLIARD (25) / Waste to energy
2023	France	2x 2-way pneumatic control valve	VRX + 7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2023	France	4x 2-way pneumatic control valve	7162 P	DN 200 (8")	Natural gas	60°C / 5,5 bar g	Furnace & burner manufacturer	FIVES PILLARD	HOTUF CEMENT (Saudi Arabia)
2023	France	3x 2-way electric control valve + AUMA actuator type SDL	7162 E	DN 40	Condensates	120°C / 7 bar abs	Seawater desalination plant	SIDEM / VEOLIA	KHOMS TW (Lybie)
2023	France	82x Pneumatic actuators	PA 35 B6 + PA 15 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	
2023	France	2x 2-way electric control valve + AUMA actuator type SDL	7162 E	DN 50 (2")	Oxygène (O2)	50°C / 18 bar g	Furnace & burner manufacturer	FIVES PILLARD	CHOC Project (Italy)
2023	France	30x Excess pressure valve	6155 CME	DN 20	Condensates	130°C / 4,2 bar g	District heating	CPCU	Paris (France)
2023	France	2-way pneumatic control valve	7162 P	DN 25 + DN 50 + DN 65 + DN 80	Saturated steam	185°C / 10 bar g	OEM	CORETEC	Pharmaceutical / LALLEMAND (15)
2023	France	2x Pressure reducing valve	PRDX	DN 65	Saturated steam	185°C / 10 bar g	OEM	CORETEC	Pharmaceutical / LALLEMAND (15)
2023	France	Steam injector	BI40 + BI25	DN 40 + DN 25	Saturated steam	185°C / 10 bar g	OEM	CORETEC	Pharmaceutical / LALLEMAND (15)
2023	France	2x 2-way pneumatic control valve	7162 P	DN 80	Superheated steam	285°C / 25 bar g	Engineering	ORTEC	Electricity power plant / EDF BOUCHAIN (59)
2023	France	2-way pneumatic control valve	7162 P	DN 100	Natural gas	60°C / 6,5 bar g	Furnace & burner manufacturer	FIVES PILLARD	QATAR CEMENT
2023	France	Pressure reducing valve	PR 516	DN 65	Saturated steam	175°C / 9 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	Pressure reducing valve	PR 515	DN 15	Air	60°C / 30 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	Pressure reducing valve	PR 516	DN 15	Saturated steam	180°C / 9 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	3x Excess pressure valve	EP 615 + EP 615 E	DN20 + DN 25 + DN 65	Gas Oil & Oil SAE 40	65°C / 8,5 bar g	OEM	EES CLEMESSY	Nuclear Plant / France

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	China	4x 3-ways pneumatic control valve	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	Billion TEAM	Gas Turbine
2023	France	3x Excess pressure valve	EP 615 E	DN 40	Fuel oil	60°C / 5 bar g	Power Plant	EDF CORSE	Power Plant
2023	France	6x Pressure reducing valve	PR 515 E	DN 100	Air	60°C / 10 bar g	OEM	TECH PLUS	Building a Tunnel / NAPLES - Italy
2023	France	Excess pressure valve	EP 615 E	DN 50	Water + R134a	55°C / 6,6 bar abs	OEM	SPIE NUCLEAIRE	EDF / Nuclear Plant (France)
2023	France	13x Pneumatic actuators	PA4 60 C6		Air	90°C / 6 bar g	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2023	France	13x I/P convertor	PC 150-E		Input : 4 - 20 mA	Output : 6 - 30 PSI	Distributor	DISTRI PROCESS SERVICES	Glass Industry / France & Spain
2023	France	10x Thermostatic valve	TR 203 C	DN 32	Superheated water	160°C / 12 bar g	Power Plant	EDF CORSE	Power Plant
2023	France	16x Pneumatic actuators "St. Steel execution)	DMA60 D6 "Tandem" + MA 60 G6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	Nuclear Power Plant / CAP1000 SANMEN (CHINE)
2023	France	2x Pneumatic actuators	TMA 60 D6 "Tandem"		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2023	France	3x Pneumatic actuators	MA 60 A6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2023	France	35x Pneumatic actuators	PA 15 A6 + PA 60 A6 + MA 41 A6 + MA 41 C6 + MA 60 A6 + MA 60 D6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2023	France	10x Low pressure reducing valve	PRL	DN 25	Nitrogen (N2)	50°C / 3 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2023	France	2x Excess low pressure valve	EPL	DN 25	Nitrogen (N2)	50°C / 0,1 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2023	France	Pressure reducing valve	PR 515 E	DN 40	Nitrogen (N2)	50°C / 14 bar g	Chemicals	THE VALSPAR	Coating manufacturer / Sherwin Williams (France)
2023	France	2-way pneumatic control valve	6000 HP	DN 300 (12")	Superheated steam	350°C / 35 bar abs	Waste to energy	SENERVAL	Waste to energy
2023	Germany	2x 2-way pneumatic control valve	7162 P	DN 125	Superheated steam	250°C / 8 bar abs	OEM	LAB GMBH	Smoke and exhaust gas treatment / ZUCHWILL project (Switzerland)
2023	Germany	2x 2-way pneumatic control valve	7162 P	DN 15	Caustic soda (NaOH 50%)	60°C / 16 bar g	OEM	LAB GMBH	Smoke and exhaust gas treatment / ZUCHWILL project (Switzerland)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	Germany	2x 2-way pneumatic control valve	7162 P	DN 25	Water	27°C / 6 bar g	OEM	LAB GMBH	Smoke and exhaust gas treatment / ZUCHWILL project (Switzerland)
2023	France	5x High pressure Steam Traps "St. Steel WO-1311-N + WO 1111-N + WU-1550-N execution"	BTX 12 + BTX 21 + GMA	DN 25 (1") + DN 50 (2")	Condensates	310°C / 38 bar g	Engineering	AXENS	Petrochemical / Karachaganak (Kazakhstan)
2023	France	6x Steam Traps "St. Steel execution"	PA 15 A6 + PA 35 B6 PA 60 A6 + MA 60 A6 + MA 60 G6	DN 25 (1") + DN 50 (2")	Condensates	225°C / 10 bar g	Engineering	AXENS	Petrochemical / Karachaganak (Kazakhstan)
2023	France	46x Pneumatic actuators			Air	90°C / 6 bar g	Valve manufacturer	VELAN	WOODSIDE Project / Australia
2023	France	2-way pneumatic control valve	6000 HP	DN 50 (2")	Superheated steam	365°C / 48 bar g	OEM	CORETEC	Waste to energy / VEOLIA SONIRVAL Nevers
2023	France	Desuperheater	DVX	DN 100 (4") / DN 25 (1")	Superheated steam	365°C / 48 bar g	OEM	CORETEC	Waste to energy / VEOLIA SONIRVAL Nevers
2023	France	2-way pneumatic control valve	7162 P	DN 25 (1")	Desuperheated water	150°C / 72 bar g	OEM	CORETEC	Waste to energy / VEOLIA SONIRVAL Nevers
2023	France	2-way pneumatic control valve	7162 P	DN 65	Saturated steam	180°C / 9 bar g	OEM	CORETEC	Waste to energy / VEOLIA SONIRVAL Nevers
2023	France	2-way pneumatic control valve	7162 P	DN 50	Condensates	150°C / 9 bar g	OEM	CORETEC	Waste to energy / VEOLIA SONIRVAL Nevers
2023	France	2-way pneumatic control valve	6000 HP	DN 300 (12")	Superheated steam	350°C / 15 bar abs	Waste to energy	SENERVAL	Waste to energy
2023	France	5x Pressure reducing valve	PR 516	DN 15	Saturated steam	180°C / 9 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	5x Pressure reducing valve	PR 515	DN 15	Air	60°C / 30 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	10x Thermostatic bulb	NTP 202-12	1"	Water	70°C / 10 bar g	Ship building	CHANTIERS DE L'ATLANTIQUE	
2023	France	2-way pneumatic control valve	VRX	DN 80 + DN 200	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2023	France	2-way pneumatic control valve	6000 HP	DN 80 (3")	Superheated steam	355°C / 60 bar g	Waste to energy	PAPREC ENERGIES CENTRE EST	Waste to energy
2023	France	2-way pneumatic control valve	7162 P	DN 25 + DN 50	Refinery gas	50°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	Oil & Gas / CORAF Pointe Noir / Congo-Brazzaville
2023	France	2-way pneumatic control valve	7162 P	DN 15	Fuel oil	160°C / 25 bar g	Furnace & burner manufacturer	FIVES PILLARD	Oil & Gas / CORAF Pointe Noir / Congo-Brazzaville

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	France	2-way pneumatic control valve	7162 P	DN 20	Superheated steam	250°C / 15 bar g	Furnace & burner manufacturer	FIVES PILLARD	Oil & Gas / CORAF Pointe Noir / Congo-Brazzaville
2023	France	Desuperheater	DMBC	DN 80 (3") / DN 25 (1")	Superheated steam	450°C / 42 bar abs	Petrochemical	BUTACHIMIE	
2023	France	6x 2-way electric control valves + SIEMENS actuator type SKB 62 & SKC 62	9362	DN 40 + DN 50 + DN 100	Saturated steam	180°C / 12 bar g	OEM	CORETEC	Pharmaceutical / EVOTEC (31)
2023	France	16x pressure reducing valves + 16x Excess pressure valves	PRLE + EPL	DN 25 (1")	Nitrogen	160°C / 16 bar g	Safty valve manufacturer	H+ VALVES	INNOSPEC - France
2023	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2023	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2023	France	1x 2-way pneumatic control valve	7562 PZ	DN 150 (6")	water	70°C / 10 bar g	Procurement logistics	LB INDUSTRIAL SOLUTIONS	unknown
2023	France	2x 3-way pneumatic control valves	7562 PY	DN 65 (2"1/2)	Glycol water	130°C / 6 bar g	general and industrial mechanics	GAMMA INDUSTRIE	GE Gas Turbine Frame 6
2023	France	30x Excess pressure valves	6155 CME	DN 20 (3/4")	Condensats	130°C / 4,2 bar g	District heating	CPCU	City of Paris - France
2023	France	3x 2-way pneumatic control valves + 3x 2-way electric control valves	7162 P + 7162 E	DN 20 (1") + DN 25 (1") + DN 50 (2") + DN 80 (3") + Natural gas DN 100 (4") + DN 125 (5")		60°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	Calcia Airvault - France
2023	Italy	1x 3-way pneumatique control valves + 1x 2-way pneumatic control valves	7562 PY + 6000 HP	DN 50 (2") + DN 80 (3")	Water + Demineralized Water	70°C / 6 bar g + 60°C / 55 bar g	OEM	FLENCO FLUID SYSTEM SRL	Energas - Dominican Republic
2023	France	3x 2-way electric control valves	9300 EQ + SKC62	DN 100 (4") + DN 80 (3")	superheated water	180°C / 23 bar g	Pipefitter	AB CTIM	IDEX THE LINK Paris La Défense - France
2023	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2023	France	1x 3-way pneumatique control valves	5904	DN 25 (1")	Sodium Hypochlorite NaOCl	50°C / 10 bar g	Seawater desalination plant	SIDEM - VEOLIA	MIRFA 2 RO - UAE
2023	France	SPARES	SPARES	x	x	x	Chemical Factory	LAT NITROGEN OTTMARSHEIM	LAT NITROGEN
2023	France	3x Refurbishment/maintenance	6155 E + 6155 E	DN 20 (3/4") + DN 25 (1") + DN 65 (2"1/2)	Gaz oil	50°C / 5 bar g + 65°C / 8,5 bar g	OEM	EES - CLEMESSY	CNPE de Paluel - France
2023	France	15x Pressure reducing valves	PR 515E + PR515 + PRLE	DN 40 (1"1/4") + DN 50 (2") + DN 100 (4")	biogas / biomethane	90°C / 4 bar g + 50°C / 15 bar g	Water treatment	OTV VEOLIA	Valenton wastewater treatment plant - France

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	France	3x 2-way pneumatic control valve	7162 P	DN 40 (1"1/4") + DN 50 (2") biogas / biomethane		50°C / 18 bar g	Water treatment	OTV VEOLIA	Valenton wastewater treatment plant - France
2023	France	24x Excess pressure valves	6155 CME	DN 20 (3/4")	Condensate	130°C / 4,2 bar g	District heating	CPCU	City of Paris - France
2023	France	2x 2-way pneumatic control valves	5904	DN 15 (1/2")	Bromine	180°C / 6 bar g	Chemical Factory	VYNOVA PPC SAS	VYNOVA PPC SAS
2023	France	2x 2-way electric control valves	7162E - EQ + SDL100	DN 250 (10")	Iced water	100°C / 25 bar g	Urban air conditioning company	SUC - DALKIA	Tour THE LINK Paris La Défense - France
2023	Singapore	128x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2023	France	4x Pneumatic Valves + 4x Perforated discs	7162 P + DISQUE	DN80 + DN100 + DN150	Superheated steam	410 °C / 30 bar	Boiler manufacturer	LCI GROUP	Unknown
2023	Singapore	64x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2023	France	20x Electrical Continous Blowdown Valve	HDVE	DN25	Boiler water	235 °C / 30 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2023	France	3x Pneumatic Valves	7162 EQ	DN65 + DN100	Saturated steam	215 °C / 20 bar	Heating and cooling rental company	TIBBLOC LILLE	Unknown
2023	France	3x Spare parts + 1x Pneumatic Valve	6000HP	DN80	Superheated steam	270 °C / 54 bar	Renewable energy producer	DALKIA CENTRE EST	Site Elkem St Fons (69)
2023	France	20x Electrical Continous Blowdown Valve	HDVE	DN25	Boiler water	235 °C / 30 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2023	France	10x Injection Nozzles + 18x Electrical Continous Blowdown Valves	BI25 + HDVE	DN25	Boiler water	235 °C / 30 bar	Boiler manufacturer	BABCOCK WANSON	Unknown
2023	France	3x Thermostatic Bulbs	2037 HS	-	Unknown	Unknown	National navy	NAVAL GROUP	Unknown
2023	France	11x Repairs of desuperheaters + Float traps	DMBC + GMA + BTHP	DN80 + DN50	Hot water	303 °C / 135 bar	Renewable energy producer	DALKIA	Unknown
2023	France	2-way pneumatic control valve	7162 P	DN50 + DN65 + DN80	Steam	201°C / 15 barg	DISTILLERY	DISTILLERIE HAUGUEL SA	DISTILLERIE HAUGUEL SA
2023	France	Excess pressure valve	6155 CME	DN32	Condensate	105°C / 6 barg	DISTRIBUTER	BFL LOUVRES	/
2023	France	Pneumatic actuators	MA41A	/	Air	90°C / 6 barg	OEM	SAFI	/

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	France	2-way electric control valve	7162E	DN150	JET A-1	20°C / 16 barg	DISTRIBUTER	GFLOW	/
2023	France	2-way electric control valve	7162E + VRXE	DN150	Water	25°C / 6 barg	OEM	SIGEDI	/
2023	France	Pressure reducing valve + Excess pressure valve	PR515 + EP615	DN25 + DN32 + DN50	Methane + Ethylene	120°C / 20 barg	DISTRIBUTER	ARMINES	CRYOCOLLECT
2023	France	2-way pneumatic control valve	7162 P	DN25	Oil	200°C / 5 barg	DISTRIBUTER	EPSA MARKETPLACE	SAFRAN LANDING SYSTEMS
2023	France	Low excess pressure valve	EPL	DN100	Nitrogen	40 °C / 9 barg	CHEMICALS	SOLVAY	SPECIALTY OPERATIONS FRANCE
2023	France	Excess pressure valve	6155 CME	DN32	Condensate	105°C / 6 barg	DISTRIBUTER	BFL LOUVRES	/
2023	France	2-way pneumatic control valve	7162 P + 6000HP	DN15 + DN40 + DN50	Oil	150°C / 220 barg	OEM	EMC FRANCE	/
2023	France	2-way pneumatic control valve + Purge controller + Steam trap + Strainer + 2-way manual valve + check valve	7162 P + DW40 + FTE14 + FY20 + KVN + RD40	DN20 + DN25	Steam	165°C / 6 barg	DISTRIBUTER	DÜRR SYSTEMS FRANCE	ARMOR
2023	France	Desuperheater	DMBC	DN80/DN25	Steam/Water	340°C / 27 barg	ENVIRONMENT	SECHE ECO INDUSTRIES	/
2023	France	2-way pneumatic control valve	7162 P	DN150	Natural gas	30°C / 5 barg	DISTRIBUTER	SINOMA CBMI ENGINEERING	SINOMA CBMI ENGINEERING
2023	France	Repair and Upgrade	7162 P	DN250	Steam	202°C / 16 barg	REPAIRER	MVSI	BLUE PAPER SAS
2023	France	2-way electric control valve	7162E + VRXE	DN65 + DN80	Water	20°C / 16 barg	DISTRIBUTER	CERIA	/
2023	France	5x Excess Pressure valve	5x EP615E	DN 50	Biogas (Methane + CO + H2S)	25°C/20barg	Air compressor manufacturer	ATLAS COPCO CREPELLE	industry
2023	France	40x Pneumatic Actuator PA 60 Firesafe	40x PA2 HB 60 C6 / AR DD760789.	-	AIR	90°C/6barg	Manufacturer	DE DIETRICH	chemicals/pharmaceutical
2023	France	70x Pneumatic Actuator PA 60 Firesafe	70x PA2 HB 60 C6 / AR DD760789.	-	AIR	90°C/6barg	Manufacturer	DE DIETRICH	chemicals/pharmaceutical
2023	France	70x Pneumatic Actuator PA 60 Firesafe	70x PA2 HB 60 C6 / AR DD760789.	-	AIR	90°C/6barg	Manufacturer	DE DIETRICH	chemicals/pharmaceutical
2023	Turkey	Pneumatic actuator	MA41	NA	Air	90°C / 6 barg	CRYOGENIC	BUTI RESEARCH S.R.L.	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50/80/100	Water	105°C / 10barg		BVALVE	
2023	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50/80/100	Water	105°C / 10barg		BVALVE	
2023	Spain	2-way pneumatic control valves	6000HP	80 / 100	Water	170°C / 100 barg	POWER	BVALVE	WOOD
2023	Spain	Pneumatic actuator	PA35 + PA60 + MA41 NA		Air	90°C / 6 barg		BVALVE	
2023	Spain	Self acting valve - Excess pressure valve	EP615	50	LPG	50°C / 18barg		BVALVE	MARLIA ING
2023	Czech Republic	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		FOXCONTROL	
2023	Czech Republic	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		FOXCONTROL	
2023	Czech Republic	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		FOXCONTROL	
2023	Czech Republic	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		FOXCONTROL	
2023	Belgium	Desuperheater	DMBC	80/25	Steam	330°C / 43barg	POWER	GMSI SPRL	Bruxelles Energy
2023	Belgium	2-way pneumatic control valves + Desuperheater	7162 + MNB + 2900HP	Multiple	Steam	Multiple		GMSI SPRL	
2023	Belgium	Desuperheater	DMBC	80/25	Steam	330°C / 43barg	POWER	GMSI SPRL	Bruxelles Energy
2023	Belgium	Self acting valve - Excess pressure valve	EP615	15	Water	25°C / 12barg		ING. BRIZIO BASI & C.	
2023	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2023	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2023	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2023	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	Italia	2-way pneumatic control valves	VRX	200	Steam	250°C / 30 barg		OY KONWELL AB	
2023	United Arab Emirates	Desuperheater	DMBC	80/25	Steam	280°C / 11,5bara		SAMIREG	
2023	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2023	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2023	United Kingdom	2-way pneumatic control valves	7162	25	OIL ISO VG46	65°C / 15,2 barg		STL POWER & PROCESS CONTROL	HOWDEN
2023	United Kingdom	2-way pneumatic control valves	7162	25	OIL ISO VG46	65°C / 15,2 barg		STL POWER & PROCESS CONTROL	HOWDEN
2023	Usa	2-way pneumatic control valves	7162	300	Water	100°C / 5 barg		VOGT VALVES	
2023	Usa	2-way pneumatic control valves	7162	25 / 40 / 50 / 80	Multiple	Multiple		VOGT VALVES	
2023	Usa	3-way pneumatic control valves	7562	150 / 100	Oil SAE 40	70°C / 8 barg		WARTSILA	
2023	Swiss	Self acting valve - Excess pressure valve	EP615	100	Lubricating oil: NATO O-278	150°C / 7 barg		ZÜRCHER TECHNIK	
2023	Turkey	Thermobimetal Thermostatic steam trap	BTHP80	DN25		480°C / 80 bar	POWER PLANT	BAFCON	KİRŞEHİR BİOMAS
2023	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	7162 P	DN300 DN250	Saturated steam Saturated steam	175°C / 8 bar 204°C / 17 bar	SUGAR	BAFCON	BOGAZLAYAN SUGAR
2023	Turkey	2-way pneumatic control valve	7162 P	DN300	Saturated steam	148°C / 3.5 bar	PAPER	BAFCON	AQUACRAFT
2023	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	7162 P, MNB	DN150 DN25/DN80	Superheated steam Superheated steam	360°C / 40 bar 355°C / 43 bar	REFINERY	BAFCON	TUPRAS
2023	Turkey	2-way pneumatic control valve	6000HP	DN50	Water	310°C / 65 bar	POWER PLANT	BAFCON	KARTALLAR EGE
2023	Turkey	2-way pneumatic control valve	7162 P	DN100	Water	150°C / 75 bar	POWER PLANT	BAFCON	EKOLOJIK ENERGY
2023	Turkey	2-way pneumatic control valve	7162 P	DN250	Superheated steam	435°C / 41 bar	CHEMICAL	DESTEKNİK	ŞİŞECAM

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	Turkey	2-way pneumatic control valve	VRX P	DN80	Water	102°C / 75 bar	POWER PLANT	ENTEK ELEKTRIK	
2023	Turkey	2-way pneumatic control valve	7162 P	DN200	Saturated steam	170°C / 7 bar	PAPER	BAFCON	AQUACRAFT
2023	Turkey	2-way pneumatic control valve Multi nozzle desuperheater	6000HP, DMBC	DN150 DN25/DN80	Superheated steam Superheated steam	480°C / 60 bar 448°C / 4.8 bar	POWER PLANT	BAFCON	GREEN ENERGY
2023	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	6000HP, 7162 P	DN50 DN25	Saturated water Superheated steam	281°C / 65 bar 460°C / 60 bar	POWER PLANT	BAFCON	KARTALLAR EGE
2023	Turkey	2-way pneumatic control valve	6000HP	DN80	Superheated steam	530°C / 63 bar	POWER PLANT	BAFCON	GREEN ENERGY
2023	France	Continuous blowdown valve + steam sample cooler	HDVE + RE100	DN25	SUPERHEATED WATER	235 °C / 30 barg	industrial boiler manufacturer	BABCOCK WANSON SA	
2023	France	Pneumatic actuators	PA35/60	DN15 / DN32 / DN40	AIR	90°C / 6 barg	Industrial equipment supplier	AVRITEC AGENCE SUD-OUEST	
2023	France	2-way pneumatic control valve	VRX + 6000HP	DN150 / DN80	SUPERHEATED STEAM	450 °C / 54 barg	Sugar industry	CRISTANOL	
2023	France	2-way pneumatic control valve	6000HP	DN80 / DN25	SUPERHEATED STEAM	400 °C / 60 barg	Pipe welding installer	EST INDUSTRIES SENTIS	
2023	France	2-way pneumatic control valve + pneumatic TORP valve + Steam trap	7162P + TORNP + PPCB2	DN20	SATURATED STEAM	185 °C / 10 barg	Manufacturing of packaging and containers distributor of industrial supplies	STOROPACK	
2023	France	2-way pneumatic control valve	7162PFT	DN15_25_50_80	THERMAL FLUID	350 °C / 10 barg	distributor of industrial supplies	ROBIVAL	
2023	France	2-way pneumatic control valve	7162P	DN150 / DN100	WATER	110 °c / 10 barg	distributor of industrial supplies	LRI	
2023	France	2-way pneumatic control valve + steam desuperheat valve	7162P + MNBX	DN80 / DN40	SUPERHEATED STEAM	400 °C / 60 barg	waste treatment	SERTRID	
2023	France	3-way pneumatic control valve	7562	DN100 / DN80	SUPERHEATED WATER	180 °C / 25 barg	industrial steam boiler specialists	ITHERM	
2023	France	Spare parts kit + steam desuperheat valve	DMBC	DN80 / DN25	SUPERHEATED STEAM	200 °C / 32 barg	Wood industry	CARBONEX	
2023	France	steam desuperheat valve	DMBC	DN80 / DN100	SUPERHEATED STEAM	565 °C / 165 barg	Coal-fired power plant	TOTAL DIRECT ENERGIE	
2023	France	Controls Valves	7562PZ	200	WATER	25/3,5		AS FLUID SAS	UNKWON

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2023	France	Overflow Valves	EP615/P	40	OIL	60/20	ENERGY	NANFOURMA	UNKWON
2023	France	Magnetic Level Control	MBSK	25	OIL	60/2	ENERGY	NANFOURMA	UNKWON
2023	France	Float Spare Parts	MBSK				CHEMESTRY	LOGITRADE SAS	EXPORT
2023	France	Float Spare Parts	MBSK				CHEMESTRY	LOGITRADE SAS	EXPORT
2023	France	Controls Valves	7162P	100	BUPRO 50/50	15/18	GAZ	MAKEEN ENERGY	EXPORT
2023	France	Steam Desuperheater	DMBC	80/25	EAU	105/50	ENERGY	SOVOTEC	
2023	France	Steam Traps	GMA414	40	CONDENSATS	300/10	ENERGY	ALLIA	UIOM
2023	France	Controls Valves	7562PZ	200	SEA WATER	33/1	NAVI	CHANTIERS DE L' ATLANTIQUE	CHANTIERS DES L' ATLANTIQUE
2023	France	Controls Valves	7562PZ	200	SEA WATER	33/1	NAVI	CHANTIERS DE L' ATLANTIQUE	CHANTIERS DES L' ATLANTIQUE
2024	France	2-way thermostatic valve	TR 203 C	DN 15	Saturated steam	190°C / 12 bar g	Ship building	CHANTIERS DE L' ATLANTIQUE	
2024	France	Pressure reducing valve	PR 515	DN 15	Air	60°C / 30 bar g	Ship building	CHANTIERS DE L' ATLANTIQUE	
2024	France	2-way pneumatic control valve	VRX	DN 80 + DN 200	CH4 & BOG (65% CH4 + 35% N2)	80°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2024	France	Low pressure reducing valve	PRL	DN 15	Nitrogen (N2)	110°C / 1 bar g	Pharmaceutical	SEQENS	
2024	France	Low excess pressure valve	EPL	DN 50	HCl / N2	110°C / 0,05 bar g	Pharmaceutical	SEQENS	
2024	France	2-way pneumatic control valve	VRX + 7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	130°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2024	France	Pneumatic actuators (St. Steel execution) + Handwheel	11x PA H23 60 A6		Air	90°C / 7 bar g	Valve manufacturer	VELAN	For cryogenic valves
2024	France	3-ways electric control valve + AUMA actuator type SAR07,6	7562 EY	DN 100 (4")	Superheated water	250°C / 65 bar g	OEM	CORETEC	SIVALOR (01) / Waste to energy

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	France	Pneumatic actuators	50x PA 15 A6		Air	90°C / 6 bar g	Valve manufacturer	VELAN	For cryogenic valves
2024	Italy	3-ways pneumatic control valve	7562 PZ + 7562 PY	DN 150 (6") + DN 40 (1" 1/2)	Water	70°C / 10 bar g	OEM	FLENCO	Gas Turbine / S-Oil Petrochem SHAHEEN (South Korea)
2024	Italy	3-ways pneumatic control valve	7562 PZ + 7562 PY	DN 150 (6") + DN 40 (1" 1/2)	Water	70°C / 10 bar g	OEM	FLENCO	Gas Turbine / S-Oil Petrochem SHAHEEN (South Korea)
2024	France	Excess pressure valve	EP 615	DN 25	Diesel oil	40°C / 40 bar g	OEM	MAN ENERGY SOLUTION	Nuclear plant (Brazil)
2024	France	55x Pneumatic actuators + Handwheel	MA H23 41 C6 + MA H22 60 D6 + MA H23 41 A6 + PA H23 60 A6		Air	90°C / 6 bar g	Valve manufacturer	VALCO / SNRI	For cryogenic valves / «SeaSpan» (China)
2024	France	3-ways electric control valve + AUMA actuator type SDL	7562 EY	DN 250 + DN 200 + DN 100	Softened water	60°C / 10 bar g	OEM	SNEF	TITAN Project (CEA SACLAY)
2024	France	Desuperheater	DMBC	DN 80 (3") / 40 (1" 1/2)	Superheated steam	120°C / 3 bar abs	Waste to energy	SENERVAL	Waste to energy
2024	France	Strainer	2900 HP	DN 50 (2")	Desuperheater water	70°C / 20 bar abs	Waste to energy	SENERVAL	Waste to energy
2024	France	Desuperheater	DMBC	DN 80 (3") / 40 (1" 1/2)	Superheated steam	120°C / 3 bar abs	Waste to energy	SENERVAL	Waste to energy
2024	France	Strainer	2900 HP	DN 50 (2")	Desuperheater water	70°C / 3 bar abs	Waste to energy	SENERVAL	Waste to energy
2024	France	3-way pneumatic control valve	7562 PY	DN 80 (3") + DN 100 (4")	Superheated water	235°C / 29 bar g	OEM	SOVOTEC	LUNEL (34) / Waste to energy
2024	France	2-way pneumatic control valve	7162 P	DN 25 (1") + DN 100 (4")	Superheated water	235°C / 29 bar g	OEM	SOVOTEC	LUNEL (34) / Waste to energy
2024	France	2-way pneumatic ON / OFF valve	TOR NP	DN 25 (1")	Superheated water	200°C / 29 bar g	OEM	SOVOTEC	LUNEL (34) / Waste to energy
2024	France	2-way pneumatic control valve	7162 P	DN 125	Natural gas	60°C / 4 bar g	Furnace & burner manufacturer	FIVES PILLARD	
2024	France	2-way pneumatic control valve	7162 P	DN 25 + DN 40 + DN 50	192°C / 12 bar g	192°C / 12 bar g	Distributor	PICON	Paper industry (24)
2024	France	2-way pneumatic ON / OFF valve	TOR NP	DN 20 + DN 25 + DN 32	Saturated steam	192°C / 12 bar g	Distributor	PICON	Paper industry (24)
2024	France	3-ways electric control valve + AUMA actuator type SBA	7562 EY	DN 100 (4") + DN 80 (3")	Thermal fluid	300°C / 10 bar g	OEM	FIVES SOLIOS	ALBA (BAHRAIN)

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	France	2-way electric control valve + AUMA actuator type SDL	7162 E	DN 150 (6")	Thermal fluid	300°C / 10 bar g	OEM	FIVES SOLIOS	ALBA (BAHRAIN)
2024	France	Excess pressure valve	EP 615 E	DN 50	Water + R134a	55°C / 6,6 bar abs	OEM	CARRIER	EDF / Nuclear Plant (France)
2024	France	2-way pneumatic control valve	7162 P	DN 100 (4") + DN 50 (2" + DN 25 (1")	Water	60°C / 5 bar g	Valve manufacturer	GR SUPERVISION	Air Liquide Limito (Italy)
2024	France	Double acting pneumatic actuators (Steel execution)	PA HB 60 A6 POS + MA HB 41 A6 POS		Air	90°C / 7 bar g	Valve manufacturer	VELAN	ITER TCWS (France)
2024	France	2-way electric control valve + AUMA actuator type SDL	7162 E	DN 80 + DN 25	Oxygène (O2)	50°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	CHOC Project (France)
2024	France	2-way electric control valve + AUMA actuator type SDL	7162 E	DN 32	Nitrogen (N2)	50°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	CHOC Project (France)
2024	France	2x 2-way electric control valve + AUMA actuator type SDL	7162 E	DN 50	Natural gas	50°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	CHOC Project (France)
2024	France	3-ways electric control valve + AUMA actuator type SDL	7162 E	DN 25	CO2	50°C / 10 bar g	Furnace & burner manufacturer	FIVES PILLARD	CHOC Project (France)
2024	Hungary	2x 3-way pneumatique control valves	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	GS OPERATING HUNGARY LLC	unknown
2024	France	4x 2-way pneumatic control valves	7162 P	DN 100 (4") + DN 150 (6")	Natural gas	60°C / 6 bar g	Furnace & burner manufacturer	FIVES PILLARD	OMAN
2024	Italy	2x 3-way pneumatique control valves	7562 PZ	DN 150 (6")	Water	70°C / 10 bar g	OEM	FLENCO FLUID SYSTEM SRL	GECH SAINT LOUIS - Senegal
2024	Belgique	8x Electro-pneumatic positionner	49.1.6 (SRI 983)	x	x	x	OEM	IMG WAREHOUSE	unknown
2024	Italy	2X 3-way pneumatique control valves + 2x 2-way pneumatic control valves	7562 PY + 6000 HP	DN 50 (2")	Demineralized water	70°C / 10 bar g + 60°C / 55 bar g	OEM	FLENCO FLUID SYSTEM SRL	SAINT LOUIS AKSA ENERJI - Senegal
2024	France	5x 3-way thermostatic valve	NTP 207 YE + NTP200.1	DN 40 (1"1/2)	thermal fluid	260°C / 15 bar g	Furnace & burner manufacturer	FIVES PILLARD	SINOMA for UCIC - Saudi Arabia
2024	France	7x 2-way pneumatic control valves + 1x 3-way pneumatic control valve + sampler cooler + steam injector	7162 P + 7562 PZ + RE100 + BI	DN 15 (1/2") + DN 25 (1") + DN 32 (1"1/4)	superheated water / softened hot water / clean steam / ultra clean water / food water	204°C / 10 barg + 200°C / 4,4 barg + 30°C / 5 bar g + 109°C / 5bar g	OEM	CORETEC SA	ARCELOR MITAL - Saint Chély d'Apcher - France
2024	Italy	2x 3-way pneumatic valves	7562 PZ + 7562 PY	DN 150 (6") + DN 40 (1"1/2)	Water	70°C / 10 bar g	OEM	FLENCO FLUID SYSTEM SRL	GEEPE - South Korea
2024	Italy	2x 3-way pneumatic valves	7562 PZ + 7562 PY	DN 150 (6") + DN 40 (1"1/2)	Water	70°C / 10 bar g	OEM	FLENCO FLUID SYSTEM SRL	GEEPE - South Korea

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	Irak	4x 3-way pneumatic control valves	7562 PY	DN 80 (3")	Fuel	140°C / 13 bar g	industrial equipment supplier	AKHAA ALRAFIDEN INTERNATIONAL	IRAK
2024	France	2x 2-way pneumatic control valves	5904 + 7162 P	DN 40 (1"1/2) + DN 25 (1")	Liquid bromine/ Soda	40°C / 6,8 bar g + 165°C / 5 bar g	Chemical Factory	VYNOVA PPC SAS	VYNOVA PPC SAS
2024	Irak	2x 3-way pneumatic control valves	7562 PY	DN 80 (3")	Fuel	140°C / 13 bar g	industrial equipment supplier	AKHAA ALRAFIDEN INTERNATIONAL	IRAK
2024	France	2x 2-way pneumatic control valves	5904 + 7162 P	DN 50 (2") + DN 100 (4")	Residual Bromides / saturated steam	70°C / -0,2 barg + 205°C / 16 bar g	Chemical Factory	VYNOVA PPC SAS	VYNOVA PPC SAS
2024	France	3x Refurbishment/maintenance	6155 E + 6155 E	DN 20 (3/4") + DN 25 (1") + DN 65 (2"1/2)	Gaz oil	50°C / 5 bar g + 65°C / 8,5 bar g	OEM	EES - CLEMESSY	CNPE de Paluel - France
2024	Singapore	64x Spare parts for filter	FILTER ND + FY32	for DN15 + DN20 + DN32 + DN40 + DN50 + DN65	Unknown	Unknown	National navy	NAVAL GROUP FAR EAST PTE	Unknown
2024	France	8x Repairs of desuperheaters	DMBC	DN80	Hot water	565 °C / 165 bar	Energy producer	TOTAL DIRECT ENERGIE	Emile Huchet Power Plan St Avold
2024	France	1x Pneumatic actuator + positioner + filter	MA60D + SIPART + FRS04	for DN300	Air	90 °C / 6 bar	Chemical products manufacturer	SOLVAY CARBONATE FRANCE	Unknown
2024	France	19x Pneumatic Actuators + Limit switches + Filter	PA35B + XCK-T2110 + AFR100	for DN20 + DN25	Air	90 °C / 6 bar	Industrial equipment supplier	BOULEY SEDIN	Unknown
2024	France	1x Pneumatic Valve	6600 HP	DN25 / DN50	Condensate	310 °C / 96 bar	Valve maintenance	PRESTO CONTRÔLE	Unknown
2024	France	3x Pneumatic Valves	VRX	DN50 + DN80	Saturated steam	400 °C / 46 bar	Sugar manufacturer	SAINT LOUIS SUCRE	Unknown
2024	France	10x Pneumatic Valves	7162 P + 7562 PZ	DN65 + DN80	Water + Saturated steam	240 °C / 16 bar	Boiler manufacturer	LCI GROUP	Unknown
2024	France	1x Pneumatic Valve	7162 P	DN300	Superheated steam	240 °C / 2,5 bar	Agricultural producer	CRISTAL UNION	Unknown
2024	France	Excess pressure valve	6155 CME	DN32	Condensate	105°C / 6 barg	DISTRIBUTER	BFL LOUVRES	/
2024	France	2-way electric control valve	7162E	DN200	Cold water	10°C / 10 barg	URBAN AIR CONDITIONING SUC - DALKIA	ICEIS HORIZON DEFENSE SURESNES	
2024	France	Low pressure reducing valve	PRL	DN50	Air	30°C / 1 barg	ENGINEERING	OZONIA FRANCE SAS	/
2024	France	2-way pneumatic control valve	7162 P	DN15	Steam	205°C / 16 barg	PHARMACEUTICAL	CAPSUGEL FRANCE SAS	CAPSUGEL FRANCE SAS

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	France	2-way electric control valve	7162E	DN300	Water	20°C / 20 barg	URBAN AIR CONDITIONING DALKIA		TOUR ADRIA HOPEN / RÉSEAU EAU GLACE SEINERGIE/SUC
2024	France	Flow controller	6324-20	1"	/	/	DISTRIBUTER	ERANOYE	SODECI
2024	France	Excess pressure valve	EP615	DN32	Kerosene	60°C / 30 barg	DISTRIBUTER	RELLUMIX	/
2024	France	2-way pneumatic control valve	7162 P	DN15 + DN32 + DN40 + DN80	Water	80°C / 16 barg	DISTRIBUTER	ANTWAY SARL	MARS Haguenau
2024	France	Spare parts	6000HP + DMBC + MA60D + MA41C	/	/	/	REPAIRER	MVSI	BLUE PAPER SAS
2024	France	2-way pneumatic control valve	VRXP	DN100 + DN125	Air	125°C / 12 barg	GLASS MANUFACTURING	GLAS TRÖSCH ALSACE	GLAS TRÖSCH ALSACE
2024	France	Repair and Upgrade	7162 P	DN250	Steam	212°C / 16 barg	REPAIRER	MVSI	BLUE PAPER SAS
2024	Belgium	2-way control valves + 3 ways control valves + Desuperheaters	7162P + VRX + 6000HP + 7562P HP + MNB	DN200+150+100+50+32+25	Water / Superheated steam	100 barg / 450°C	Waste to energy	EUTY	NOVASTEAM / SUEZ
2024	United Kingdom	Excess Pressure Valves	EP615E	DN100	Pure water	10 barg / 25°C	Semiconductor	STL POWER	ORGANO / TSMC
2024	China	Excess Pressure Valves	EP615E	DN100	Pure water	10 barg / 25°C	Semiconductor	SHANGHAI ZHONGMU AUTOMATION EQUIPMENTS	/
2024	Poland	3-way Control Valves	7562E Z	DN200 + 150 + 65 + 50	Water	5 Barg / 40°C	Heat furnace	SECO/WARWICK S.A	SECO/WARWICK S.A
2024	Switzerland	Pneumatic Actuators	MA60D6 + PA15A6	/	Air	6 barg / 90°C	Low temperature fluids	WEKA AG	/
2024	Switzerland	Pneumatic Actuators	MA60 D6 SST + MA60 G6 SST	/	Air	6 barg / 90°C	Low temperature fluids	WEKA AG	/
2024	France	20x Pneumatic Actuator PA 60 Firesafe 3N3S Ps - S3 RDD7607892	20x PA2 HB 60 A6	-	AIR	90°C/6bar	Manufacturer	DE DIETRICH	chemicals/pharmaceutical
2024	Spain	Self acting valve - Pressure reducing valve	PRDX	15/20/25/32/40/50	Water	105°C / 10barg		BVALVE	
2024	Spain	2-way pneumatic control valves	VRX	150	Gas mixt	55°C / 10barg		BVALVE	
2024	Spain	2-way pneumatic control valves + Spare	VRX	100	Water	90°C / 30 barg		BVALVE	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	Spain	3-way pneumatic control valves + Self acting	7562 + EP615	80	Thermal fluid+ Diesel	400°C / 6,5 barg		BVALVE	
2024	Spain	2-way pneumatic control valves	7162	300	Water	15°C / 4 barg		BVALVE	
2024	Spain	Self acting valve - Pressure reducing valve	PR516E	200	Water	40°C / 5 barg	INDUSTRIAL LAUNDRY	BVALVE	MOROCCO
2024	Slovenia	2-way pneumatic control valves	VRX	200	Steam	360°C / 38barg		CONOVALVE	
2024	The Netherland	2-way pneumatic control valves	7162	200	Steam	265°C / 50barg		CONOVALVE	
2024	France (New Calodenia)	Pneumatic actuator	MA41 H23 D6 4B Ps	NA	Air	90°C / 6 barg		FOXCONTROL	
2024	Czech Republic	Pneumatic actuator	MA41 H23 D6 4B Ps	NA	Air	90°C / 6 barg		FOXCONTROL	
2024	Czech Republic	Pneumatic actuator	MA41 A6 + MA60 G6	NA	Air	90°C / 6 barg		FOXCONTROL	
2024	Czech Republic	Pneumatic actuator	MA41 + MA60	NA	Air	90°C / 6 barg		FOXCONTROL	
2024	Austria	2-way pneumatic control valves	2020	25/50/80/100	Mixt Steam	250°C / 18barg	Plaster production	GMSI SPRL	ETEX
2024	Belgium	2-way pneumatic control valves	2020	25/50/80/100	Mixt Steam	250°C / 18barg	Plaster production	GMSI SPRL	
2024	Belgium	Safety valve	Multiple	Multiple	Steam	Multiple	ENERGY PRODUCTION	IMERYS GRAPHITE & CARBON	BLACK CARBON PROJET
2024	Senegal	2-way pneumatic control valves	6000HP	25 / 80	Water	60°C / 100barg		MODU	
2024	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2024	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2024	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2024	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2024	Italia	Self acting valve - Pressure reducing valve	PR515E	50 + 80	Nitrogen	25°C / 7 barg		PROTEGO MIDDLE EAST FZE	
2024	Indian	2-way pneumatic control valves	7162	25	OIL ISO VG46	65°C / 15,2 barg		STL POWER & PROCESS CONTROL	HOWDEN
2024	United Kingdom	Pneumatic actuator	MA41	NA	Air	90°C / 6 barg		STL POWER & PROCESS CONTROL	Eastland Engineering Supply
2024	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2024	United Kingdom	2-way pneumatic control valves	7162	250 + 200	Steam	300°C / 40barg		STL POWER & PROCESS CONTROL	
2024	United Kingdom	2-way pneumatic control valves	7162 + VRX	Multiple	Multiple	Multiple		STL POWER & PROCESS CONTROL	
2024	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2024	United Kingdom	3-way pneumatic control valves	7562	32 / 50 / 100	Hot oil	260°C / 10 barg		VOGT VALVES	
2024	Turkey	2-way pneumatic control valve	VRX P	DN80	Water	102°C / 75 bar	POWER PLANT	BAFCON	ENTEK ELEKTRİK
2024	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	7162 P, VRX P	DN200 DN250	Hot Water	182°C / 13 bar	WOOD	BAFCON	ASD LAMİNAT
2024	Turkey	2-way pneumatic control valve 2-way pneumatic control valve	7162 P, VRX P	DN300 DN150	Saturated steam Saturated steam	187°C / 9.7 bar 226°C / 25 bar	PAPER	DESTEKNİK	KİPAŞ KAĞIT
2024	France	Excess pressure + 3-way pneumatic control valve	EP615 + 9562Y	DN20	THERMAL FLUID	250 °C / 10 barg	Pipe welding installer	AUB'INOX	
2024	France	2-way pneumatic control valve + Steam injection nozzle + steam sample cooler	7162P + BI25 + RE100DN40 + DN25		WATER	110 °C / 10 barg	industrial boiler manufacturer	BABCOCK WANSON SA	
2024	France	Steam trap	GMA	DN50	STEAM / CONDENSATE	200 °C / 6 barg	biomass industry	COGECAB	
2024	France	Steam trap	FF2405	DN40 + DN25	STEAM / CONDENSATE	400 °C / 40 barg	energy installation operator / Tire factory	DALKIA	CONTINENTAL
2024	France	Steam trap	BTHP	DN25	STEAM / CONDENSATE	535 °C / 103 barg	biomass industry	COGECAB	

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2024	France	steam desuperheat valve	MNB	DN80 / DN25	SUPERHEATED WATER	400 °C / 135 barg	biomass industry	COGECAB	
2024	France	steam desuperheat valve	DMBC	DN80 / DN25	SUPERHEATED WATER	400°C / 50 barg	industrial boiler manufacturer	BABCOCK WANSON SA	SARA Martinique
2024	France	2-way pneumatic control valve	VRX	DN150 + DN100	SUPERHEATED STEAM	420 °C / 46 barg	Sugar industry	SAINT LOUIS SUCRE	
2024	France	Reducing Pressure	PRL	15	NITROGEN	45/28	CHEMESTRY	NATURAT MESURE	UNKWON
2024	France	Spare Parts	DMBC				CHEMESTRY	NAPHTACHIMIE	NAPHTACHIMIE
2024	France	Magnetic Level Control	MBSK	25	OIL	60/2	ENERGY	NANFOURMA	UNKWON
2024	France	Controls Valves	7162P-S	25	STEAM	165/15	CHEMESTRY	ARMOR BATTERY FILMS	ARMOR BATTERY FLIMS
2024	France	Spare Parts	7162P	150			ENERGY	PRESTO CNOTROL	ECO SEHER
2024	France	Float Spare Parts	MBSK				GAZ	LOGITRADE SAS	EXPORT
2024	France	Controls Level	TRANPARENCY LEVEL		WATER	251/40	UIOM	GEVAL	GVAL
2024	France	Controls Valves	MONOBLOC 2 WAYS	50	WATER	40/210	ENERGY	SEFI	NOBEL SPORT
2024	France	Magnetic Level Control	MBSK	25	OIL	60/2	ENERGY	NANFOURMA	UNKWON
2025	France	2-way pneumatic control valve	6000 HP	50 (2") + DN 80 (3")	Process water	70°C / 180 bar g	Oil and Gas	SNF	Oil and Gas
2025	France	2-way pneumatic control valve	VRX + 7162 P	DN 80 + DN 250	CH4 & BOG (65% CH4 + 35% N2)	90°C / 10 bar g	Furnace & burner manufacturer	FIVES NORTH AMERICAN	LNG carriers
2025	France	3x 2-way pneumatic control valves	VRXP	DN 100 (4") + DN 150 (6")	Condensats	130°C / 20 bar g	Industrial maintenance	SASI	SENERVAL - Waste to energy
2025	France	6x Excess pressure valves	EP615	DN 25 (1")	Flash gas	60°C / 19,6 bar g	Natural gas storage	NATRAN	STORENGY - Chemery
2025	France	1x 2-way pneumatic control valve + spares	7162 P	DN 150 (6")	Natural gas	50°C / 5 bar g	Furnace & burner manufacturer	FIVES PILLARD	SUNPOWER - UAE

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2025	France	12x Spare parts for pneumatic valve and actuator	6000HP + DMBC	for DN80 + DN100	Water + Saturated steam	310 °C / 41 bar	Valve repaire	ROBINETTERIE SERVICE	Unknown
2025	Belgium	5x Pneumatic Valves + 4x Perforated discs	VRX + 7162 E + DISQUE	DN50 + DN25 + DN200	Superheated steam	280 °C / 63 bar	Energy engineering	NUORO	Unknown
2025	France	2-way pneumatic control valve	7162 P + RCX	DN50 + DN80 + DN150	Water	230°C / 32 barg	DISTRIBUTER	TECHNO SERVICE EUROPE	/
2025	Indonesia	Low excess pressure valves	PRL + EPL	DN25	Nitrogen (Blanketing)	5 barg / 30°C	Fragrance / Flavour	Multi Tarex	PT MANE INDONESIA
2025	Germany	Self acting valve - Pressure reducing valve	PR515E	150	Air	25°C / 12 barg		AL MASANE AL KOBRA MINING	
2025	Italia	Self acting valve - Pressure reducing valve	PRDX	20/25/40/65	Water	105°C / 10barg		BVALVE	
2025	Spain	Pneumatic actuator	PA35 + PA60	NA	Air	90°C / 6 barg		BVALVE	
2025	France	Flow controller	6324	25	Water	NA		DEF-TECH (S) PTE LTD	
2025	Germany	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2025	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2025	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2025	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2025	Italia	Pneumatic actuator	Multiple	NA	Air	90°C / 6 barg		OMB VALVES S.P.A.	
2025	United Kingdom	Self acting valve - Excess pressure valve	EP615	100	Pure Water	25°C / 10barg	Semiconductor	STL POWER & PROCESS CONTROL	Organo technology
2025	Turkey	2-way pneumatic control valve	7162P FT	DN200	Hot oil	300°C / 14 bar	NATURAL GAS	BAFCON	BOTAS
2025	France	2-way pneumatic control valve + 3-way pneumatic control valve	VRX + 7562	DN50 + DN65	SUPERHEATED WATER	160 °C / 45 barg	Pipe welding installer - Incinération plant	EST INDUSTRIES SENTIS SOGAD	
2025	France	2-way pneumatic control valve	VRX	DN250	SUPERHEATED STEAM	460°C / 49 barg	Chemical plant	LTI	NOVACARB

Reference List

Year	Country	Product type	SART von Rohr Ref	DN	Fluid	TS / PS	Kind of industry	Customer	Final customer/End user
2025	France	Controls Valves	7560EZ	250	WATER	25/4	ENERGY	AXIMA CONCEPT	MINISTERES DES ARMEES
2025	France	Steam Station	7100	50	STEAM	196/13		SPIE INDUSTRY	UNKWON
2025	France	Rcxp	RCXP	100	AIR	45/39		VEOLIA	VEOLIA





Financials



Financials Highlights

SART von Rohr group

	2021	2022	2023	2024
Revenue (k€)	12 737	13 191	16 837	17 169
Operating margin	11,5%	11,6%	11,9%	11,8%
Operating profit (k€)	1 529	1 615	2 139	1 985
Personnel efficiency	3,65	3,61	3,75	3,62
Net profit (k€)	428	408	693	535
Equity (k€)	6 897	7 499	8 354	9 099
Net Assets (k€)	12 758	13 950	15 934	17 658



Our certification



Certification

Compliance with standards and regulations is a commitment for SART Von Rohr

Committed to ISO 9001 certification

ISO 9001 certification covers the various aspects of quality management, with processus management. The ISO 9001 version 2015 is the latest version. Entities holding this certification ensure that its products and services are in line with what customers are able to demand.



Guaranteed French origin

SART Von Rohr has asked VERITAS for the "Origine France Garantie" certification of many products. This certification provides consumers with a clear and objective indication of origin.



ATEX Quality, ATEX Type examination 301080

Most SART Von Rohr products can be installed in ATEX Zones 1 & 2. Our actuators are IECEx certified and we manufacture an ATEX certified limit switch box. Therefore, our quality system is audited and approved for the production of ATEX and IECEx equipment.



PED for safety and protection

PED certification establishes the conditions for placing on the market all appliances and equipment subjected to a pressure greater than 0.5 bar.

PED module D1

 cofrac INSPECTION Accréditation Cofrac Inspection n°1-1352, liste d'implantation et portées sur www.cofrac.fr List of sites and scopes on www.cofrac.fr	Bureau Veritas Services SAS is a  BUREAU VERITAS ATTESTATION D'APPROBATION DE SYSTÈME DE QUALITÉ CERTIFICATE OF QUALITY SYSTEM APPROVAL N° CE-0062-PED-D1-SVR 001-23-FRA	 Notified Body under the number 0062		
ATTESTATION D'APPROBATION DE SYSTÈME DE QUALITÉ CERTIFICATE OF QUALITY SYSTEM APPROVAL N° CE-0062-PED-D1-SVR 001-23-FRA				
<p>Bureau Veritas Services SAS, agissant dans le cadre de sa notification (numéro d'organisme notifié 0062), atteste que le système de qualité appliqué par le fabricant pour la fabrication, l'inspection des produits finis et l'essai des équipements/ensembles sous pression identifiés ci-après, a été examiné selon les prescriptions du module D1 de l'annexe III de la directive "Équipements sous pression" N° 2014/68/EU et est conforme aux dispositions correspondantes de la directive.</p> <p>Bureau Veritas Services SAS, acting within the scope of its notification (notified body number 0062), attests that the quality system operated by the manufacturer for production, final product inspection and testing of the pressure equipment/assembly identified hereunder has been examined against the provisions of annex III, module D1, of the Pressure Equipment Directive n° 2014/68/EU, and found to satisfy the provisions of the directive which apply to it.</p>				
Fabricant (Nom) / Manufacturer (Name): Adresse / Address: Marque commerciale : Trading Name - Mark Description de l'équipement/ensemble / Equipment/Assembly description: Identification des équipements/ensembles concernés (liste au verso de la page ou en annexe le cas échéant) : Identification of equipment/ensembles concerned (list on the back or attached where necessary)	SART VON ROHR 25 RUE DE LA CHAPELLE 68620, BITSCHWILLER LES THANN, France SART VON ROHR Voir page 2 /			
Cette attestation expire le (jj/mm/aaaa) : 19/05/2026 <i>This certificate will expire on (dd/mm/yyyy)</i>				
Le maintien de l'approbation est soumis à la réalisation par l'entité Bureau Veritas locale ayant signé le contrat avec le fabricant des audits, visites, essais et vérifications conformément aux termes de ce contrat. <i>The approval is conditional upon the surveillance audits, visits, tests and verifications to be carried out by the local Bureau Veritas entity that entered into a contract with the manufacturer according to the provisions of such contract.</i>				
Cette attestation sera annulée si le fabricant ne respectera pas les conséquences de son utilisation, si les assurances données par le fabricant lors de la demande d'accréditation Bureau Veritas Services SAS en matière (a) d'application de son système de qualité approuvé, (b) d'inspection et (c) d'essais des produits finis se révèlent inexacts et, de manière générale, si le fabricant ne respecte pas l'une ou l'autre des obligations mises à sa charge par la directive n° 2014/68/EU du 15 mai 2014 telle qu'elle est transposée dans (et/ou) droit(s) national(aux) applicable(s). <i>This certificate shall be deemed to be void and the manufacturer shall alone bear any consequences pursuant to its use, where the manufacturer fails to comply with his undertakings as per the agreement with Bureau Veritas Services SAS in respect of (a) implementation of the approved quality system, (b) and inspection (c) and tests on the final product, and generally where the manufacturer fails in particular to comply with any of his obligations under directive n° 2014/68/EU of 15 may 2014 as transposed in the applicable laws.</i>				
Établi à Made at: Mulhouse	Le (jj/mm/aaaa) On (dd/mm/yyyy) 20/05/2023	Approuvé et Enregistré en Approved and Recorded in France	Signé par Signed by SYLVAIN THIBAULT	Signature autorisée par Organisme Notifié 0062 Signature Authorized by Notified Body No 0062 
Code d'enregistrement / Registration Code 2023/001255/CE-0062-PED <i>The present document is subject to the terms of General Conditions of Service attached to the agreement signed by the applicant.</i> <i>Le présent document peut être reproduit que par le fabricant conformément aux termes du contrat signé entre l'entité Bureau Veritas locale et le fabricant.</i> <i>The present document shall not be reproduced, except by the manufacturer in compliance with the provisions of the contract entered into between the local Bureau Veritas entity and the manufacturer.</i>				

Bureau Veritas Services SAS is a

Notified Body under the number 0062

BUREAU
VERITAS

N° CE-0062-PED-D1-SVR 001-23-FRA

Liste des équipements/ensembles concernés

List of the concerned equipment/assemblies

Conception, fabrication de vannes de régulation, de purgeurs, de pompes à fluide auxiliaire,
d'équipements d'environnement de chaudière et d'instruments de mesure de débit et de niveau pour les fluides.



PED module H



Bureau Veritas Services SAS is a



Notified Body under the number 0062



ATTESTATION D'APPROBATION DE SYSTÈME DE QUALITÉ CERTIFICATE OF QUALITY SYSTEM APPROVAL				
N° CE-0062-PED-H-SVR 001-23-FRA				
<p>Bureau Veritas Services SAS, agissant dans le cadre de sa notification (numéro d'organisme notifié 0062), atteste que le système de qualité appliquée par le fabricant pour la conception, la fabrication, l'inspection des produits finis et les essais des équipements/ensembles sous pression identifiés ci-après, a été examiné selon les prescriptions du module H de l'annexe III de la directive "Équipements sous pression" N° 2014/68/UE et est conforme aux dispositions correspondantes de la directive.</p> <p>Bureau Veritas Services SAS, acting within the scope of its notification (notified body number 0062), attests that the quality system operated by the manufacturer for design, manufacture, final product inspection and testing of the pressure equipment/assembly identified hereunder has been examined against the provisions of annex III, module H, of the Pressure Equipment Directive 2014/68/EU, and found to satisfy the provisions of the directive which apply to it.</p>				
Fabricant (Nom) / Manufacturer (Name):	SART VON ROHR			
Adresse / Address:	25 RUE DE LA CHAPELLE 68620, BITSCHWILLER LES THANN, France			
Marque commerciale : Trading Name - Mark	SART VON ROHR			
Description des équipements/ensembles / Equipment/Assembly description:	Voir page 2			
Identification des équipements/ensembles concernés (ou liste au verso ou en annexe le cas échéant) (Identification of equipment/assemblies concerned (or list on the back or attached where necessary))	/			
<input checked="" type="checkbox"/> Existence d'une annexe à l'attestation d'approbation de système qualité Existence of an annex to the certificate	N / A			
<p>Cette attestation est valable jusqu'au (jj/mm/aaaa) : 19/05/2026 <i>This certificate will expire on (dd/mm/yyyy)</i></p> <p>Le maintien de l'approbation est soumis à la réalisation par l'entité Bureau Veritas locale ayant signé le contrat avec le fabricant des audits, visites, essais et vérifications conformément aux termes de ce contrat. <i>The approval is conditional upon the surveillance audits, visits, tests and verifications to be carried out by the local Bureau Veritas entity that entered into a contract with the manufacturer, pursuant to the provisions of such contract.</i></p> <p>Cette attestation est présumée nulle et le fabricant supporterait seul les conséquences de son utilisation, si les assurances - données par le fabricant lors de la demande d'intervention - en matière (a) d'application de son système qualité approuvé et (b) d'inspection et d'essais des produits finis se révèlent inexactes et, de manière générale, si le fabricant ne respecte pas l'une ou l'autre des obligations mises à sa charge par la directive n° 2014/68/UE du 15 mai 2014 telle que transposée dans les(s) droit(s) national(aux) applicable(s). <i>This certificate shall be void and the manufacturer shall alone bear any consequences pursuant to its use, where the manufacturer fails to comply with his undertakings as per the agreement in respect of (a) implementation of the approved quality system and (b) inspection and tests on the final product, and generally where the manufacturer fails in particular to comply with any of his obligations under directive n° 2014/68/UE of 15 may 2014 as transposed in the applicable law(s).</i></p>				
Établi à Made at	Le (jj/mm/aaaa) On (dd/mm/yyyy)	Approuvé et Enregistré en Approved and Recorded in	Siglé par Signed by	Signature autorisée par Organisme Notifié 0062 Signature Authorized by Notified Body No 0062
Mulhouse	20/05/2023	France	SYLVAIN THIBAULT	
Code d'enregistrement / Registration Code : 2023/001256/CE-0062-PED				
<p>Le présent document est soumis aux Conditions Générales de Service jointes à la demande d'intervention signée par le demandeur. <i>The present document is subject to the terms of General Conditions of Service attached to the agreement signed by the applicant.</i></p> <p>Le présent document ne peut être reproduit que par le fabricant conformément aux termes du contrat signé entre l'entité Bureau Veritas locale et le fabricant. <i>The present document shall not be reproduced, except by the manufacturer in compliance with the provisions of the contract entered into between the local Bureau Veritas entity and the manufacturer.</i></p>				

© Bureau Veritas Services SAS

File n°: 19089190

Chr /

8 Cours du Triangle, 92800 PUTEAUX - LA DEFENSE, FRANCE

Page 1 of 2

Bureau Veritas Services SAS is a Notified Body under the number 0062				
<p>BUREAU VERITAS N° CE-0062-PED-H-SVR 001-23-FRA</p> <p>Liste des équipements/ensembles concernés <i>List of the concerned equipment/assemblies</i></p> <p>Conception, fabrication de vannes de régulation, de purgeurs, de pompes à fluide auxiliaire, d'équipements d'environnement de chaudière et d'instruments de mesure de débit et de niveau pour les fluides.</p>				

© Bureau Veritas Services SAS

File n°: 19089190

Chr /

8 Cours du Triangle, 92800 PUTEAUX - LA DEFENSE, FRANCE

Page 2 of 2



EU type examination certificate



ATTESTATION D'EXAMEN UE DE TYPE EU TYPE EXAMINATION CERTIFICATE



1 Version : 00 LCIE 16 ATEX 3025 X Issue : 00

Directive 2014/34/UE
Appareil ou Système de Protection destiné à être utilisé en Atmosphères Explosibles

Directive 2014/34/UE
Equipment or Protective System Intended for use in Potentially Explosive Atmospheres

3 PRODUIT :
Module de détection de fin de course

Type: 301080
PRODUCT :
Limit switch detection module

4 Fabricant :

SART VON ROHR
Manufacturer :

5 Adresse :

25 rue de la chapelle – BP2
68620 BITSCHWILLER-LES-THANN
FRANCE

6 Ce produit et ses variantes éventuelles acceptées sont décrits dans l'annexe de la présente attestation et dans les documents descriptifs cités en référence.

7 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/UE du Parlement européen et du Conseil du 26 février 2014, certifie que ce produit est conforme aux Exigences Essentielles de Sécurité et de Santé pour la conception et la construction de produits destinés à être utilisés en atmosphères explosives, données dans l'annexe II de la Directive.

Les résultats des vérifications et essais figurent dans le(s) rapport(s) confidentiel(s) N° :

138650-679392

8 Le respect des Exigences Essentielles de Sécurité et de Santé est assuré par la conformité à :

EN 60079-0:2012+A11:2013,
EN 60079-11:2012

9 Le signe « X » lorsqu'il est placé à la suite du numéro de l'attestation, indique que cet appareil est soumis aux conditions particulières d'utilisation, mentionnées dans l'annexe de cette attestation.

10 Cette Attestation d'Examen UE de Type concerne uniquement la conception et la construction du produit spécifié. Des exigences supplémentaires de la directive sont applicables pour la fabrication et la fourniture du produit. Ces dernières ne sont pas couvertes par la présente attestation.

11 Le marquage du produit est mentionné dans l'annexe de cette attestation.

Fontenay-aux-Roses, le 12 décembre 2016



Responsable de Certification
Certification Officer

LABORATOIRE CENTRAL DES INDUSTRIES ELECTRIQUES
S.A.S au capital de 15 751 994 €
RCS Nanterre B 406 363 174
16 Avenue du Général Leclerc
F - 92260 FONTENAY-AUX-ROSES

Seul le texte en Français peut engager la responsabilité du LCIE. Ce document ne peut être reproduit que dans son intégralité, sans aucune modification. Il est établi en accord avec le référentiel de certification ATEX du LCIE. The LCIE's liability applies only on the French text. This document may only be reproduced in its entirety and without any change. It is issued in accordance with LCIE's ATEX Certification Rules.

CERT-ATEX-FORM 04 Rev. 02

Seul le texte en Français peut engager la responsabilité du LCIE. Ce document ne peut être reproduit que dans son intégralité, sans aucune modification. Il est établi en accord avec le référentiel de certification ATEX du LCIE. The LCIE's liability applies only on the French text. This document may only be reproduced in its entirety and without any change. It is issued in accordance with LCIE's ATEX Certification Rules.

CERT-ATEX-FORM 04 Rev. 02

Page 2 of 3



ATTESTATION D'EXAMEN UE DE TYPE - ANNEXE EU TYPE EXAMINATION CERTIFICATE - SCHEDULE

1 Version : 00

LCIE 16 ATEX 3025 X

Issue : 00

12 DESCRIPTION DU PRODUIT

Le module de fin de course, type 301080, est composé d'un boîtier contenant les éléments de détection de position et de raccordement électrique. Une console de grandeur variable permet le montage du module sur les actionneurs pneumatiques utilisés pour la motorisation de la robinetterie industrielle.

DETAIL DE LA GAMME

Paramètres électriques :

	Type 1	Type 2	Type 3	Type 4
Ci :	45nF	Ui : 16V	Ui : 16V	Ui : 16V
Li :	50µH	Il : 25mA	Il : 52mA	Il : 76mA
Pi :	34mW	Pi : 64mW	Pi : 169mW	Pi : 242mW

MARQUAGE

Le marquage du produit doit comprendre :

SART VON ROHR

Adresse : ...

Type : 301080

N° de fabrication : ...

Année de fabrication : ...

II 2 G

Ex ia IIC T6...T4 Gb

LCIE 16 ATEX 3025 X

Type 1 : Ui : 16V, Il : 25mA, Pi : 34mW, Ci : 45nF, Li : 50µH

Ou

Type 2 : Ui : 16V, Il : 25mA, Pi : 64mW, Ci : 45nF, Li : 50µH

Ou

Type 3 : Ui : 16V, Il : 52mA, Pi : 169mW, Ci : 45nF, Li : 50µH

Ou

Type 4 : Ui : 16V, Il : 76mA, Pi : 242mW, Ci : 45nF, Li : 50µH

Ou

Paramètres électriques fonction du type de circuit d'alimentation de sécurité intrinsèque connecté aux détecteurs de proximité certifiés, NJ2-12GK-N Pepperl et Fuchs utilisés.

L'appareil doit également comporter le marquage normalément prévu par les normes de construction qui le concernent sous la responsabilité du fabricant.

The equipment shall also bear the usual marking required by the product standards applying to such equipment under the manufacturer responsibility.

DESCRIPTION OF PRODUCT

The Limit switch detection module, 301080 type, consists of a housing containing the position detector and electrical wiring. A variable size bracket allows to mount the module on pneumatic actuators used for automation of the industrial valves.

RANGE DETAILS

Electrical parameters :

	Type 1	Type 2	Type 3	Type 4
Ci :	45nF	Ui : 16V	Ui : 16V	Ui : 16V
Li :	50µH	Il : 25mA	Il : 52mA	Il : 76mA
Pi :	34mW	Pi : 64mW	Pi : 169mW	Pi : 242mW

MARKING

The marking of the product shall include the following :

SART VON ROHR

Address : ...

Type : 301080

Serial number : ...

Year of construction : ...

II 2 G

Ex ia IIC T6...T4 Gb

LCIE 16 ATEX 3025 X

Type 1 : Ui : 16V, Il : 25mA, Pi : 34mW, Ci : 45nF, Li : 50µH

Or

Type 2 : Ui : 16V, Il : 25mA, Pi : 64mW, Ci : 45nF, Li : 50µH

Or

Type 3 : Ui : 16V, Il : 52mA, Pi : 169mW, Ci : 45nF, Li : 50µH

Or

Type 4 : Ui : 16V, Il : 76mA, Pi : 242mW, Ci : 45nF, Li : 50µH

Or

Electrical parameters depending on the type of intrinsic safety power supply supply connected to certified proximity detectors, NJ2-12GK-N Pepperl and Fuchs used.

1 Version : 00

LCIE 16 ATEX 3025 X

Issue : 00

13 CONDITIONS PARTICULIERES D'UTILISATION

a. L'équipement doit être connecté uniquement à un appareil associé certifié en sécurité intrinsèque. Cette combinaison doit être compatible avec les règles de sécurité intrinsèques (voir paramètres de sécurité intrinsèque chapitre 12).

b. Température ambiante maximale admissible (°C) suivant tableau ci-après.

T _{class}	T ₆	T ₅	T ₄
Type 1	69	70	70
Type 2	65	70	70
Type 3	47	62	70
Type 4	35	50	57

14 EXIGENCES ESSENTIELLES DE SANTE ET DE SECURITE

Couvertes par les normes listées au point 8.

15 DOCUMENTS DESCRIPTIFS

N°	Description	Reference	Rev.	Date	Page(s)
1.	Notice d'instructions (extrait)	BE-ATEX-0003-AN	01	2016/09/15	9
2.	Dossier technique	BE-ATEX-0001	03	2016/10/21	157

16 INFORMATIONS COMPLEMENTAIRES

Essais individuels

Néant

Conditions de certification

Les détenteurs d'attestations d'examen UE de type doivent également satisfaire les exigences de contrôle de production telles que définies à l'article 13 de la Directive 2014/34/UE.

17 DETAILS DES MODIFICATIONS

Version 00 : Emission initiale
2016/12/12

Issue 00 : Initial issue.
2016/12/12

Seul le texte en Français peut engager la responsabilité du LCIE. Ce document ne peut être reproduit que dans son intégralité, sans aucune modification. Il est établi en accord avec le référentiel de certification ATEX du LCIE. The LCIE's liability applies only on the French text. This document may only be reproduced in its entirety and without any change. It is issued in accordance with LCIE's ATEX Certification Rules.

CERT-ATEX-FORM 04 Rev. 02

Page 3 of 3

Production QAN



NOTIFICATION D'ASSURANCE QUALITE DE PRODUCTION PRODUCTION QUALITY ASSURANCE NOTIFICATION



1 Version : 07

LCIE 16 ATEX Q 4014

Issue : 07

Directive 2014/34/UE

Directive 2014/34/EU

2 Appareils ou Systèmes de Protection ou Composants listés dans l'annexe incluse à cette notification.

Equipment or Protective Systems or Components as listed in the schedule attached to this notification.

3 Fabricant :

SART VON ROHR

Address :

25 rue de la Chapelle - BP2
68620 BITSCHWILLER LES THANN
France

5 Lieu(x) de fabrication listé(s) dans l'annexe incluse à cette notification.

Manufacturing location(s) as listed in the schedule attached to this notification.

6 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/UE du Parlement européen et du Conseil du 26 février 2014, notifie au fabricant que le système qualité de production satisfait à l'Annexe IV de la directive.

LCIE, Notified Body number 0081 in accordance with article 17 of the Directive 2014/34/EU of the European Parliament and the Council of 26 February 2014 notifies to the manufacturer that the production quality system complies with annex IV of the Directive.

Ce système qualité conforme à l'Annexe IV de la Directive, satisfait de plus aux exigences de l'Annexe VII, Assurance Qualité du Produit, et de la norme EN ISO/IEC 80079-34:2020. Accreditation Cofrac Certification of Products and Services, n°5-0014. Portée disponible sur www.cofrac.fr.

This quality system in compliance with Annex IV of the Directive also meets the requirements of Annex VII, Product Quality Assurance, and EN ISO/IEC 80079-34:2020. Cofrac Accreditation Product and Services Certification n°5-0014. Scope available on www.cofrac.fr.

7 Cette notification est fondée sur le(s) rapport(s) d'audit :

15609149-780268

This notification is based on audit report(s):

Cette notification peut être retirée si le fabricant ne satisfait plus aux prescriptions de l'Annexe IV. Le maintien de cette notification est subordonné aux résultats des évaluations périodiques annuelles.

This notification can be withdrawn if the manufacturer no longer satisfies to the requirements of Annex IV. Results of periodical re-assessment of the quality system are a part of this notification.

8 Ce document est valable jusqu'au :

2025/08/01

This document is valid until :

Cette notification peut être retirée si le fabricant ne satisfait pas à la surveillance de l'assurance qualité de production.

This notification can be withdrawn if the manufacturer does not satisfy the production quality assurance surveillance.

9 Conformément à l'article 16.3 de la directive 2014/34/UE le marquage CE doit être suivi numéro d'identification 0081 du LCIE identifiant l'organisme notifié qui intervient dans les phases de contrôle de la production.

According to Article 16.3 of the Directive 2014/34/EU the CE mark shall be followed by the LCIE identification Number 0081 identifying the notified body involved in the production control stage.

Fontenay-aux-Roses, le 02 novembre 2022

Responsable de Certification

Certification Officer

Jérôme Reysson



Seul le texte en français peut engager la responsabilité du LCIE. Ce document ne peut être reproduit que dans son intégralité, sans aucune modification. Il est établi en accord avec le référentiel de certification ATEX du LCIE. The LCIE's liability applies only on the French text. This document may only be reproduced in its entirety and without any change. It is issued in accordance with LCIE's ATEX Certification Rules.

CERT-ATEX-FORM 07 Rev. 04

Page 1 of 2



NOTIFICATION D'ASSURANCE QUALITE DE PRODUCTION - ANNEXE PRODUCTION QUALITY ASSURANCE NOTIFICATION - SCHEDULE

1 Version : 07

LCIE 16 ATEX Q 4014

Issue : 07

10 LISTE DES ATTESTATIONS D'EXAMEN CE / UE DE TYPE COUVERTES

LIST OF EC / EU TYPE EXAMINATION CERTIFICATES COVERED

Item	Produit Product	Mode de protection Protection mode	Attestation d'examen CE / UE de type EC / EU type examination certificate	Lieu(x) de fabrication Manufacturing location(s)
1	Module de détection de fin de course Limit switch detection module Type 301080	Ex ia EPL Gb	LCIE 16 ATEX 3025 X	A

11 LIEU(X) DE FABRICATION

MANUFACTURING LOCATION(S)

Item	Nom Name	Adresse Address
A	SART VON ROHR	25 rue de la Chapelle - BP2, 68620 BITSCHWILLER LES THANN, France

12 DETAILS DES MODIFICATIONS

DETAILS OF CHANGES

Version 07 :	Renouvellement
Version 08 :	Extension de la date de validité 2022/07/27
Version 05 :	Surveillance 2021/07/23
Version 04 :	Surveillance 2020/11/09
Version 03 :	Renouvellement 2019/10/29
Version 02 :	Surveillance 2019/04/02
Version 01 :	Surveillance 2017/10/03
Version 00 :	Initial 2016/10/28

Issue 07 :	Renewal
Issue 08 :	Extension of validity date
Issue 05 :	Surveillance
Issue 04 :	Surveillance
Issue 03 :	Renewal
Issue 02 :	Surveillance
Issue 01 :	Surveillance
Issue 00 :	Initial

Seul le texte en Espagnol peut engager la responsabilité du LCIE. Ce document ne peut être reproduit que dans son intégralité, sans aucune modification. Il est établi en accord avec le référentiel de certification ATEX du LCIE. The LCIE's liability applies only on the Spanish text. This document may only be reproduced in its entirety and without any change. It is issued in accordance with LCIE's ATEX Certification Rules.

Page 2 of 2

LCIE Acknowledgement of file deposit



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 524 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accuse réception de la documentation technique :

N°	Date
SART/Automoteurs rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.

Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

The compliance of this documentation to the requirements of Annex VIII, point 2, of the Directive 2014/34/EU comes under the responsibility of the manufacturer.

LCIE does not examine the documentation or the product and this document shall not be considered as a certificate of conformity.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Vannes automoteurs
Produit :
Self-operated valves
Type: série EP61x - Série PR51x - EP65 - PRL - EPL - PRDX - AFR100

5 Dossier LCIE N° :
24277980- 806531
LCIE file N°:

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/EU.

This document is issued in accordance with the relevant Chapter 3, article 13, point 1.b.ii of the Directive 2014/34/EU.

6 Ce document est valable :
This document is valid :

Du / From	Au / To
31/10/2024	30/10/2024

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.

No modification of the registered file is allowed. A new request for a file deposit is necessary.
It can only be opened upon explicit request of the authorities.

7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

The product shall bear the marking required by the applicable directives and standards under the responsibility of the manufacturer. It is not required that acknowledgement number be affixed on the product.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification
Certification Officer

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

33, av du Général Leclerc
BP 8
92268 Fontenay-aux-Roses cedex
France

Tél : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
fontenay@certfr
www.certfr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92268 FONTENAY AUX ROSES

CERT-ATEX-FORM 11 Rev. 05

Page 1 / 1



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 523 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accuse réception de la documentation technique :

N°	Date
SART/Indicateurs de niveau rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.

The compliance of this documentation to the requirements of Annex VIII, point 2, of the Directive 2014/34/EU comes under the responsibility of the manufacturer.

Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

LCIE does not examine the documentation or the product and this document shall not be considered as a certificate of conformity.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Indicateurs de niveau
Produit :
Level indicators
Type: MBSK

5 Dossier LCIE N° :
24277980- 806532
LCIE file N°:

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/EU.

This document is issued in accordance with the relevant Chapter 3, article 13, point 1.b.ii of the Directive 2014/34/EU.

6 Ce document est valable :
This document is valid :

Du / From	Au / To
31/10/2024	30/10/2024

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.


No modification of the registered file is allowed. A new request for a file deposit is necessary.
It can only be opened upon explicit request of the authorities.

7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification
Certification Officer

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

Tél : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
fontenay@certfr
www.certfr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92268 FONTENAY AUX ROSES

CERT-ATEX-FORM 11 Rev. 05

Page 1 / 1



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 519 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accuse réception de la documentation technique :

N°	Date
SART/Servomoteur pneumatiques rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.

The compliance of this documentation to the requirements of Annex VIII, point 2, of the Directive 2014/34/EU comes under the responsibility of the manufacturer.

Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

LCIE does not examine the documentation or the product and this document shall not be considered as a certificate of conformity.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Servomoteurs pneumatiques
Produit :
Pneumatic actuator
Type: Série PA-MA-TMA-DMA-SRX

5 Dossier LCIE N° :
24277980- 806529
LCIE file N°:

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/EU.

This document is issued in accordance with the relevant Chapter 3, article 13, point 1.b.ii of the Directive 2014/34/EU.

6 Ce document est valable :
This document is valid :

Du / From	Au / To
31/10/2024	30/10/2024

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.

No modification of the registered file is allowed. A new request for a file deposit is necessary.
It can only be opened upon explicit request of the authorities.


7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

The product shall bear the marking required by the applicable directives and standards under the responsibility of the manufacturer. It is not required that acknowledgement number be affixed on the product.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification
Certification Officer

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

Tel : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
fontenay@certfr
www.certfr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92268 FONTENAY AUX ROSES

Tel : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
fontenay@certfr
www.certfr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92268 FONTENAY AUX ROSES

CERT-ATEX-FORM 11 Rev. 05

Page 1 / 1

LCIE Acknowledgement of file deposit



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 521 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accueille réception de la documentation technique :

N°	Date
SART/Purgeurs rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.
Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Purgeurs / Pompe Produit : Steam traps / Pumps
Type: BTX-CTX-BTHP-GMA-PPX14-SARTLIFT

5 Dossier LCIE N° :
24277980-806535

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/UE.

This document is issued in accordance with the relevant Chapter 3, article 13, point 1.b.ii of the Directive 2014/34/EU.

6 Ce document est valable :
Du / From Au / To

Du / From	Au / To
31/10/2024	30/10/2034

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.

No modification of the registered file is allowed. A new request for a file deposit is necessary.
It can only be opened upon explicit request of the authorities.

7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

The product shall bear the marking required by the applicable directives and standards under the responsibility of the manufacturer. It is not required that acknowledgement number be affixed on the product.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification

Certification Officer

Julien Gauthier

[Signature]

FONTE

ENTENAY AUX ROSES

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

33, av du Général Leclerc
BP 8
92266 Fontenay-aux-Roses cedex
France

Tel : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
contact@lcie.fr
www.lcie.fr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

CERT-ATEX-FORM 11 Rev 05

Page 1 / 1



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 520 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accueille réception de la documentation technique :

N°	Date
SART/Vannes de régulation rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.
Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Vannes de régulation Produit : Control valves
Type: Série 6000-7000-9000-VRX-2020-TR-NTR-TOR-HDV-VER-DMBC-RCX

5 Dossier LCIE N° :
24277980-806536

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/UE.

6 Ce document est valable :
Du / From Au / To

Du / From	Au / To
31/10/2024	30/10/2034

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.

7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification

Certification Officer

Julien Gauthier

[Signature]

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

33, av du Général Leclerc
BP 8
92266 Fontenay-aux-Roses cedex
France

Tél : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
contact@lcie.fr
www.lcie.fr

CERT-ATEX-FORM 11 Rev 05

Page 1 / 1



ACCUSE DE RECEPTION DE DEPOT DE DOSSIER ACKNOWLEDGEMENT OF FILE DEPOSIT

1 Version : 00 LCIE 24 AR 522 NM Issue : 00

2 Le LCIE, Organisme Notifié sous la référence 0081 conformément à l'article 17 de la directive 2014/34/EU du Parlement européen et du Conseil du 26 février 2014, accueille réception de la documentation technique :

N°	Date
SART/appareils statiques rev A	18/07/2024

La conformité de cette documentation aux exigences de l'Annexe VIII, point 2, de la Directive 2014/34/EU relève de la responsabilité du fabricant.
Le LCIE n'examine pas la documentation ou le produit et ce document ne doit pas être considéré comme un certificat de conformité.

3 Fabricant :
SART VON ROHR
25 rue de la Chapelle
68620 Bitschwiller-Lès-Thann - France

4 Produit :
Appareils statique de tuyauterie Produit : Static piping devices
Type: MNB-DVX-2900HP

5 Dossier LCIE N° :
24277980-806533

Ce document est émis conformément au Chapitre 3, article 13, point 1.b.ii de la Directive 2014/34/UE.

6 Ce document est valable :
Du / From Au / To

Du / From	Au / To
31/10/2024	30/10/2034

Aucune modification du dossier enregistré n'est possible. Une nouvelle demande de dépôt de dossier est nécessaire.
Il ne peut être ouvert que sur demande express des autorités.

7 Le produit doit comporter le marquage requis par les directives et normes applicables sous la responsabilité du fabricant. Il n'est pas exigé que le numéro d'accusé de réception figure sur le produit.

8 Détails des modifications

Version/ Issue	Description	Date
00	Emission accusé de réception de dépôt de dossier	27/11/2024

Fontenay-aux-Roses, le 27 novembre 2024



Responsable de Certification

Certification Officer

Julien Gauthier

[Signature]

LCIE
Laboratoire Central
des Industries Électriques
Une société de Bureau Veritas

33, av du Général Leclerc
BP 8
92266 FONTENAY AUX ROSES

Tel : +33 1 40 95 60 60
Fax : +33 1 40 95 88 56
contact@lcie.fr
www.lcie.fr

Société par Actions Simplifiée
au capital de 15 745 984 €
RCS Nanterre B 408 363 174
33 avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

CERT-ATEX-FORM 11 Rev 05

Page 1 / 1

French origin



BV Cert. 6011104

French origin



Bureau Veritas Certification

Annexe (2/3)
Cette annexe fait partie intégrante du Certificat Origine France Garantie.

Bureau Veritas Certification
a émis cette annexe à l'attestation de conformité relative au référentiel :

ORIGINE FRANCE GARANTIE
Numéro d'attestation : 6011104

SART VON ROHR
25 rue de la Chapelle
68620 BITSCHWILLER-LES-THANN - FRANCE

Les spécifications des produits, incluant les noms de gammes sont listées ci-dessous

Catégorie produits	Marque produits	Gammes produits
Machine et outillage	ByVap	Purgeurs d'eau condensée BTX32
Machine et outillage	ByVap	Pompe SARTLIFT
Machine et outillage	ByVap	Purgeur pompe PPX14
Machine et outillage	ByVap	Désurchauffeur

Origine géographique des produits labellisés (mentions facultatives pouvant-être associées au Logo)

Région	Grand-Est
Département	68 Haut-Rhin
Ville	Bitschwiller-lès-Thann

Paris-la-Défense, le 10/02/2021

Laurent Crouguennec
Président

Bureau Veritas Certification France - Le Triangle de l'Arche - 9, cours du Triangle - 92937 Paris-la-Défense cedex

Bureau Veritas Certification

Annexe (3/3)
Cette annexe fait partie intégrante du Certificat Origine France Garantie.

Bureau Veritas Certification
a émis cette annexe à l'attestation de conformité relative au référentiel :

ORIGINE FRANCE GARANTIE
Numéro d'attestation : 6011104

SART VON ROHR
25 rue de la Chapelle
68620 BITSCHWILLER-LES-THANN - FRANCE

Les adresses des sites de principale ouvraison sont listées ci-dessous :

Sart Von Rohr
68620 Bitschwiller-lès-Thann
France

Paris-la-Défense, le 10/02/2021

Laurent Crouguennec
Président

Bureau Veritas Certification France - Le Triangle de l'Arche - 9, cours du Triangle - 92937 Paris-la-Défense cedex



Sustainability Policy



Sustainability Policy

Introduction

SART von Rohr Group is a multi-national thermal flow control manufacturer and niche steam specialist.

We are committed to operating responsibly and sustainably to ensure that we deliver our Company Purpose to create sustainable value for a more efficient, safer and sustainable world.

This Policy applies to all Group Functions, Operating Companies and colleagues of SART von Rohr Group and we also encourage suppliers and partners to respect the standards outlined in this Policy.

Environmental Management

Wherever we operate we will comply with all relevant environmental legislation. SART von Rohr follow the best standards rules applicable in each country.

We drive our operations in an environmentally responsible behavior, working to prevent, control any potential environmental impacts, having suitable management systems and procedures in place to prevent pollution, manage waste and minimize resource consumption.



Sustainability Policy

Sustainability Management

Our Board of Directors is responsible for overseeing performance and ensuring that management gives appropriate attention to sustainability strategy, performance and risk management.

Finally, our ability to operate sustainability is dependent on all Group colleagues taking responsibility for implementing and applying this Policy in all their activities within the Group.



Conclusion

At SART Von Rohr Group, we are committed to integrating sustainability and environmental responsibility at the heart of our operations. By complying with local regulations and adopting best practices, we reduce our environmental footprint while optimizing energy efficiency. Through process improvements and collaboration with our partners, we strive for a more sustainable future. Finally, our commitment relies on the engagement of all our colleagues, ensuring that our sustainability vision is reflected in all our actions.

Climate Action

To deliver progress against our climate targets, SART von Rohr is seeking to reduce energy use, by investing in energy optimizing and improving energy efficiency in our production processes.

On top of this, SART Von Rohr reduce greenhouse gas emissions through a transition to electricity sourced from renewables, upgrade our fleet to electric vehicles and substitute fossil fuel intensive process equipment with low carbon alternatives.

We ask to our Supplier to monitor their own sustainability performance, and help them to raise the best standards.

